NIHVA TECHNOLOGIES PVT LTD

8/1 Coromant Housing Society, Sec. No. 27
Nigdi Pradhikaran , Pune- 411044, Maharashtra, India
Tel : +91 20 66304033 / 8551093333
Email : sales@nihva.com

PURCHASE ORDER

Supplier's Name and Address :
UZEL KAPI SİSTEMLERİ MÜHENDİSLİK İÇ VE DIŞ TİCARET LTD.ŞTİ.
100/1 Sok. No:33/A 35290 GÖZTEPE-KONAK İZMİR
Tel : +90(0)232 231 11 44
Fax : +90(0)232 231 11 65

E-mail : tolga@ardedoors.com / Info@Uzelkapi.com
Web : http://www.ardedoors.com / www . Uzelkapi.com

Purchase Order No.	Date
NVA-649	**11/2/2023**

Reference :

Quotation :
Project :

We have pleasure to entrust you our order for the following Goods / Services to be rendered subject to the terms and conditions specified overleaf

Sr. No.	Item Description / Material Description	Size	UNIT	Unit In	Rate / CURRECY Unit	Euro	Total Value
1	**High Speed Door** **W 3000 mm X H 3500 mm with Counter weight system.** **Refer attach communication.**	**3000 x 3500 (W X H) mm**	**1**	**No**	**2570.00**	**Euro**	**2570.00**
2	**Packaging**		**1**	**No**	**140.00**	**Euro**	**140.00**
		Total	**2**	**No**		**Euro**	**2710.00**

Terms & Conditions :

Payment Term **:Payment Terms-100% 30 Days from the date of Invoice.**
Delivery Schedule : 10 Days
Incoterms : : Exworks By Sea @Port - nhava sheva mumbai
Transshipment: Allowed/ NOT Allowed : NOT ALLOWED
Partial Shipment: Allowed/ NOT Allowed : NOT ALLOWED
Final Destination

GENERAL BUYER CONDITIONS OF NIHVA TECHNOLOGIES PVT. LTD. WILL BE APPLICABLE. REFFER THE ATTACHED SHEET FOR THE SAME.

Document Required: Following document to be send to us immediately & which are compulsary required after shipment
Original Bill of Lading,ORIGINAL INVOICE, ORIGINAL PACKING LIST, ORIGINAL PREFERENTIAL FORM A, Test Certificates,
Installation Manual, Service Manual, Product certification.

FOR NIHVA TECHNOLOGIES PVT LTD

AUTHORISED SIGNATORY

ALL the document should be address to the above address only.

Subject to Pune Jurisdiction

NIHVA TECHNNOLOGIES PVT LTD

Annexure For Purchase Order NVA-619 , Date - 14/04/2023

NIHVA MAKE High Speed Door

1. Use : Internal Door/External
2. Control Panel : Inverter Motion system to adjust different speeds, with progressive control of acceleration & deceleration during braking with 4 Push Button operated Open-Stop-Close
3. Opening/Closing speed : Opening / closing up to 2,2 / 0,9 m/s.
4. Security Features : EN 13241-1 Standard
5. Wind Class : Upto Class 2
6. Curtain : Fabric 1mm Thick
7. Vision panel : 1 Pc of (W)4000 x (H) 600mm
8. Guide Material : Aluminum
9. Protection Category : IP54
10. Power Consumption : 0.75 kw Motor
11. Operator & Control : German Make Motor
12. Connecting Voltage : 220V , 1Ph , N
13. Motor & Hood Cover : Inclusive
14. Safety device : Safety edge, safety photocell(Transmitter/Receiver)
15. Emergency Opening : Crank Handle
16. Accessories : Two channel Loop Detector

Technical Specifocations

Sr. No	Description	Specifications
1	**Door Type**	ALU High Speed Roling Shutters
2	**Size**	2780(W)x4000(H)mm
3	**Use**	External Application
4	**Speed**	Inverter Motion system to adjust different speeds, with progressive control of acceleration & deceleration during braking
5	**Opening speed**	upto 2 m/s
6	**Closing speed**	0.7 m/s
7	**Control Panel**	3 Push Button operated
8	**Security Features**	EN 13241-1 Standard
9	**Resistance to wind load**	EN12424 upto class 1
10	**Curtain**	19 mm thk , Polyurethane filled RAL 9006 aluminium lamella
11	**Guide Material**	Aluminium Anodized , Painting in any RAL9006 lamalla colour
12	**Hood & Motor Cover**	Anodised Aluminum , Inclusive
13	**Operator & Control**	German Make Motor
14	**Connecting Voltage**	220V , 1Ph , N
15	**Open-Stop-Close Button**	Standarad
16	**Protection Category**	IP 54
17	**Emergency Off Button**	Standard
18	**Closing Zone Monitoring**	Optical Safety edge
19	**Safety Device**	Photocell
20	**Emergency Opening**	Crank Handle