Spare part list
RT 800


ALBANY
ASSA ABLOY



2013-05 Index 00

RH column	
Seitenteil rechts	
Karm höger	











ALBANY
ASSA ABLOY

RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
I	**RH column**								
	Column bottom part RH			D8520050	G	C		1	
	for H<=3000mm						Stck./pc.		
	Extra price for side of drive unit						Stck./pc.		
	for H>3000mm						Stck./pc.		
	Extra price for side of drive unit						Stck./pc.		
	Guide profiles							1	
	Guidance 1 RH	All doors		D4521077		A	Stck./pc.		
	Guidance 2 RH	All doors		D4521078		A	Stck./pc.		
	Guidance 3 RH	H>=3m		D4521079		A	Stck./pc.		
	Guidance 4 RH	H>=4m		D4521080		A	Stck./pc.		
	Guidance 2,5	only H=2,5m		D4521150		A	Stck./pc.		
1	Guidance 2,75 RH	only H=2,75m		D4521516		A	Stck./pc.		
	Guidance 3,25 RH	only H=3,25m		D4521518		A	Stck./pc.		
	Guidance 3,5	only H=3,5m		D4521149		A	Stck./pc.		
	Guidance 3,75 RH	only H=3,75m		D4521519		A	Stck./pc.		
	Guidance 4,25 RH	only H=4,25m		D4521521		A	Stck./pc.		
	Guidance 4,5	only H=4,5m		D4521148		A	Stck./pc.		
	Guidance 5 RH	only H=5m		D4521081		A	Stck./pc.		
2	Safety edge RH cpl			D8220185	G	B	Stck./pc.	1	
3	Rubber profile			D4421011		B	Stck./pc.	1	
4	Flexible cable duct with cable			D8520030	G	B	Stck./pc.	1	
5	Emergency lever (side of unit)	Drive side		D8220156	G	B	Stck./pc.	1	
6	Mechanical lock cpl (side of unit)	Drive side		D8520037	G	A	Stck./pc.	1	
7	Handle for mechanical lock			D8120139		A	Stck./pc.	1	
8	Switch for mechanical lock			D8420038		A	Stck./pc.	1	
9	Rubber cable			D8020024	G		Stck./pc.	2	X
10	Rope pulley			D8120004			Stck./pc.	6	X
11	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
	Bracket photocell	H>=3,5m		D4521R1044			Stck./pc.	1	
12	Cable for photocell length 4m			D4907R0024		A	Stck./pc.	2	
	Cable for photocell length 6m			D4907R0029		A	Stck./pc.	2	
	Cable for photocell length 8m			D4907R0030		A	Stck./pc.	2	
	Cable for photocell length 10m			D4907R0032		A	Stck./pc.	2	
	Cable for photocell length 12m			D4907R0023		A	Stck./pc.	2	
	Cable for photocell length 14m			D4907R0031		A	Stck./pc.	2	
13	Spring L=1528mm		► 2001-07	D4802R0018			Stck./pc.	max.12	X
	Spring L=1528mm	H<=4m	2001-08 ►	D4802R0018			Stck./pc.	max.12	X
	Spring L=2130mm	H>4m	2001-08 ►	D4802135			Stck./pc.	max.12	X
14	Spring extension			D4521463	G		Stck./pc.	max.4	

LH column	
Seitenteil links	
Karm vänster	












ALBANY
ASSA ABLOY


RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
II	**LH column**								
	Column bottom part LH cpl			D8520051	G	C		1	
	for H<=3000mm						Stck./pc.		
	Extra price for side of drive unit						Stck./pc.		
	for H>3000mm						Stck./pc.		
	Extra price for side of drive unit						Stck./pc.		
	Guide profiles							1	
	Guidance 1 LH (first top short profile)	All doors		D4521082		A	Stck./pc.		
	Guidance 2 LH	All doors		D4521083		A	Stck./pc.		
	Guidance 3 LH	H>=3m		D4521084		A	Stck./pc.		
	Guidance 4 LH	H>=4m		D4521085		A	Stck./pc.		
	Guidance 2,5	only H=2,5m		D4521150		A	Stck./pc.		
1	Guidance 2,75	only H=2,75m		D4521517		A	Stck./pc.		
	Guidance 3,25	only H=3,25m		D4521518		A	Stck./pc.		
	Guidance 3,5	only H=3,5m		D4521149		A	Stck./pc.		
	Guidance 3,75	only H=3,75m		D4521520		A	Stck./pc.		
	Guidance 4,25	only H=4,25m		D4521521		A	Stck./pc.		
	Guidance 4,5	only H=4,5m		D4521148		A	Stck./pc.		
	Guidance 5	only H=5m		D4521086		A	Stck./pc.		
2	Safety edge LH cpl			D8220152	G	B	Stck./pc.	1	
3	Same as above for H>=3500mm			D4421011		B	Stck./pc.	1	
4	Flexible cable duct with cable for photocell and			D8520029	G	B	Stck./pc.	1	
5	Emergency lever (side of unit)	Drive side		D8220156	G	B	Stck./pc.	1	
6	Mechanical lock (side of unit)	Drive side		D8520037	G	A	Stck./pc.	1	
7	Handle for mechanical lock			D8120139		A	Stck./pc.	1	
8	Switch for mechanical lock			D8420038		A	Stck./pc.	1	
9	Rubber cable			D8020024	G		Stck./pc.	2	X
10	Rope pulley			D8120004			Stck./pc.	6	X
11	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
	Bracket photocell receiver	H>=3,5m		D4521R1044			Stck./pc.	1	
12	Cable for photocell length 4m			D4907R0024		A	Stck./pc.	2	
	Cable for photocell length 6m			D4907R0029		A	Stck./pc.	2	
	Cable for photocell length 8m			D4907R0030		A	Stck./pc.	2	
	Cable for photocell length 10m			D4907R0032		A	Stck./pc.	2	
	Cable for photocell length 12m			D4907R0023		A	Stck./pc.	2	
	Cable for photocell length 14m			D4907R0031		A	Stck./pc.	2	
13	Spring L=1528mm		► 2001-07	D4802R0018		A	Stck./pc.	max.12	X
	Spring L=1528mm	H<=4m	2001-08 ►	D4802R0018		A	Stck./pc.	max.12	X
	Spring L=2130mm	H>4m	2001-08 ►	D4802135		A	Stck./pc.	max.12	X
14	Spring elongation bracket			D4521463	G		Stck./pc.	max.4	

Door top part	
Toroberteil	



A




Rev.: 0 Sheet: 2 of 2

ALBANY
ASSA ABLOY

RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
III	**Door Topsection**								
1	Guide profile long			D4521076		C	Stck./pc.		
2	Guide profile short			D4521075		C	Stck./pc.		
3	Axial A cpl	H>3m		D8120097		B	Stck./pc.	2	
4	Axial B cpl			D8120098	G	B	Stck./pc.	2	
5	Axial C cpl			D8120099		B	Stck./pc.	2	
6	Guide pulley (D80)			D8120088		B	Stck./pc.	2	
7	Deflection sprocket (16 Z)			D5101101		A	Stck./pc.	1	
8	Barrel cpl			D8240073	G	C		1	
		Base price					Stck./pc.		
		upcharge					m		
9	Proximity switch with cable and bracket RH	only drive side		D8420035		B	Stck./pc.	1	
	Proximity switch			D4905R0082		A	Stck./pc.	1	
10	Chain joint			D8130061		A	Stck./pc.	2	
11	Bracket for fixing the door			D4521056		A	Stck./pc.	2	
12	Head profile cpl			D8220147	G	C	m	1	
13	Rubber profile			D4421007	G	B	m	2	
14	Cross-struts inside complete			D8220148	G	C	Stck./pc.	1	

Panels	
Paneele	




ALBANY
ASSA ABLOY

RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
IV	**Panel**								
1	Standard-panel W<=3500mm			D8230261	G	C	m	1	
	Standard-panel W>3500mm			D8230262	G	C	m	1	
2	Panel with windows W<=3500mm			D8230265	G	C	m	1	
	Panel with windows W>3500mm			D8230266	G	C	m	1	
3	Bottom-panel raster screen 500mm w<=3500mm			D8230263	G	C	m	1	
	Bottom-panel raster screen 250mm w<=3500mm			D8230329	G	C	m	1	
	Bottom-panel raster screen 500mm w >3500mm			D8230264	G	C	m	1	
	Bottom-panel raster screen 250 mm w>3500mm			D8230RG004	G	C	m	1	

Chains and chainbars	
Ketten und Kettenstangen	




ALBANY
ASSA ABLOY

RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Wear Verschleißteil part / Slitdetalje
V	**Chain and chainbars**								
1	Roller chain 251chain	H>4m	2001-08 ►	D8120146		B	Stck./pc.	2	X
2	roller chain 189 chain		► 2001-07	D8120125		B	Stck./pc.	2	X
	roller chain 189 chain	H<=4m	2001-08 ►	D8120125		B	Stck./pc.	2	X
3	roller chain with 51chain			D8120124		B	Stck./pc.	2	X
	Selection list set flyer chain with bolt			D8020016	G	B	m / H	1	X
4	Flyer chain 79 chain (1261mm)			D8120123		B	Stck./pc.	2	X
5	Flyer chain 61 chain (973mm)			D8120122		B	Stck./pc.	max 4	X
6	Flyer chain 45 chain (718mm)			D8120121		B	Stck./pc.	max 16	X
7	Chain bar L90 (for top paneel)			D8120126		B	Stck./pc.	2	
8	Chain bar L422 (for bottom paneel)			D8120127		B	Stck./pc.	2	
9	Chain bar L502 (for connection paneel)			D8120128		B	Stck./pc.	max 16	
10	Bracket for chain bar (bottom panel)			D4521072		A	Stck./pc.	2	
11	Chain pole			D8120148		B	Stck./pc.	max 14	
12	Deflection for block and tackle cpl			D8120120		B	Stck./pc.	2	X
13	Bolt for chain			D4521036		A	Stck./pc.		
14	Chain guard			D5412008		A	Stck./pc.		
15	Deflection rope for raster LH screen 250mm			D8140R0004		A	Stck./pc.	1	X
	Deflection rope for raster RH screen 250mm			D8140R0003		A	Stck./pc.	1	X
16	Rope latch for raster screen 250mm			D8140070		B	Stck./pc.	2	
17	Acceptance roller chain			D8130046		B	Stck./pc.	2	
	Chain spray			D5504002		B	Stck./pc.		

Module



↓Module **← Door height →**

Pos	2000	2500	2750	3000	3250	3500	3750	4000	4250	4500	5000
	Item										
10L											8130015
10R											8130014
9L									8130015	8130015	8130021
9R									8130014	8130014	8130020
8L							8130015	8130015	8130021	8130021	8130019
8R							8130014	8130014	8130020	8130020	8130018
7L					8130015	8130015	8130021	8130021	8130019	8130019	8130021
7R					8130014	8130014	8130020	8130020	8130018	8130018	8130020
6L			8130017	8130017	8130021	8130021	8130017	8130017	8130021	8130021	8130017
6R			8130016	8130016	8130020	8130020	8130016	8130016	8130020	8130020	8130016
5L		8130017	8130021	8130021	8130017	8130017	8130021	8130021	8130017	8130017	8130021
5R		8130016	8130020	8130020	8130016	8130016	8130020	8130020	8130016	8130016	8130020
4L	8130017	8130021	8130019	8130019	8130021	8130021	8130019	8130019	8130021	8130021	8130019
4R	8130016	8130020	8130018	8130018	8130020	8130020	8130018	8130018	8130020	8130020	8130018
3L	8130021	8130019	8130021	8130021	8130019	8130019	8130021	8130021	8130019	8130019	8130021
3R	8130020	8130018	8130020	8130020	8130018	8130018	8130020	8130020	8130018	8130018	8130020
2L	8130023	8130025	8130071	8130023	8130073	8130025	8130071	8130023	8130073	8130025	8130023
2R	8130022	8130024	8130070	8130022	8130072	8130024	8130070	8130022	8130072	8130024	8130022
1L	8130R0020	8130R0018	8130R0024	8130R0020	8130R0022	8130R0018	8130R0024	8130R0020	8130R0022	8130R0018	8130R0020
1R	8130R0021	8130R0019	8130R0025	8130R0021	8130R0023	8130R0019	8130R0025	8130R0021	8130R0023	8130R0019	8130R0021


ALBANY
ASSA ABLOY

RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VI	**Modules**								
	Module RH chain (deflection for block and tackle)			D8130014		B	Stck./pc.	1	
	Module LH chain (deflection for block and tackle)			D8130015		B	Stck./pc.	1	
	Module RH connection roller chain			D8130016		B	Stck./pc.	1	
	Module LH connection roller chain			D8130017		B	Stck./pc.	1	
	Module LH			D8130018		B	Stck./pc.	1	
	Module RH			D8130019		B	Stck./pc.	1	
	Module RH			D8130020		B	Stck./pc.	1	
	Module LH			D8130021		B	Stck./pc.	1	
	Module RH			D8130022		B	Stck./pc.	1	
	Module LH			D8130023		B	Stck./pc.	1	
	Module RH			D8130024		B	Stck./pc.	1	
	Module LH			D8130025		B	Stck./pc.	1	
	Module RH			D8130070		B	Stck./pc.	1	
	Module LH			D8130071		B	Stck./pc.	1	
	Module RH			D8130072		B	Stck./pc.	1	
	Module LH			D8130073		B	Stck./pc.	1	
	Module LH for bottom profile 1	(*) See Pos. 28		D8130R0018		B	Stck./pc.	1	
	Module RH for bottom profile 2			D8130R0019		B	Stck./pc.	1	
	Module LH for bottom profile 3			D8130R0020		B	Stck./pc.	1	
	Module RH for bottom profile 4			D8130R0021		B	Stck./pc.	1	
	Module LH for bottom profile 5			D8130R0022		B	Stck./pc.	1	
	Module RH for bottom profile 6			D8130R0023		B	Stck./pc.	1	
	Module LH for bottom profile 7			D8130R0024		B	Stck./pc.	1	
	Module RH for bottoml profile 8			D8130R0025		B	Stck./pc.	1	
25	Cover metal plate for module			D8130060		B	Stck./pc.	max 20	
26	Sliding piece			D8130028		A	Stck./pc.	max 20	X
27	Deflection pulley cpl			D8130030		A	Stck./pc.	2	X
28	Retrofit prerunning photocell RT800	(*) required		D8930R0113		A	Stck./pc.	1	

(*) Order of a single Module for bottom profile needs separately Retrofit pre-running photocell (Pos. 28). No order of single photocell possible!

Drive Unit	
Antrieb	
Elmotor	



ALBANY
ASSA ABLOY

RT 800, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Price Unit	Anzahl Quantity	Verschleißteil Wear part / Slitdetalje
VII	**Drive unit**								
1	Gear motor cpl 220-230/ 400-415V-FUS I, 50/60 Hz	H<=3000 Break 6622R0019	► 2001-08	D8410R0071		B	Stck./pc.	1	
	Gear motor 220-230/ 400-415V-FUS II/ACS80, 50/60 Hz	H<=3000 Break 6622R0017	2001-08 ►	D8910R0054		B	Stck./pc.	1	
	Gear motor cpl 220-230/ 400-415V-FUS I, 50/60 Hz	3000<H<=4000 Break 6622R0020	► 2001-08	D8410R0072		B	Stck./pc.	1	
	Gear motor 220-230/ 400-415V-FUS I, 50/60 Hz	3000<H<=4000 Break 6622R0018	2001-08 ►	D8910R0052		B	Stck./pc.	1	
	Gear motor cpl 220-230/ 400-415V-FUS II/ACS80, 50/60 Hz	H>4000mm Break 6622R0020	► 2001-08	D8410R0073		B	Stck./pc.	1	
	Gear motor 220-230/ 400-415V-FUS I, 50/60 Hz	H>4000mm Break 6622R0018	2001-08 ►	D8910R0048		B	Stck./pc.	1	
2	Brake for gear motor 8910054 (Bonf.)	look at drive	2001-08 ►	D6622R0017		A	Stck./pc.	1	X
	Brake 15 Nm 196V DC HL	look at drive	2001-08 ►	D6622R0018		A	Stck./pc.	1	X
	Brake 10Nm 96V DC HL	look at drive	2001-08 ►	D6622R0019		A	Stck./pc.	1	X
	Brake 15Nm 96V DC HL	look at drive	2001-08 ►	D6622R0020		A	Stck./pc.	1	X
	Brake for gear motor Flender (doors H>3000 mm)	for 6601014, 6601062,		D4902046		A	Stck./pc.	1	X
	Brake for gear motor Flender (doors H<=3000 mm)	for 6601015		D4902045		A	Stck./pc.	1	X
3	Double Proximity switch for control ACS 80	FUS, ACS 80		D4905R0019		A	Stck./pc.	1	
4	Microswitch			D6621R0002		A	Stck./pc.	1	
5	Torque arm			D4521R0776		A	Stck./pc.	1	
6	Dumper			D8110068		A	Stck./pc.	1	
7	Control cable	ACS 80		D8830032	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
8	Set of plugs for FUS II controls			D8807010		B	Stck./pc.	1	
	Set of plugs for ACS80 controls			D8807R0001		B	Stck./pc.	1	
9	Junctionbox 9plug 6,5m cable	SL<5m		D4906R0027			Stck./pc.	1	
	Junctionbox 9plug 11,5m cable	5<SL<=10		D4906R0028			Stck./pc.	1	
	Junctionbox 9plug 21,5m cable	10<SL<=20		D4906R0029			Stck./pc.	1	
	Junctionbox 9plug 31,5m cable	20<SL<=30		D4906R0030			Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

