EMF TEST REPORT

Applicant:	JIELONG SHUTTER MOTORS LTD.
Address of Applicant:	No.27.XIAOGANG NORTH ROAD,LONGWEN DISTRICT.ZHANGZHOU
Factory:	JIELONG SHUTTER MOTORS LTD.
Address of Factory:	No.27.XIAOGANG NORTH ROAD,LONGWEN DISTRICT.ZHANGZHOU
Product name:	SHUTTER MOTOR
Model:	ECR-168-3P-(300), ECR-225-3P-(400), ECR-343-3P-(500), ECR-265-3P-(600F),ECR-412-3P-(600),ECR-412-3P-(600F), ECR-446-3P-(650),ECR- 300-3P-(800F),ECR-647-3P-(800), ECR-744-3P-(950),ECR-325- 3P-(1000F),ECR-809-3P-(1000), ECR-1401-3P-(1300), ECR-1617-3P-(1500), ECR-2450-3P-(2000)
Rating(s):	380V～50Hz
Trademark:	*I*
Standards:	EN 62233:2008 《Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure》
Date of Receipt:	2020-11-19
Date of Test:	2020-11-20～2020-12-25
Date of Issue:	2020-12-28
Test Result	

* In the configuration tested, the test item complied with the standards specified above.

Approved by:

Dec.08.2020 Xuling

Test by: Qiong Wu

Dec.28.2020 QiongWu Project Engineer

Date *Name/Position* *Signature*

Reviewed by: Frank Lu

Dec.28.2020 Frank Lu Project Manager

Date *Name/Position* *Signature*

CHINA QUALITY CERTIFICATION CENTRE SOUTH CHINA LABORATORY 中国质量认证中心 华南实验室 1

Testing Laboratory information:

Testing Laboratory Name .....:	China Quality Certification Centre South China Laboratory
Address .....:	No.11 South of Shenghui Road, Nantou, Zhongshan, Guangdong, China.
Testing location .....:	Same as above
Tel..... :	0086-760-22519960
Fax.....:	0086-760-22519969
E-mail..... :	/

Possible test case verdicts:

- test case does not apply to the test object.. : N/A
- test object does meet the requirement.....: P (Pass)
- test object does not meet the requirement.. : F (Fail)

General remarks:

The test results presented in this report relate only to the object tested.

The results contained in this report reflect the results for this particular model and serial number. It is the responsibility of the manufacturer to ensure that all production models meet the intent of the requirements detailed within this report.

This report would be invalid test report without all the signatures of testing technician and approver.
This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.

General product information:

1) Model NO.:
ECR-168-3P-(300), ECR-225-3P-(400), ECR-343-3P-(500),ECR-265-3P-(600F)
ECR-412-3P-(600),ECR-412-3P-(600F),ECR-446-3P-(650),ECR- 300-3P-(800F),
ECR-647-3P-(800),ECR-744-3P-(950),ECR-325- 3P-(1000F),ECR-809-3P-(1000),
ECR-1401-3P-(1300), ECR-1617-3P-(1500), ECR-2450-3P-(2000)
All modes have the same electric principles, internal structures ,the way of control, key components and materials
2) Model ECR-2450-3P-(2000)is selected as representative model.

Test Summary:

No.	Test Items	Requirement	Result
1	EMF Test	EN 62233:2008	P

Subcontract
Whether parts of tests for the product have been subcontracted to other labs:
☐ Yes ☒ No
If Yes, list the related test items and lab information:
Test items: EMF

Possible test case verdicts:

- test case does not apply to the test object	N/A
- test object does meet the requirement	P(Pass)
- test object does not meet the requirement	F(Fail)

Remarks:
/

TABLE OF CONTENTS

EMF TEST REPORT.....1
Test Summary:.....3
Section 1 General Information and Equipment Used.....5
1.1 Client Information.....5
1.2 EUT General and Technical Descriptions.....5
1.3 Support Equipment(s) and Test Configuration.....5
1.3.1 Details of Support Equipment(s).....5
1.3.2 Working State of EUT.....5
1.3.3 Block Diagram of Test Configuration.....5
Section 2 Magnetic field Test Results.....6
Section 3 Photographs.....7
3.1 Test Setup.....7

Section 1 General Information and Equipment Used

1.1 Client Information

Applicant: JIELONG SHUTTER MOTORS LTD.

Address of Applicant: No.27.XIAOGANG NORTH ROAD,LONGWEN DISTRICT.ZHANGZHOU

1.2 EUT General and Technical Descriptions

EUT Name: SHUTTER MOTOR

EUT Model: ECR-2450-3P-(2000)

EUT Trademark: /

Input Voltage: 380V～

Frequency: 50Hz

Input Power/Current: /

Output rated: /

Power Cable Description: 3 wires AC mains cable.

Other Cables Description: /

I/O Ports: /

Function(s) Description: /

Accessories information: /

1.3 Support Equipment(s) and Test Configuration

1.3.1 Details of Support Equipment(s)

Description	Manufacturer	Model No.	Connection	Working state
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/

1.3.2 Working State of EUT

Power Supply of EUT: 380V~ 50Hz

EUT Status: Test the EUT in Normal working mode.

1.3.3 Block Diagram of Test Configuration

/

1.4 Equipment Used during Test

No.	Test Equipment	Manufacturer	Model	Serial No.	Last Cal.	Cal. Due
1	Exposure Level Tester ELT-400	Narda	ELT400	N-0445	2020/01/10	2021/01/09

Section 2 Magnetic field Test Results


Test procedure	:	EN 62233:2008
Frequency range	:	10Hz-400kHz
Background noise level (%×limit)	:	0.230%
Test voltage	:	380Vac 50Hz
Measuring method	:	Time domain evaluation (clause 5.5.1 of EN 62233:2008)
Measuring distance	:	30cm
Sensor location	:	Around
Operating condition	:	Continuously
Ambient temperature	:	23℃
Measurement uncertainty (U)	:	15.23%
Couple Factor		0.16
Compliance assessment criterion	:	M+MU≤L, where M is the measurement result; U is measurement uncertainty; and L is the limit 100%.

Table 1: Measurement results of magnetic field emission (%×limit)

Measuring distance：						
Sensor location	Front	Left	Right	Rear	Top	Bottom
Measurement results(%limit)	0.762	0.283	0.182	/	0.796	0.276
Limit	100%	100%	100%	100%	100%	100%

Section 3 Photographs

3.1 Test Setup



END OF THE TEST REPORT