Sl. No.	Item Code	Description of Item with detailed Specification / attached Technical Specification	Quantity	Unit
		Safety Layout consisting followings		
1		HANDRAILING WITH GRID AS PER ATTACHED BOM ANNEXURE & DRAWINGS (Drg. 8101001-01.111 to 119 , 127 & 128)	1	LOT
2		HAND RAILING AS PER ATTACHED BOM ANNEXURE & DRAWINGS (Drg. 8101001-01.006 to 013 , 015 & 016)	1	LOT
3		FENCING AS PER ATTACHED BOM ANNEXURE & DRAWINGS (Drg.8101001-01.041 & 042)	1	LOT
4		Door for Fence TERM as per Drg. 8101001-01.132 (sheet 1 of 5)	20	Nos.
5		Door for Fence TELM as per Drg. 8101001-01.132 (sheet 2 of 5)	13	Nos.
6		Door for Fence TERE as per Drg. 8101001-01.132 (sheet 3 of 5)	10	Nos.
7		Door for Fence TELE as per Drg. 8101001-01.132 (sheet 4 of 5)	11	Nos.
8		Door for Handrail with Grid (R.H) as per Drg. 8101001-01.131(Sheet 1 of 3)	64	Nos.
9		Door for Handrail with Grid (L.H) as per Drg. 8101001-01.131(Sheet 2 of 3)	67	Nos.
10		Door for Handrail (R.H) as per Drg. 8101001-01.130(Sheet 1 of 3)	7	Nos.
11		Door for Handrail (L.H) as per Drg. 8101001-01.130(Sheet 2 of 3)	15	Nos.

Approved vendor list to be followed as stated in Contract - Y / N.

Recommended Supplier List, if any :

1	
2	
3	

Special conditions if any :

Revised BOM - Dt. 06.04.2016

B.O.M. OF HAND RAILING WITH GRID

ITEM NO.	DRAWING NO./ DESIGNATION	UNIT WEIGHT (Kgs.)	QTY.	TOTAL WEIGHT (Kgs.)
1	8101001-01.111	47.0	1223	57481
2	8101001-01.112	41.5	91	3776.5
3	8101001-01.113	37.8	63	2381.4
4	8101001-01.114	32.2	67	2157.4
5	8101001-01.115	28.4	83	2357.2
6	8101001-01.116	24.7	98	2420.6
7	8101001-01.117	19.1	46	878.6
8	8101001-01.118	15.3	11	168.3
9	8101001-01.119	62.1	82	5092.2
17	8101001-01.127	2.7	1082	2921.4
18	8101001-01.128	1.0	987	987
19	Stud anchor HILTI - HST M12x145/ 50	0.138	6302	869.676

→ Action not to be taken.

3	SN 401-2-DM 1400x1500-S235JR	11.97	25	299.25
4	SN 401-2-DM 1400x1200-S235JR	9.58	35	335.3
5	SN 401-2-DM 1400x1000-S235JR	7.98	61	486.78
6	SN 401-2-DM 1400x800-S235JR	6.38	18	114.84
7	SN 401-2-DM 1400x500-S235JR	3.99	16	63.84
8	SN 401-2-DM 1400x300-S25JR	2.39	2	4.78
9	SN 401-2-EPV-1410-S235JR	11.19	192	2148.48
10	SN 401-2-EPER-1410-S235JR	10.31	75	773.25
11	SN 401-2-EPEL-1410-S235JR	10.31	90	927.9
12	SN 401-2-EPR-1410-S235JR	11.83	78	922.74
13	SN 401-2-EPT-1410-S235JR	12.83	1	12.83

Pf - 129 released.

B.O.M. OF HAND RAILING WITH GRID

ITEM NO.	DRAWING NO./ DESIGNATION	UNIT WEIGHT (Kgs.)	QTY.	TOTAL WEIGHT (Kgs.)
1	8101001-01.111	47.0	1223	57481
2	8101001-01.112	41.5	86	3569
3	8101001-01.113	37.8	54	2041.2
4	8101001-01.114	32.2	65	2093
5	8101001-01.115	28.4	80	2272
6	8101001-01.116	24.7	96	2371.2
7	8101001-01.117	19.1	44	840.4
8	8101001-01.118	15.3	8	122.4
9	8101001-01.119	62.1	82	5092.2
10	8101001-01.120	54.9	5	274.5
11	8101001-01.121	50.1	9	450.9
12	8101001-01.122	42.9	2	85.8
13	8101001-01.123	38.1	3	114.3
14	8101001-01.124	33.2	2	66.4
15	8101001-01.125	26.0	2	52
16	8101001-01.126	21.2	3	63.6
17	8101001-01.127	2.7	1082	2921.4
18	8101001-01.128	1.0	987	987
19	Stud anchor HILTI - HST M12x145/ 50	0.138	6302	869.676

Refer separate Revised BOM Page.
fm Engg. dt.
6/4/16

B.O.M. OF HAND RAILING

SL. NO.	DRAWING NO./ DESIGNATION	UNIT WEIGHT (Kgs.)	QTY.	TOTAL WEIGHT (Kgs.)
1	8101001-01.006	24.0	127	3048
2	8101001-01.007	21.5	109	2343.5
3	8101001-01.008	16.0	94	1504
4	8101001-01.009	14.5	129	1870.5
5	8101001-01.010	33.0	29	957
6	8101001-01.011	24.0	20	480
7	8101001-01.012	24.0	15	360
8	8101001-01.013	20.0	34	680
9	8101001-01.015	16.0	23	368
10	8101001-01.016	45.0	282	12690

B.O.M. OF FENCE

SL. NO.	DRAWING NO./ DESIGNATION	UNIT WEIGHT (Kgs.)	QTY.	TOTAL WEIGHT (Kgs.)
1	SN 401-2-DM 1400x2000-S235JR	15.96	153	2441.88
2	SN 401-2-DM 1400x1700-S235JR	13.57	22	298.54