NIHVA

Rolling Shutter

Easy and trouble-free installation!

- Compact design
- Save up to 40% installation time
- Space-saving console for all door sizes
- Consoles connected to guide rails – no time-consuming measuring and marking required (Teckentrup property rights)
- Winding shaft position determined automatically
- High-strength connection system between the shutter curtain and the shaft (Teckentrup property rights)
- Guide rail system – suitable for all shutter types and sizes
- Reliable brand-name drive with pre-wired deadman or pulse control unit



We Make Possible

IMPRESSIVE TECHNOLOGY MAKES IT POSSIBLE

Simple, practical and safe

The new NIHVA roller shutter system "easy" is characterized by its simple and robust design. Individual components have been intelligently designed and perfectly harmonized to deliver real added value.

Time-consuming measuring tasks, e.g. for attaching the console and determining the winding shaft position, are a thing of the past. Furthermore, installation is facilitated by the pre-wired control unit and drive. The required installation time can be reduced by up to 40% in comparison to conventional roller shutter systems.



The pre-wired control unit is integrated in the reliable brand-name drive. Comfortable shutter control occurs via a plug-in, pre-wired button with 3 options (open-stop-close).



Durable and high-strength connection system between the shutter curtain and the shaft (Teckentrup property rights). The octagonal winding shaft, incl. shaft journal, is fully galvanized.



The roller shutter curtain is pre-assembled on the winding shaft and can be simply fitted into the console. The space-saving console is bolted to the runner rail – no time-consuming measuring and marking required.



Pre-punched runner rails facilitate installation. The floor seal is integrated in the bottom profile and ensures a harmonious appearance inside and outside.



NIHVA

We Make Possible

Automation Solutions	Material Handling Equipments	Door Automation
Pick & Place Machines	Dock Levellers	High speed doors / Sectional doors
Manipulator /Air Balancer	Scissor lifts / Mobile ramp	Sliding doors / Folding Doors
Wireless Automation (M2M)	Dock Shelters / Dock Seals / Dock House	Fire rated - Mot. Rolling shutters / Sliding doors
SPM	Goods Lift	Hanger Doors / Extra large opening doors
Automation Softwares	Spiral Conveyors / Belt Conveyors	Boom barriers / Turnstiles / Bollards
Grease / Oil Separator	Telescopic Conveyors	Sliding / Cantilever Gates

International Business Partners

ALBANY ASSA ABLOY | MEGADOOR ASSA ABLOY | Crawford ASSA ABLOY | besam ASSA ABLOY | ACO

Head Office: G-Block, 1st Floor, Thermax Chowk, MIDC, Above Renault Showroom, Chinchwad, Pune - 411019

NIHVA Technologies Pvt. Ltd.

+91 2066 3040 33 +91 85 51091 333 sales@nihva.com www.nihva.com

NETWORKS

WEST	NORTH	SOUTH	EAST
Pune I Mumbai I Nashik I Nagpur Indore I Ahmedabad I Surat I Vadodara	Delhi I Chandigarh	Chennai I Hyderabad I Bengaluru	Kolkata I Bhubaneshwar