JP Novation Sp. z o. o. I www.fancyfence.eu
POLAND I 20-207 LUBLIN I ul. Turystyczna 44G
ING BANK Śląski 81 1050 1025 1000 0090 3036 7958
KRS 0000491803 I REGON 147034918 I NIP 1231283010

Product from FANCY FENCE Configurator

Dear Customer,

Thank you very much for your interest in FANCY FENCE products, which we have been offering to our customers around the world for more than 10 years. Innovative FANCY FENCE gates stand for superior quality, durability and modern design that can be customized to your individual needs.

The configuration you choose is only an example of our capabilities and can be modified for your special requirements.

On the following pages you will find a detailed design description and visualization of the selected product. In the coming days you will be contacted by our representative, who will provide you with a price quote and all the necessary information.

We trust that our solution will become part of your project as well. Should you have any questions, we are at your disposal.

With best regards,





Jacek Kühnl-Kinel
President
jacek@fancyfence.eu






Adam Spurtacz
Vice President
adam@fancyfence.eu

Important notice:


We kindly inform you that all data and graphic materials generated in the FANCY FENCE configurator do not constitute a commercial offer, but a guideline for preparing a quote. Precise information about the price, accessories, equipment options, contract terms and delivery dates will be provided by your nearest FANCY FENCE sales partner.





GATE 1	PICKETS
HEIGHT (GH)	160 CM
LENGTH (GL)	802 CM
WIDTH [mm]	40mm
DEPTH [mm]	60mm
SPACING [mm]	100mm
MATERIAL	RAL 7016
COVERS	COVERS
LOAD CARRYING CAPACITY	3.5T
COVERS - MATERIAL	RAL 9006
ADJACENT AREA	WALL
SAFETY PHOTOCELL MOUNT	YES
INSTALLATION ON TERRAIN WITH SLOPES	NONE

JP Novation Sp. z o. o. | www.fancyfence.eu
POLAND | 20-207 LUBLIN | ul. Turystyczna 44G
ING BANK Śląski 81 1050 1025 1000 0090 3036 7958
KRS 0000491803 | REGON 147034918 | NIP 1231283010



GATE 2	PICKETS
HEIGHT (GH)	160 CM
LENGTH (GL)	1012 CM
WIDTH [mm]	40mm
DEPTH [mm]	60mm
SPACING [mm]	100mm
MATERIAL	RAL 7016
COVERS	COVERS
LOAD CARRYING CAPACITY	3.5T
COVERS - MATERIAL	RAL 9006
ADJACENT AREA	WALL
SAFETY PHOTOCELL MOUNT	YES
INSTALLATION ON TERRAIN WITH SLOPES	NONE