ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	**ASSA ABLOY, Rechnung/Invoice** 90769966 **Datum/Date** 2019-03-11 **Lieferschein-Nr./delivery note** 80404762 **Auftrags-Nr./Order No.** 30726826 **Referenz/Reference** Mr. Marne

Kunden-Nr./Customer No.	**Innendienst/Internal department**	**Versandart/Way of delivery**	
1059669	Nadine Gundelach	Forwarder (W)	Air freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-427	FCA Hemau, Germany	2019-03-11

Lieferadresse/Delivery address	**Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**	**Fälligkeit/Due date**
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 90	2019-06-09

Pos. **item**	**Produkt** **Product**	**Beschreibung** **Description**	**Anzahl** **QTY**	**Einheit** **Unit**	**Preis/Einh.** **Price/Unit**	**Preis** **Price**

Special door order with reference: 322339: Display not mounted in sideframe

AD_RRCR	**ASSA ABLOY RR300 Clean**	**1.000**	**ST**		**4,835.00**	**4,835.00**

Serien-Nr. 2800002290

Door type	High speed roller door RapidRoll Clean, suitable for Clean Room application
Daylight width	2 000 mm
Daylight height	1 900 mm
Mounting position	Door configuration for mounting position outside of the overpressure area
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,0 m/s
Max. Closing Speed	1,0 m/s
Control box position	Control system located under top roll cover
Motor Position	Right
Side frame version	Stainless steel
Bottom profile	Stainless steel V2A
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Top roll made of aluminum with shafts made of stainless steel
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos.	Produkt	Beschreibung	Anzahl	Einheit	Preis/Einh.	Preis
item	Product	Description	QTY	Unit	Price/Unit	Price

Motor cover	Stainless steel 6 degree
Top roll cover	Stainless steel 6 degree
MCC type	Standard version
MCC-display position	Inside side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	3 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
Special door	Yes
CE - Sign	Yes
Reference no. special door 01	322339
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	2500X650X400
Dimension packing 2 LxWxH	800X600X580
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**3100x600x530**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**217,000 KG**
Gross Weight	**237,000 KG**

AD_RRCR **ASSA ABLOY RR300 Clean** **1.000** **ST** **4,835.00** **4,835.00**

Serien-Nr. 2800002291

Door type	High speed roller door RapidRoll Clean, suitable for Clean Room application
Daylight width	2 000 mm
Daylight height	1 900 mm
Mounting position	Door configuration for mounting position outside of the overpressure area
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,0 m/s
Max. Closing Speed	1,0 m/s
Control box position	Control system located under top roll cover
Motor Position	Right
Side frame version	Stainless steel
Bottom profile	Stainless steel V2A
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Top roll made of aluminum with shafts made of stainless steel
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Stainless steel 6 degree
Top roll cover	Stainless steel 6 degree
MCC type	Standard version
MCC-display position	Inside side frame, drive side
MCC display type	Standard display with push buttons

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	3 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
Special door	Yes
CE - Sign	Yes
Reference no. special door 01	322339
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	2500X650X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**3100x600x530**
Dimension packing 2 LxWxH	**800x600x530**
Net Weight	**217,000 KG**
Gross Weight	**237,000 KG**

D8820R0032 **Display unit complete, MCC display** **2.000** **ST** **100.00** **200.00**

Display unit complete, MCC display
Commodity code: 85044084
Country of origin: SE

Net Weight	**1,000 KG**
Gross Weight	**1,000 KG**
Dimension packing 1 LxWxH	**300x200x150**

Warenwert/Value of goods		**9,870.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**9,870.00**

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye