
Spare part list
RR 3000 L

ALBANY
ASSA ABLOY



2013-05 Index 00

Side frame right	RR3000, -L, -GL
Seitenteil rechts	RR3000, -L, -GL



8220RG215	Rev.: g	Sheet: 8 of 8


ALBANY
ASSA ABLOY

RR 3000L, Version 22

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalie
I	**Side frame right Side frame left (mirror image)**								
1	Side frame RH compl.			D8220RG215	G	C	Stck./pc.	1	
	Side frame LH compl.			D8220RG216	G	C	Stck./pc.	1	
2	Guide cover top RH			D4521RG151	G	C	Stck./pc.	1	
	Guide cover top LH			D4521RG152	G	C	Stck./pc.	1	
3	Guide cover bottom RH			D4521R1101		C	Stck./pc.	1	
	Guide cover bottom LH			D4521R1102		C	Stck./pc.	1	
	Guide cover RH	H<2375		D4521RG159	G	C	Stck./pc.	1	
	Guide cover LH	H<2375		D4521RG160	G	C	Stck./pc.	1	
4	Gusset cover top RH			D4521RG149	G	C	Stck./pc.	1	
	Gusset cover top LH			D4521RG150	G	C	Stck./pc.	1	
5	Gusset cover bottom RH			D4521R1099		C	Stck./pc.	1	
	Gusset cover bottom LH			D4521R1100		C	Stck./pc.	1	
	Gusset cover RH	H<2375		D4521RG163	G	C	Stck./pc.	1	
	Gusset cover LH	H<2375		D4521RG164	G	C	Stck./pc.	1	
6	Spring cover top			D4521R0957		C	Stck./pc.	2	
7	Spring cover middle	H>3000		D4521RG109	G	C	Stck./pc.	2	
8	Spring cover bottom (side of bearing)	H>3000		D4521R0974		C	Stck./pc.	1	
	Spring cover bottom (side of bearing)	H<=3000		D4521RG111	G	C	Stck./pc.	1	
	Spring cover bottom RH (side of unit)	H>3000		D4521R0972		C	Stck./pc.	1	
	Spring cover bottom LH (side of unit)	H>3000		D4521R0973		C	Stck./pc.	1	
	Spring cover bottom RH (side of unit)	H<=3000		D4521RG113	G	C	Stck./pc.	1	
	Spring cover bottom LH (side of unit)	H<=3000		D4521RG115	G	C	Stck./pc.	1	
9	Tension spring short L=600mm	H < 2000		D4802R0010		A	Stck./pc.	max 12	X
	Tension spring short L=976mm	2000<=H<3000		D4802R0009		A	Stck./pc.	max 12	X
	Tension spring middle L=1397mm	3000<=H<4000		D4802R0007		A	Stck./pc.	max 12	X
	Tension spring long L=2193mm	H>=4000		D4802R0008		A	Stck./pc.	max 12	X
10	Spring suspension top complete			D8220R0050		A	Stck./pc.	4	
11	Belt (blue), L=6000			D5105R0081		A	Stck./pc.	4	X
13	Redirection rope with cable			D8120RG046	G	B	Stck./pc.	2	
14	Rope for curtain tension, L=8000			D5105R0031		A	Stck./pc.	2	
15	Emergency lever			D8220RG218	G	B	Stck./pc.	1	
19	Bottomplate RH			D4521R1064		A	Stck./pc.	1	
	Bottomplate LH			D4521R1065		A	Stck./pc.	1	

(*) Data of W, H [mm] and drive side is necessary

Side frame right	RR3000, -L, -GL
Seitenteil rechts	RR3000, -L, -GL



8220RG215	Rev.: g	Sheet: 8 of 8


ALBANY
ASSA ABLOY

RR 3000L, Version 22

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalie
I	**Side frame right Side frame left (mirror image)**								
20	Cable Chain complete drive unit side	(*)		D8520RG013	G	B	Stck./pc.	1	
	Cable Chain complete non drive unit side	(*)		D8520RG014	G	B	Stck./pc.	1	
	Connecting cable 4m	drive side H<=2500		D4907R0024		A	Stck./pc.	1	
	Connecting cable 6m	drive side 2500<H<=4500 non drive side (H+W)<=4500		D4907R0029		A	Stck./pc.	1	
	Connecting cable 8m	drive side H>4500 non drive side 4500<(H+W)<=6500		D4907R0030		A	Stck./pc.	1	
	Connecting cable 10m	non drive side 6500<(H+W)<=8500		D4907R0032		A	Stck./pc.	1	
	Connecting cable 12m	non drive side 8500<(H+W)<=10500		D4907R0023		A	Stck./pc.	1	
	Connecting cable 14m	non drive side 10500<(H+W)<=12500		D4907R0031		A	Stck./pc.	1	
21	Belt receptacle			D8120R0092		A	Stck./pc.	1	
22	Proximity switch M8 10E Plugconnector			D4905R0082		A	Stck./pc.	1	
	Connecting cable 2m with 2 M8 plugs	drive side		D4907R0044		A	Stck./pc.	1	
23	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
24	Cable Duct complete	L=2000		D8120R0049		A	Stck./pc.	4	
25	Spring Suspension			D4521R1090		A	Stck./pc.	6	
26	Sliding rail 3000 mm long			D4121R0335		A	Stck./pc.	8	X
27	Rope pulley			D5003R0001		A	Stck./pc.	8	
28	Label emergancy lever			D6403R0009		A	Stck./pc.	1	
29	Door label			D6403RG002	G	A	Stck./pc.	1	
30	Guide calbe chain	L=H/2 - 100		D4721RG102	G	B	Stck./pc.	2	

(*) Data of W, H [mm] and drive side is necessary

Panel Door Blade Type 2	
Paneelbehang Typ 2	



8230RG083	Rev.: e	Sheet: 4 of 4

ALBANY
ASSA ABLOY

RR 3000L, Version 22


Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalie
II	**Panel Door Blade Type 2**								
1	Top lamella, with intel sealing			D8330RG007	G	B	m	1	
2	Lamella L 1 with extension piece 1 - short (*)			D8330RG002	G	B	m	max 10	
3	Lamella L 2A with extension piece 2 - middle (*)			D8330RG003	G	B	m	max 13	
4	Lamella L 3A with extension piece 3 - long (*)			D8330RG004	G	B	m	max 15	
5	PVC Keder Section	transparent/grey		D8330RG005	G	B	m	max 19	
6	Sealinglamella L	L=W+50		D4021RG001	G	B	m	1	
8	Extension piece 1L, short			D4521R1141		A	Stck./pc.	max 22	
9	Extension piece 2L, middle			D4521R1142		A	Stck./pc.	max 26	
10	Extension piece 3L, long			D4521R1143		A	Stck./pc.	max 30	
11	Extension piece 4L re, for bottom lamella	pre running photocell RH (**)		D8150R0114		A	Stck./pc.	1	
	Extension piece 5L re, for bottom lamella	el. safety edge RH		D8150R0076					
12	Extension piece 4L li, for bottom lamella	pre running photocell LH (**)		D8150R0115		A	Stck./pc.	1	
	Extension piece 5L li, for bottom lamella	el. safety edge LH		D8150R0077					
13	Clamping lug standard			D4521R0966		A	Stck./pc.	max 78	
14	Clamping lug extension piece 4	H>3250		D4521R1028		A	Stck./pc.	max 2	
15	Connecting lug extension piece 4	H<=3250		D4521R1069		A	Stck./pc.	max 2	
16	Sealing top lamella			D4421RG011	G	B	m	1	
17	Bottom lamella with rubber profile, without extension piece 4 (*)	pre running photocell	►2010-12	D8330RG008	G	B	m	1	
	Bottom rubber profile		2011-01 ►	D4402RG006	G	B	m	1	
	Rubber profile extended sealing lip cut-to-size			D4421RG016	G	C	m	1	
	Lamella bottom with safety edge	el. safety edge		D8230RG331	G	B	m	1	
	Lamella bottom with safety edge, elong. sealing-lilp			D8230RG332	G	C	m	1	
	Rubber profile with integrated safety edge			D4421RG043	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG044	G	C	m	1	
18	Flat belt complete Assembly RR3000	Applicable for all door sizes (RH + LH)		D8240R0020		A	Satz/Set	1	x
	Add on belt 3000 set	retrofit old doors	►2010-12	D8240R0024		A	Satz/Set	1	x
	Flat belt L 6000 mm	Not f. compl. belt exchange		D4121R0299		A	Stck./pc.	max 2	
19	Safety photocell receiver - grey	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0546		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
20	Bracket pre running photocell RH			D4521R0943		A	Stck./pc.	1	
	Bracket pre running photocell LH			D4521R1023		A	Stck./pc.	1	
21	Activator Proximity switch RH			D4521R0981		A	Stck./pc.	1	
	Activator Proximity switch LH			D4521R0982		A	Stck./pc.	1	
22	Support plate belt	H>3250		D4521R1195		A	Stck./pc.	max 16	
23	Support sheet 250mm	W>3600		D4521R1190		A	Stck./pc.	max 1	
24	Support sheet 500mm	W>3600		D4521R1189		A	Stck./pc.	max 9	
25	Clamp plate	W>3600		D4721R0169		A	Stck./pc.	max 20	
26	Blind rivet 4,8x10 DIN 7737	W>3600		D5413R0280		A	Stck./pc.	max 40	
27	End piece cpl.			D8130R0010		B	Stck./pc.	max 38	
28	Flat belt repair-kit	2 belts (1000mm) with clamping parts		D8130R0011		A	Stck./pc.	1	

Description RH and/or LH see legend

(*) With clamping plates (position 13) and screws

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)

Barrel L complete	RR3000L
Wickelwelle L kompl.	RR3000L
Vals L komplett	RR3000L



ALBANY
ASSA ABLOY


RR 3000L, Version 22

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalie
III	**Barrel complete with Door blade**								
	Top roll with door blade RR3000L complete (*)	Transport pallet cpl. included		D8240RG171	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Barrel L1 complete (*)			D8240RG141	G	D	Stck./pc.	1	
	Barrel L1c complete (*)	Chain drive		D8240RG142	G	D	Stck./pc.	1	
1	Spiral disk 1L		►2010-01	D4521R1157		A	Stck./pc.	2	
			2010-01 ►	D4521R1806		A	Stck./pc.	2	
2	Spiral disk 2L		►2010-01	D4521R1158		A	Stck./pc.	2	
			2010-01 ►	D4521R1807		A	Stck./pc.	2	
3	Spiral disk 3L LH	H>3250	►2010-01	D4521R1184		A	Stck./pc.	1	
	Spiral disk 3L RH	H>3250	►2010-01	D4521R1183		A	Stck./pc.	1	
	Spiral disk 3L		2010-01 ►	D4521R1808		A	Stck./pc.	2	
4	Dampener disks, L=2000mm			D8140R0072		A	Stck./pc.	6	X
5	Bearing d 35			D8140R0060		A	Stck./pc.	2	
6	Bracket belt			D4521R0953		A	Stck./pc.	2	
7	Winding plate			D4521R0941		A	Stck./pc.	2	
8	Angle Disc 1 cpl.			D4521R1179		A	Stck./pc.	max 6	
9	Bracket Disc 3			D4521R1167		A	Stck./pc.	max 6	
11	Hex head screw M8x20 scotch grip			D5402R0378		A	Stck./pc.	max 61	
12	Center plate			D4721R0207		A	Stck./pc.	max 8	
13	Distance sleeve			D5003R0011		A	Stck./pc.	max 16	
14	only chain drive	only chain drive		D5103R0082		A	Stck./pc.	1	

Description RH and/or LH see legend

(*) Data of W, H [mm] and drive side is necessary

Drive unit complete	RR3000, 3000L,
Antrieb komplett	3000XL, 3000XXL, 3000ISO



ALBANY
ASSA ABLOY


RR 3000L, Version 22

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalie
IV	**Drive unit complete**								
1	Gear motor 220-230 / 400-415 V 60 Hz - ACS 50			D8910R0061		B	Stck./pc.	1	
	Gear motor 220-230 / 400-415 V, MCC			D8910R0080		B	Stck./pc.	1	
2	Brake 15Nm 180V DC HL			D6622R0018		A	Stck./pc.	1	
3	Double Proximity switch	ACS80		D4905R0019		A	Stck./pc.	1	
	Encoder 50 pulses, only electronic part	MCC		D4904R0450		A	Stck./pc.	1	
	Encoder 50 pulses compl. with bracket	MCC		D8410R0066		A	Stck./pc.	1	
4	Torque Arm			D4521R1490		A	Stck./pc.	1	
5	Motor plate			D4521R1096		A	Stck./pc.	1	
6	Vibration absorber			D5004R0041		A	Stck./pc.	2	
7	Microswitch			D6621R0002		A	Stck./pc.	1	
8	Spring 2,2x11x48			D4802R0004		A	Stck./pc.	1	
9	Cable 4x0,25 6,5m GY	SL<=5m		D4907R0110		A	Stck./pc.	1	
	Cable 4x0,25 11,5m GY	5m<SL<=10m		D4907R0111		A	Stck./pc.	1	
	Cable 4x0,25 21,5m GY	10m<SL<=20m		D4907R0112		A	Stck./pc.	1	
	Cable 4x0,25 31,5m GY	20m<SL<=30m		D4907R0113		A	Stck./pc.	1	
10	Junctionbox 9plug 11,5m cable	5m<SL<=10m		D4906R0028		A	Stck./pc.	1	
	Junctionbox 9plug 21,5m cable	10m<SL<=20m		D4906R0029		A	Stck./pc.	1	
	Junctionbox 9plug 31,5m cable	20m<SL<=30m		D4906R0030		D	Stck./pc.	1	
	Junctionbox 9plug 6,5m cable	SL<=5m		D4906R0027		A	Stck./pc.	1	
11	Control cable	ACS 80		D8830RG042	G	B		1	
		Base price					Stck./pc.		
		Upcharge					m		
	Control cable	MCC		D8930RG145	G	B	Stck./pc.	1	
		Control close to drive							
		Control wall mounted							

SL= control line

H, L => [mm]

RR 3000, RR 3000L
RR 3000, RR 3000L



Drawing number	8300RG175	Revision	d

ALBANY
ASSA ABLOY

RR 3000L, Version 22

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalie
V	**Options**								
1	Top roll cover 1	W<=2500		D8260RG039	G	C		1	
	Top roll cover 2	W>2500		D8260RG040	G	C			
		Base price					Stck./pc.		
		Upcharge					m/W		
2	Motor cover RH			D8160R0123		A	Stck./pc.	1	
	Motor cover LH			D8160R0124		A	Stck./pc.	1	
3	2. emergency lever (option)			D8170RG022	G	B	Stck./pc.	1	
4	Lintel profile complete			D8220RG240	G	C	m/W	1	
	Transport pallet cpl.	for dismantling top roll		D8270RG031	G	C	Stck./pc.	1	

	Legend
	1
G	No automatic price calculation
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

