


10 to 15 Ton Capacity - Mobile Ramp






Container loading Application





Heavy Duty Construction


Lip rest on Container Bed / Chain Locking



Standard Grating



Customized Grating



Fork Locking - Easy to Move



Solid Rubber Tyre



Hydraulic Pump / Steel Piping





Entry Platform

TECHNICAL EVALUATION SHEET

EQUIPMENT NAME : MOBILE DOCK RAMP

Manufacturer- TECHNOSYS EQUIPMENTS PVT LTD

SR No.	Elements	Description
A	**EQUIPMENT TECHNICAL DETAILING**	
1	EQUIPMENT EFFECIENCY	100%
2	MODEL	**TMR10**
3	CAPACITY (Kgs)	10000 Dynamic
		12000 Static
4	SIZE L X W (mm)	2000 X 11500
5	Lip Extension (mm)	350
6	Working Range Above & Below (mm)	1200 / 1600
7	Operation	Hydraulically
B	**EQUIPMENT COLOR CODING**	
1	Corrosion Resistance:	Painted
C	**INSTALLATION & COMMISIONING**	
1	Training on Operation & Maintenance	Provided
2	One of Sets of Manuals clearly indicating the parts, dwgs, specifications, Operation & Maintenance	List shall be provided
D	**OPERATION**	
1	Equipment to be used for loading & unloading	Fork Lift (up to 25 % Gradeability)
2	Containers used for Loading / Unloading	STANDARD
E	**Warranty**	12 MONTHS from the date of installation