EUROPÄISCHE GEMEINSCHAFT

Ausfuhrbegleitdokument

VERFAHREN (1)	Bes. Umst. (S32)	MRN 18DE880484285846E2
EX | Z		
Vordrucke (3) 1 | 2	Anm. Sich.(S00) S	

Versender/Ausführer (2) Nr.DE4558987

Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

A Ausfuhrzollstelle — **Ausstellungsdatum**

DE008804 — 29.05.2018 14:21 Uhr
Hauptzollamt Regensburg
Zollamt
Regensburg-Furth im Wald
Junkersstr. 12

93055 Regensburg

Empfänger (8) Nr.

NIHVA TECHNOLOGIES PVT LTD
27 8/1 COROMANT HOUSING SOCIETY
411044 PUNE, NIGDI PRADHIKAR
IN

Positionen (5)	Packst. insgesamt (6)	Bezugsnummer (7)
3	8	#V88#-EXD-12580 / 30675409

Beförderungskosten, Code für die Zahlungshinweise (S29)	Vers./Ausf.L.Code (15)	Bestimm.L.Code (17)
H	a| DE	a| IN

Code für die zu durchfahrenden Länder (S13)
DE, IN

Anmelder/Vertreter (14) Nr.DE4558987, DE3448797

[1] Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

[2] i.A. / i.V A-1 Internationale Spedition GmbH
Springbiel 4 a
48455 Bad Bentheim
DE

Vertreter der Person, die summ. Anm. abgibt (14b)

Kennzeichen des Beförderungsmittels beim Abgang (18)

Verkehrszweig an der Grenze (25)	Rohmasse (kg) (35)
1	605

Ausgangszollstelle (29)	Nummer des Zollverschlusses (S28) Anzahl: --
DE004851	--

Warenort (30)
Code für den Ort des Verladens bzw. des Verpackens:
RE01

Packstücke und Warenbezeichnung (31) — Zeichen und Nummern - Container Nr. - Anzahl und Art

Siehe Liste der Positionen

E PRÜFUNG DURCH DIE ZOLLSTELLE

Ergebnis:

Frist (letzter Tag):

K PRÜFUNG DURCH DIE AUSGANGSSTELLE

Ankunftsdatum:

Prüfung der Verschlüsse:

Bemerkungen:

EUROPÄISCHE GEMEINSCHAFT

LISTE DER WARENPOSITIONEN - AUSFUHR

Vordrucke (3): 2 | 2

MRN 18DE880484285846E2

Pos.- Nr. (32)	Anzahl und Art der Packstücke, Zeichen und Nummern der Packstücke (31.1)	Warenbezeichnung (31.4)			
Versender/Ausführer (2)		Empfänger (8)			
Kennzeichen des Beförderungsmittels beim Abgang (18)		Warennummer (33)			
Kennnummer der Sendung (Unique Consignment Ref. Nr.) (7)		Summarische Anmeldung/Vorpapier (40)			
Vorgelegte Unterlagen / Bescheinigungen (44.1)		Container-Nr. (31.3)			Nummer des Zollverschlusses (S28)
Besondere Vermerke (44.2)		Verfahren (37)	Ausfuhrland (15a)	Bestimmungsl. (17a)	Rohmasse (kg) (35)
UNDG (44.4)	Beförderungskosten, Code für die Zahlungsweise (S29)	Anmeldungsart (1)	Statistischer Wert (46)		Eigenmasse (kg) (38)

1	1. 8 SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore			
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland					
		39252000			
		ohne			
		1000	DE	IN	605
					325

2	1. 0 SL, Kufenbrett .	ANTRIEB			
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland					
		84834023			
		ohne			
Internationale Unterlagen: T:Y901 R: Nicht von der Liste der Güter mit doppeltem Verwendungszweck (Anhang I der EG-Dual-use-VO) erfasste Güter					
		1000	DE	IN	0
					120

3	1. 0 SL, Kufenbrett .	STEUERUNG			
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland					
		85044084			
		ohne			
		1000	DE	IN	0
					80

80381900

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80381900*

Order No.
30675409

Ship Date
2018-05-28

Your reference
Rajan Dange

Your Order No.
NVA-364

Our reference
Frau Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit

Seafreight LCL

special door order with ref. 215473: without barrel cover

10	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2610015522			
Daylight width		1,000 mm		
Daylight height		1,200 mm		
Door control system		ACS50 electronic control system with push buttons up/stop/down mounted on the control box		
Side frame version		Aluminium		
Door curtain		RollTex Plus		
Door curtain colour		Blue, similar to RAL 5002		
Top roll cover		Top roll cover made of aluminium		
Actuator 3		Excluded		
Actuator 4		Excluded		
Packing		Box, heat treated		

20	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2610015523			
Daylight width		1,000 mm		
Daylight height		1,200 mm		

80381900

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80381900*

Order No.
30675409

Ship Date
2018-05-28

Your reference
Rajan Dange

Your Order No.
NVA-364

Our reference
Frau Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

30	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2610015524			

Daylight width	1,000 mm
Daylight height	1,200 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

40	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2610015525			

80381900

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80381900*

Order No.
30675409

Ship Date
2018-05-28

Your reference
Rajan Dange

Your Order No.
NVA-364

Our reference
Frau Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Daylight width	1,000 mm
Daylight height	1,200 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

Order Line	Volume	Net Weight	Gross Weight
10	0.00	130.00	150.00
20	0.00	135.00	155.00
30	0.00	130.00	150.00
40	0.00	130.00	150.00
Total	**0.00**	**525.00**	**605.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

The goods were accepted in full:

_____
Date/Signature

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India		Rechnung/Invoice Datum/Date Lieferschein-Nr./delivery note Auftrags-Nr./Order No. Referenz/Reference	90698081 2018-05-29 80381900 30675409 Mr. Dange
Kunden-Nr./Customer No. 1059669	Innendienst/Internal department Nadine Gundelach	Versandart/Way of delivery Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	Ihre Bestell-Nr./Your Order NVA-364	Versandbedingungen/Terms of delivery FCA Hemau, Germany	Lieferdatum/Delivery date 2018-05-28
Lieferadresse/Delivery address NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	Nr. Lieferadresse/Delivery address No. 1059669	Zahlungsbedingungen/Terms of payment Due Net 60	Fälligkeit/Due date 2018-07-28

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price
		Seafreight LCL				
		special door order with ref. 215473: without barrel cover				
	D_SD_CD_P100	.	1.000	ST		
	AD_RP300	ASSA ABLOY RP300	1.000	ST	3,250.00	3,250.00
	Serien-Nr. 2610015522					
	Door type	High-speed roller door RapidProtect 300				
	Daylight width	1.000 mm				
	Daylight height	1.200 mm				
	Side frame extension X-Level	0 mm				
	Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box				
	Max. Opening Speed	1,0 m/s				
	Max. Closing Speed	1,0 m/s				
	Control system position	Right				
	Motor Position	Right				
	Wind class	1				
	Side frame version	Aluminium				
	Bottom plate	Delivered without bottom plates				
	Bottom profile	Aluminium				
	Safety contact edge	Electrical safety edge at the bottom profile				
	Photocell	With photocell				

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Top roll cover	Top roll cover made of aluminium
Control box material	Painted steel
Power supply	400 V, 3-phase
Frequency	50 Hz
Motor cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
Special door	Yes
CE - Sign	The CE Declaration of Conformity cannot be issued for doors without control systems and standard safety equipment.
Reference no. special door 01	215473
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	1800X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**1760x540x470**
Dimension packing 2 LxWxH	**880x680x780**
Net Weight	**130,000 KG**
Gross Weight	**150,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,250.00** **3,250.00**

Serien-Nr. 2610015523

Door type	High-speed roller door RapidProtect 300
Daylight width	1.000 mm
Daylight height	1.200 mm
Side frame extension X-Level	0 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Max. Opening Speed	1,0 m/s
Max. Closing Speed	1,0 m/s
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. Item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Silicone free	Silicone free
Top roll cover	Top roll cover made of aluminium
Control box material	Painted steel
Power supply	400 V, 3-phase
Frequency	50 Hz
Motor cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
Special door	Yes
CE - Sign	The CE Declaration of Conformity cannot be issued for doors without control systems and standard safety equipment.
Reference no. special door 01	215473
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	1800X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**1760x540x460**
Dimension packing 2 LxWxH	**880x680x790**
Net Weight	**135,000 KG**
Gross Weight	**155,000 KG**

AD_RP300 **ASSA ABLOY RP300** 1.000 ST 3,250.00 3,250.00

Serien-Nr. 2610015524

Door type	High-speed roller door RapidProtect 300
Daylight width	1.000 mm
Daylight height	1.200 mm
Side frame extension X-Level	0 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Max. Opening Speed	1,0 m/s
Max. Closing Speed	1,0 m/s
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Top roll cover	Top roll cover made of aluminium
Control box material	Painted steel
Power supply	400 V, 3-phase

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Frequency	50 Hz
Motor cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
Special door	Yes
CE - Sign	The CE Declaration of Conformity cannot be issued for doors without control systems and standard safety equipment.
Reference no. special door 01	215473
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	1800X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**1760x540x470**
Dimension packing 2 LxWxH	**880x680x780**
Net Weight	**130,000 KG**
Gross Weight	**150,000 KG**

AD_RP300	**ASSA ABLOY RP300**	**1.000**	**ST**	**3,250.00**	**3,250.00**

Serien-Nr. 2610015525

Door type	High-speed roller door RapidProtect 300
Daylight width	1.000 mm
Daylight height	1.200 mm
Side frame extension X-Level	0 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Max. Opening Speed	1,0 m/s
Max. Closing Speed	1,0 m/s
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Top roll cover	Top roll cover made of aluminium
Control box material	Painted steel
Power supply	400 V, 3-phase
Frequency	50 Hz
Motor cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
Special door	Yes
CE - Sign	The CE Declaration of Conformity cannot be issued for doors without control systems and standard safety equipment.
Reference no. special door 01	215473
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	1800X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**1760x540x470**
Dimension packing 2 LxWxH	**880x680x780**
Net Weight	**130,000 KG**
Gross Weight	**150,000 KG**

Warenwert/Value of goods		**13,000.00**
Export packing		**1,220.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**14,220.00**

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye