
Spare Parts
RR 300 plus

ALBANY
ASSA ABLOY



2013-05 Index 00

Sideframe complete	RR 300 plus
Seitenteil komplett	RR 300 plus




8220RG244	Rev.: h	Sheet: 10 of 10

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right**								
	RH column complete	Base price			G	C	Stck./pc.	1	
		Steel		D8220RG273	G	C	m	1	
		A2		D8220RG273	G	C	m	1	
		Alu not sealed		D8220RG314	G	C	m	1	
		Alu sealed		D8220RG335			m	1	
	Extra price curtain tension						Stck./pc.		
	Extra price light curtain instead photocell						Stck./pc.		
1	Profile galv., for spring cover	Steel		D4521RG265	G	C	m	1	
	Profile inox, for spring cover	A2		D4621RG169	G	C	m	1	
	Column profile RH	Alu		D4721RG255	G	C	m	1	
2	Gusset plate side of drive unit galv. for drive Nord without crash (incl. torque arm)	Steel	►2006-10	D8120R0097		B	Stck./pc.	1	
	Gusset plate side of drive unit va for drive Nord without crash (incl. torque arm)	A2	►2006-10	D8120R0098		B	Stck./pc.	1	
	Gusset plate side of drive unit galv. for drive Nord with crash or drive GfA	Steel, Alu		D4521R1203		A	Stck./pc.	1/Alu2	
	Gusset plate side of drive unit va for drive Nord with crash or drive GfA	A2		D4621R0411		A	Stck./pc.	1	
	Gusset plate non drive unit side galv.	Steel		D4521R1426		A	Stck./pc.	1	
	Gusset plate non drive unit side, va	A2		D4621R0359		A	Stck./pc.	1	
3	RH bottom plate	Steel, Alu		D4521R1222		A	Stck./pc.	1	
	RH bottom plate	A2		D4621R0378		A	Stck./pc.	1	
4	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
	Cable photocell 13,5m 3x0,25			D4907R0035		A	Stck./pc.	1	
	Light curtain Transmitter			D4904R0464		A	Stck./pc.	1	
5	Cap			D4102R0003		A	Stck./pc.	1	
6	Spring cover galv.	Steel		D4521RG264	G	C	m	1	
	Spring cover va	A2		D4621RG168	G	C	m	1	
	Cover profile RH	Alu		D4721RG253	G	C	m	1	
7	Spring suspension galv.	Steel		D4521R1202		C	Stck./pc.	1	
	Spring suspension va	A2		D4621R0362		C	Stck./pc.	1	
	Spring suspension RH (multi funktional part)	Alu		D4521R1904		C	Stck./pc.	1	
	Spring suspension RH	Steel, A2 Alu; emergency egress		D4621R0445		A	Stck./pc.	1	
	Spring bracket			D4521R1935		A	Stck./pc.	2	
	Switch			D4905V0044		A	Stck./pc.	2	
	Cable 2x0,75, l=10500mm			D4907R0133		A	Stck./pc.	2	
8	Tension spring for counterbalance with spring suspension	1 pc.	►2009-01	D8220RG284	G	B	Stck./pc.	1/2	x
	Tension spring for counterbalance	1 pc.	2009-02 ►	D8220RG279	G	B	Stck./pc.	1/2	x
	Tension spring for curtain tension 4x28x341	with curtain tension, DH < 1670		D4802R0017		A	Stck./pc.	1	x
	Tension spring for curtain tension 4x28x838	with curtain tension, 1670 ≤ DH ≤3500		D4802R0016		A	Stck./pc.	1	x
	Tension spring for curtain tension 4x28x1083	with curtain tension, DH > 3500		D4802R0021		A	Stck./pc.	1	x

Sideframe complete	RR 300 plus
Seitenteil komplett	RR 300 plus




8220RG244	Rev.: h	Sheet: 10 of 10

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
9	Proximity switch	Drive Nord, without crash		D4905R0082		A	Stck./pc.	max.2	
	Bracket limit switch galv.	Steel, drive Nord, without crash		D4521R1201		A	Stck./pc.	max.2	
	Bracket limit switch va	A2, drive Nord, without crash		D4621R0380		A	Stck./pc.	max.2	
10	Cable chain complete	Steel, A2		D8550RG055	G	B	Stck./pc.	1	
	Cable chain complete	Alu not sealed		D8550RG064	G	B	Stck./pc.	1	
	Cable chain, Safety edge, 900	Alu sealed, DH≤1500		D8520R0001		B	Stck./pc.	1	
	Cable chain, Safety edge, 1400	Alu sealed, 1500<DH≤2500		D8520R0007		B	Stck./pc.	1	
	Cable chain, Safety edge, 2160	Alu sealed, DH>2500		D8520R0008		B	Stck./pc.	1	
11	Bracket emergency lever galv.	Steel	▶2007-01	D4521R1211		A	Stck./pc.	1	
	Bracket emergency lever va	A2	▶2007-01	D4621R0368		A	Stck./pc.	1	
12	Emergency lever complete			D8220R0052		B	Stck./pc.	1	
	Emergency lever			D5005R0031		A	Stck./pc.	1	
13	Brush strip complete			D8120R0048		A	Stck./pc.	max.3	x
14	Rope 3,2; L=9500	curtain tension		D5105R0091		A	Stck./pc.	max.2	x
	Pulley for curtain tension			D5003R0009		A	Stck./pc.	max.2	x
	Wheel bracket curtain tension with screws	Steel, A2		D8120R0112		A	Stck./pc.	max.1	
	Wheel bracket curtain tension	Alu		D4521R1905		A	Stck./pc.	max.1	
	Retrofit kit curtain tension	Steel, A2		D8220RG301	G	B	Stck./pc.	1	
	Curtain tension Alu	Alu, Retrofit also		D8220RG316	G	B	Stck./pc.	1	
15	Stiffener	Alu		D4521R1926		A	Stck./pc.	max.7	
16	Bell mouth	Alu		D4121R0428		A	Stck./pc.	4	x
17	Holding bracket for stroke magnet	Steel, A2 Alu; emergency egress		D4621R0477		A	Stck./pc.	1	
	Bracket magnet			D4521R1936		A	Stck./pc.	1	
	Stroke magnet			D4914R0028		A	Stck./pc.	1	
	Connecting cable 4m with plug			D4907R0125		A	Stck./pc.	1	

Sideframe complete	RR 300 plus
Seitenteil komplett	RR 300 plus




8220RG244	Rev.: h	Sheet: 10 of 10

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II	**side frame left (See drawing frame complete)**								
	LH column complete	Base price			G	C	Stck./pc.	1	
		Steel		D8220RG274	G	C	m	1	
		A2		D8220RG274	G	C	m	1	
		Alu not sealed		D8220RG315	G	C	m	1	
		Alu sealed		D8220RG336	G	C	m	1	
	Extra price curtain tension						Stck./pc.		
	Extra price light curtain instead photocell						Stck./pc.		
1	Profile galv., for spring cover	Steel		D4521RG265	G	C	m	1	
	Profile inox, for spring cover	A2		D4621RG169	G	C	m	1	
	Column profile LH	Alu		D4721RG256	G	C	m	1	
2	Gusset plate side of drive unit galv. for drive Nord without crash (incl. torque arm)	Steel	▶2006-10	D8120R0097		B	Stck./pc.	1	
	Gusset plate side of drive unit va for drive Nord without crash (incl. torque arm)	A2	▶2006-10	D8120R0098		B	Stck./pc.	1	
	Gusset plate side of drive unit galv. for drive Nord with crash or drive GfA	Steel, Alu		D4521R1203		A	Stck./pc.	1/Alu2	
	Gusset plate side of drive unit va for drive Nord with crash or drive GfA	A2		D4621R0411		A	Stck./pc.	1	
	Gusset plate non drive unit side galv.	Steel		D4521R1426		A	Stck./pc.	1	
	Gusset plate non drive unit side, va	A2		D4621R0359		A	Stck./pc.	1	
3	LH bottom plate galv.	Steel, Alu		D4521R1223		A	Stck./pc.	1	
	LH bottom plate va	A2		D4621R0379		A	Stck./pc.	1	
4	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
	Cable photocell 13,5m 3x0.25			D4907R0035		A	Stck./pc.	1	
	Light curtain Receiver			D4904R0465		A	Stck./pc.	1	
5	Cap			D4102R0003		A	Stck./pc.	1	
6	Spring cover galv.	Steel		D4521RG264	G	C	m	1	
	Spring cover va	A2		D4621RG168	G	C	m	1	
	Cover profile LH	Alu		D4721RG254	G	C	m	1	
7	Spring suspension galv.	Steel		D4521R1202		A	Stck./pc.	1	
	Spring suspension va	A2		D4621R0362		A	Stck./pc.	1	
	Spring suspension LH (multi funktional part)	Alu		D4521R1932		A	Stck./pc.	1	
	Spring suspension LH	Steel, A2 Alu; emergency egress		D4621R0446		A	Stck./pc.	1	
	Spring bracket			D4521R1935		A	Stck./pc.	2	
	Switch			D4905V0044		A	Stck./pc.	2	
	Cable 2x0,75, l=10500mm			D4907R0133		A	Stck./pc.	2	
8	Tension spring for counterbalance with spring suspension	1 pc.	▶2009-01	D8220RG284	G	B	Stck./pc.	1/2	x
	Tension spring for counterbalance	1 pc.	2009-02 ▶	D8220RG279	G	B	Stck./pc.	1/2	x
	Tension spring for curtain tension 4x28x341	with curtain tension, DH < 1670		D4802R0017		A	Stck./pc.	1	x
	Tension spring for curtain tension 4x28x838	with curtain tension, 1670 ≤ DH ≤3500		D4802R0016		A	Stck./pc.	1	x
	Tension spring for curtain tension 4x28x1083	with curtain tension, DH > 3500		D4802R0021		A	Stck./pc.	1	x

Sideframe complete	RR 300 plus
Seitenteil komplett	RR 300 plus




8220RG244	Rev.: h	Sheet: 10 of 10

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
9	Proximity switch	Drive Nord, without crash		D4905R0082		A	Stck./pc.	max.2	
	Bracket limit switch galv.	Steel, drive Nord, without crash		D4521R1201		A	Stck./pc.	max.2	
	Bracket limit switch va	A2, drive Nord, without crash		D4621R0380		A	Stck./pc.	max.2	
10	Cable chain complete	Steel, A2		D8550RG055	G	B	Stck./pc.	1	
	Cable chain complete	Alu not sealed		D8550RG064	G	B	Stck./pc.	1	
	Cable chain, Safety edge, 900	Alu sealed, DH≤1500		D8520R0001		B	Stck./pc.	1	
	Cable chain, Safety edge, 1400	Alu sealed, 1500<DH≤2500		D8520R0007		B	Stck./pc.	1	
	Cable chain, Safety edge, 2160	Alu sealed, DH>2500		D8520R0008		B	Stck./pc.	1	
11	Bracket emergency lever galv.	Steel	▶2007-01	D4521R1211		A	Stck./pc.	1	
	Bracket emergency lever va	A2	▶2007-01	D4621R0368		A	Stck./pc.	1	
12	Emergency lever complete			D8220R0052		B	Stck./pc.	1	
	Emergency lever			D5005R0031		A	Stck./pc.	1	
13	Brush strip complete			D8120R0048		A	Stck./pc.	max.3	x
14	Rope 3,2; L=9500	curtain tension		D5105R0091		A	Stck./pc.	max.2	x
	Pulley for curtain tension			D5003R0009		A	Stck./pc.	max.2	x
	Wheel bracket curtain tension with screws	Steel, A2		D8120R0112		A	Stck./pc.	max.1	
	Wheel bracket curtain tension	Alu		D4521R1905		A	Stck./pc.	max.1	
	Retrofit kit curtain tension	Steel, A2		D8220RG301	G	B	Stck./pc.	1	
	Curtain tension Alu	Alu, Retrofit also		D8220RG316	G	B	Stck./pc.	1	
15	Stiffener	Alu		D4521R1926		A	Stck./pc.	max.7	
16	Bell mouth	Alu		D4121R0428		A	Stck./pc.	4	x
17	Holding bracket for stroke magnet	Steel, A2		D4621R0477		A	Stck./pc.	1	
	Bracket magnet	Alu;		D4521R1936		A	Stck./pc.	1	
	Stroke magnet	emergency		D4914R0028		A	Stck./pc.	1	
	Connecting cable 4m with plug	egress		D4907R0125		A	Stck./pc.	1	

Top roll with door blade	RR 300 plus
Wickelwelle mit Torbehang	RR 300 plus
Vals med Portblad	RR 300 plus





ALBANY
ASSA ABLOY


RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Top roll with curtain**								
1	Door blade PVC 1,4 with stripes DW<= 4000 and DH<= 4200	Not sealed		D8230RG058	G	B		1	
		Base price					Stck./pc.		
		Alu sealed		D8230RG449	G	B		1	
		Base price					Stck./pc.		
	Door blade PVC 1,8 with stripes DW > 4000 or DH > 4200	Not sealed		D8230RG456	G	B		1	
		Base price					Stck./pc.		
	Stripes blue or red	Upcharge				B	m²		
	Door blade PVC with stripes	Upcharge			G	E	m²	1	
	Door blade Rolltex Plus / Nomatex	Not sealed		D8230RG312	G	C		1	
		Base price					Stck./pc.		
		Alu sealed		D8230RG450	G	C		1	
		Base price					Stck./pc.		
	Rolltex Plus	Upcharge				C	m²		
	Nomatex	Upcharge				D	m²		
	Window vertical / horizontal				G	C	Stck./pc.		
	Vision area for Nomatex				G	D	m/w		
	Door blade Travitop 1,3 without vision panel	blue, red or grey not sealed		D8230RG327	G	C	m²	1	
	Door blade Travitop 1,3 with vision panel			D8230RG327	G	C	m²	1	
	Door blade Travitop 1,3 without vision panel	blue, red or grey Alu sealed		D8230RG448	G	C	m²	1	
	Door blade Travitop 1,3 with vision panel			D8230RG448	G	C	m²	1	
2	Top roll alu with bearing, belt and spring suspension	Alu-tube, shaft galvanized		D8240RG109	G	B	m	1	
		Alu-tube, shaft A2		D8240RG109	G	B	m	1	
		Steel-tube		D8240RG109	G	B	m	1	
3	Top roll alu with bearing, belt and door blade			D8240RG110	G	C	Stck./pc.	1	
4	Flange bearing D 30	A2		D8140R0062		A	Stck./pc.	2	x
	Flange bearing D 30	Steel, Alu		D8140R0005		A	Stck./pc.	2	x
5	Windbreaktap (12 pcs)			D8130R0009		A	Stck./pc.	4	x
6	Belt 25mm L=4200 with rivets			D8140R0069		A	Stck./pc.	max.2	x
7	Spring suspension top compl. without pulleys			D8140RG001	G	B	Stck./pc.	max.2	
8	Pulley for curtain tension			D5003R0009		A	Stck./pc.	max.4	x

Bottom beam	RR 300 plus
Abschlussprofil	RR 300 plus







Flex Edge


8550RG056	Rev.: d	Sheet: 4 of 4

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis ► valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Bottom profile with safety edge**								
	Bottom profile complete without cable chain	Alu not sealed		D8550RG056	G	B	m	1	
		Stainless steel		D8550RG056	G	C	m		
		Alu, low, sealed		D8550RG099	G	B	m	1	
1	Sliding part complete for version without crash	Without crash, not sealed	2007-04 ►	D4121R0302		A	Stck./pc.	max.2	
			►2007-03	see pos. 3					
		Without crash, sealed		D4121R0518		A	Stck./pc.	max.2	
	Sliding part complete for crash-version	Crash		D4121R0253		A	Stck./pc.	2	
2	Sliding part cpl.	Steel, A2		D8120R0074		B	Stck./pc.	2	
	Guiding element complete, Alu	Alu not sealed		D8120R0109		B	Stck./pc.	2	
	Bracket fall protection RH	Steel, A2; additional with emergency egress, drive side RH		D4621R0478		A	Stck./pc.	1	
	Bracket fall protection RH	Alu		D4521R1937		A	Stck./pc.	1	
	Bracket fall protection LH	Steel, A2; additional with emergency egress, drive side LH		D4621R0479		A	Stck./pc.	1	
	Bracket fall protection LH	Alu		D4521R1938		A	Stck./pc.	1	
3	Switch plate right galv. with sliding part	Steel, without crash	►2007-03	D8150R0072		B	Stck./pc.	1	
	Switch plate left galv. with sliding part		►2007-03	D8150R0073		B	Stck./pc.	1	
	Switch plate right va with sliding part	A2, without crash	►2007-03	D8150R0070		B	Stck./pc.	1	
	Switch plate left va with sliding part		►2007-03	D8150R0071		B	Stck./pc.	1	
4	Weight	Not sealed		D4521R0133		A	Stck./pc.	2	
	Weight low bottom beam profile	Alu sealed		D4521V0144		A	Stck./pc.	2	
5	Profile for bottom profile	Alu not sealed		D4721RG057	G	B	m	1	
	Profile for bottom profile, low	Alu sealed		D4721RG069	G	B	m	1	
	Profile for bottom profile va	A2		D8250RG013	G	C	m	1	
6	Rubber profile with integrated safety edge			D4421RG036	G	B	m	1	
	Rubber profile with integrated safety edge, elongated sealing-lip			D4421RG037	G	C	m	1	
7	Plate for Crash sensor	Crash		D4721R0038		A	Stck./pc.	1	
8	Crash sensor	Crash		D4905V0044		A	Stck./pc.	1	
9	Rope 3,2; L=9500	Crash		D5105R0091		A	Stck./pc.	max.1	x
10	PVC-washer	Crash		D4121R0039		A	Stck./pc.	2	x
11	Coil cable 5x0,75	Crash		D4907R0038		A	Stck./pc.	1	
12	Connector 3M UR2			D4910V0013		A	Stck./pc.	max.4	
13	Sealing rubber profile to Sideframe			D4121R0314		A	Stck./pc.	2	
14	Bottom profile complete with safety edge - Flex Edge	Flex Edge compl.		D8550RG069	G	C	m	1	
15	Sliding part crash	For Flex Edge		D4121R0515		B	Stck./pc.	1	
16	Contact strip with 4,2m Cable			D4905R0248		B	Stck./pc.	1	
17	Wireless Safety system - Transmitter			D4904R0553		A	Stck./pc.	1	
18	Battery for safety edge wireless system			D4909T0020		A	Stck./pc.	2	

Drive unit complete	RR 300 plus, SMD
Antrieb komplett	RR 300 plus, SMD




Pos. 3, 7 and 9 not shown

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Drive unit**								
	Gear motor complete, drive GfA corp. (without control cable)	Drive GfA		D8410RG085	G	C		1	
		ACS 50, without control; fail safe brake					Stck./pc.		
		ACS 50, without control; open circuit brake					Stck./pc.		
		MCC; fail safe brake					Stck./pc.		
		MCC; open circuit brake					Stck./pc.		
	Retrofit drive Nord corp. to GfA corp., fail safe brake	ACS 50, 60		D8410RG086	G	C	Stck./pc.		
		MCC		D8410RG087	G	C	Stck./pc.		
	Retrofit drive Nord corp.to GfA corp., circuit brake	ACS 50, 60		D8410RG088	G	C	Stck./pc.		
		MCC		D8410RG089	G	C	Stck./pc.		
1	Gear motor with fail safe brake (standard), GfA corp.	ACS50, without control; drive GfA		D8910R0089		A	Stck./pc.	1	
	Gear motor with fail safe brake (standard), Nord corp.	ACS50; drive Nord		D6601R0093		C	Stck./pc.	1	
	Gear motor with open circuit brake, GfA corp.	ACS50, without control; drive GfA		D8910R0090		A	Stck./pc.	1	
	Gear motor with fail safe brake (standard) with incremental encoder	ACS60, 80; drive Nord		D8910R0071		B	Stck./pc.	1	
	Gear motor with fail safe brake (standard), GfA corp., with MCC encoder	MCC; drive GfA		D8910R0101		B	Stck./pc.	1	
	Gear motor with fail safe brake (standard), Nord corp., with MCC encoder	MCC; drive Nord		D8910R0075		B	Stck./pc.	1	
	Gear motor with open circuit brake, GfA corp., with MCC encoder	MCC; drive GfA		D8910R0083		B	Stck./pc.	1	
2	Limit switch section, 6 switches, for drive GfA	Drive GfA		D4905018		A	Stck./pc.	1	
	Cam, for drive GfA	Drive GfA		D4801240		C	Stck./pc.	6	
	Geared limit switch for drive Nord	With crash, drive Nord, ACS50		D4906R0053		A	Stck./pc.	1	
	Geared limit switch for drive Nord	With crash; MCC, ACS60,ACS80; drive Nord		D4906R0054		A	Stck./pc.	1	
3	Control cable, for drive GfA	ACS50, without control; drive GfA		D8903RG144	G	B		1	
		Base price					Stck./pc.		
		Upcharge					m		
	Control cable, for drive GfA	MCC; drive GfA		D8903RG145	G	B		1	
		Base price					Stck./pc.		
		Upcharge					m		
	Control cable, for drive Nord	ACS50,60,80; without crash; drive Nord		D8830RG044	G	B	Stck./pc.	1	
	Control cable, for drive Nord	MCC; drive Nord		D8830RG046	G	B	Stck./pc.	1	
	Control cable, for drive Nord	ACS50; with crash; drive Nord		D8830RG047	G	B	Stck./pc.	1	

Drive unit complete	RR 300 plus, SMD
Antrieb komplett	RR 300 plus, SMD




Pos. 3, 7 and 9 not shown

ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
4	Encoder MCC with bracket for drive GfA	MCC; drive GfA		D8410R0080		C	Stck./pc.	1	
	Encoder MCC with bracket for drive Nord, fail safe brake (standard)	MCC; drive Nord, fail safe brake		D8410R0077		C	Stck./pc.	1	
	Encoder MCC with bracket for drive Nord, open-cicrcuit brake	MCC; drive Nord, open circuit brake		D8410R0067		C	Stck./pc.	1	
5	Brake (fail safe brake (standard))	Drive GfA		D6622R0026		A	Stck./pc.	1	
	Brake (open circuit brake)			D6622R0034		A	Stck./pc.	1	
	Brake (open circuit brake)	Drive Nord		D6622R0030		E	Stck./pc.	1	
6	Brake release, without bowden cable	Drive GfA; fail safe brake		D6625R0003		C	Stck./pc.	1	
7	Double proximity switch	ACS 60,80		D4905R0019		A	Stck./pc.	1	
8	Gusset plate side of drive unit galv. (incl. torque arm)	Drive Nord; without crash		D8120R0097		B	Stck./pc.	1	
	Gusset plate side of drive unit va (incl. torque arm)			D8120R0098		B	Stck./pc.	1	
	Torque arm galv.	Drive Nord; with crash		D4521R1335		A	Stck./pc.	1	
	Torque arm va			D4621R0410		A	Stck./pc.	1	
	Torque arm galv.	Drive GfA		D8110R0086		A	Stck./pc.	1	
	Torque arm va			D8110R0087		A	Stck./pc.	1	
9	Damper	Drive Nord; without crash		D4421R0038		A	Stck./pc.	2	
	Damper	Drive Nord; with crash		D5004R0041		A	Stck./pc.	2	
	Damper	Drive GfA		D4121R0210		A	Stck./pc.	4	
10	Gearbox heating	emergency egress		D8930RG082	G	C	Stck./pc.	1	
	Heating resistor 50W			D4915R0007		A	Stck./pc.	1	
11	RC-component for open circuit brake	ACS 50		D4805029		A	Stck./pc.	1	

RR 300 plus	Options
RR 300 plus	Optionen




ALBANY
ASSA ABLOY

RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Options**								
1	Top roll cover straight Steel for spring cover on both sides	Steel standard, also for emerg. egress DH>3700		D4521RG195	G	C	m	1	
	Top roll cover straight A2 for spring cover on both sides	A2 standard, also for emerg. egress DH>3700		D4621RG138	G	C	m	1	
	Top roll cover Alu	Alu not sealed DH<=4200 + emerg.egress DH>3700		D4721RG260	G	C	m	1	
		Alu not sealed, DH>4200		D4721RG312	G	C	m	1	
		Alu sealed		D4721RG281	G	C	m	1	
	Top roll cover straight Steel for spring cover right	Steel RH, not emerg.egress		D4521RG248	G	C	m	1	
	Top roll cover straight A2 for spring cover right	A2 RH, not emerg.egress		D4621RG152	G	C	m	1	
	Top roll cover straight Steel for spring cover left	Steel LH, not emerg.egress		D4521RG249	G	C	m	1	
	Top roll cover straight A2 for spring cover left	A2 LH, not emerg.egress		D4621RG153	G	C	m	1	
	Top roll cover 30° drive RH	Drive RH, A2 standard, + emerg.egress DH>3700		D4621RG136	G	C	m	1	
	Top roll cover 30° drive LH	Drive LH, A2 standard + emerg.egress DH>3700		D4621RG137	G	C	m	1	
	Top roll cover straight Steel	Steel, emerg.egress DH<=3700		D4521RG299	G	C	m	1	
	Top roll cover straight A2	A2, emerg.egress DH<=3700		D4621RG172	G	C	m	1	
	Top roll cover Alu emergency egress	Alu, emerg.egress DH<=3700		D4721RG261	G	C	m	1	
	Top roll cover 30° drive RH	RH, A2, emerg.egress DH<=3700		D4621RG170	G	C	m	1	
	Top roll cover 30° drive LH	LH, A2, emerg.egress DH<=3700		D4621RG171	G	C	m	1	
2	Bracket for Top roll cover	Steel	►2007-03	D4521R1129		A	Stck./pc.	2	
3	Sidecover (for Top roll cover Alu)	Alu, DH<=4200		D4721R0277		A	Stck./pc.	1	
		Alu, DH>4200		D4721R0322		A	Stck./pc.	1	
	Sidecover (for Top roll cover 30°, A2), drive RH	Drive RH, A2		D4621R0313		A	Stck./pc.	1	
	Sidecover (for Top roll cover 30°, A2), drive LH	Drive LH, A2		D4621R0312		A	Stck./pc.	1	
4	Motor cover plasic grey cpl RH			D8160R0103		A	Stck./pc.	1	
	Motor cover plasic grey cpl LH			D8160R0104		A	Stck./pc.	1	
	Motor cover plasic grey MCC cpl RH	MCC mounted on side frame; drive RH		D8160R0105		A	Stck./pc.	1	
	Motor cover plasic grey MCC cpl LH	MCC mounted on side frame; drive LH		D8160R0106		A	Stck./pc.	1	
	Motor cover steel cpl RH			D8160R0107		B	Stck./pc.	1	
	Motor cover steel cpl LH			D8160R0108		B	Stck./pc.	1	
	Motor cover 30° inox cpl RH			D8160R0109		B	Stck./pc.	1	
	Motor cover 30° inox cpl LH			D8160R0110		B	Stck./pc.	1	
5	Bracket motor cover RH	Motorcover plastic / steel		D4521R1491		A	Stck./pc.	1	
	Bracket motor cover LH			D4521R1488		A	Stck./pc.	1	
	Bracket motor cover RH	Motorcover A2		D4621R0456		A	Stck./pc.	1	
	Bracket motor cover LH			D4621R0457		A	Stck./pc.	1	
6	Cover black			D4121R0222		A	Stck./pc.	1	

RR 300 plus	Options
RR 300 plus	Optionen



RR 300 plus, Version 33

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
7	2. emergency lever galv.	Steel / Alu		D8170RG022	G	B	Stck./pc.	1	
	2. emergency lever va	A2		D8170R0346	G	B	Stck./pc.	1	
8	Albany Assa Abloy sign 210x100			D6403V0001		A	Stck./pc.	1	
9	Distance rod Steel	Steel		D4521RG170	G	C	Stck./pc.	1	
	Distance rod A2	A2		D4621RG014	G	C	Stck./pc.	1	
	Distance rod Alu	Alu not sealed		D4721RG056	G	C	Stck./pc.	1	
	Lintel profile complete	Alu sealed		D8220RG332	G	C	m	1	
10	Radar-motion detector	emergency egress		D4904R0519		A	Stck./pc.	1	
11	Wireless Safety system – Receiver	Flex Edge MCC ACS 50		D4904T0028		A	Stck./pc.	1	
12	Cable wireless system MCC			D8830R0164		A	Stck./pc.	1	
13	Cable wireless system ACS 50			D8830R0165		A	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
E	On request
	Wear parts
	x = Standard wear with time/use

