




TIE LEVEL & UGWT BOTTOM LEVEL PLAN (UFL: +582.170 M)

NOTE:
'TB' INDICATES BEAM SIZE 200x500, UNLESS SPECIFIED.




GROUND FLOOR FRAMING PLAN (+584.095 M LVL.)

NOTE:
'B' INDICATES BEAM SIZE 200x600, UNLESS SPECIFIED.



PANTRY TERRACE PART SLAB BOTTOM LVL. FRAMING PLAN (+586.345 M LVL.)

NOTE:
'B' INDICATES BEAM SIZE 200x400, UNLESS SPECIFIED.



STORE TERRACE PART SLAB FRAMING PLAN (+586.495 M LVL.)

NOTE:
'B' INDICATES BEAM SIZE 200x400, UNLESS SPECIFIED.

GENERAL NOTES

1. REFERENCE CODE IS456-2000
2. ALL THE DIMENSIONS ARE IN MM UNLESS SPECIFIED.
3. ALL THE REINFORCEMENT BARS SHALL BE OF GRADE FE 500.
4. DIMENSIONS OTHER THAN STRUCTURAL TO BE VERIFIED WITH ARCHITECT.
5. GRADE SLAB TO BE REST ON COMPACTED SOIL WITH PROCTOR DENSITY GREATER THAN 90%.

ITEMS	COVER	CONCRETE GRADE
FOUNDATION	50mm	M30
COLUMN	40mm	M30
BEAM	20mm	M30
SLAB	20mm	M30

LEGEND

- STRUCTURAL SLAB LEVEL
- CUTOUT
- COLUMN TERMINATE

REV.	DESCRIPTION	DATE

PROPOSED: CLUBHOUSE AT 106-LOHEGAON

MULTIPURPOSE HALL TIE LEVEL & GROUND LEVEL FRAMING PLANS

PROJECT NO.	DRAWING NO.	SCALE	DATE	REVISION
A-2411	A-2411-MH-001	1:100	04/09/2025	R0

ARCHITECT

CLIENT

FOR APPROVAL