Mumbai : H-123, Lokmanya Nagar, Mahim, Mumbai.
Pune : 303, Spandan Residency, Popular Nagar, Pune.
Aurangabad : C-150, MIDC Waluj, Aurangabad - 431 136. 0240-2554065
Kolhapur : 23, Vidya Colony, Post Market Yard, Kolhapur.
Satara : 3, Tribhuvan Apartment, Yadogopal Peth, Satara.
E-mail : mattestlab@gmail.com
Cell : +91 09823012371

MATTEST

Test Report

Customer's Name	Nihva Technologies Pvt Ltd	(F/7.8/1 , Rev 0)
		Report No. P1961
		Date: 17-11-2021
Customer's Ref.	TR Dated 16-11-2021	Condition of Sample : CUT PIECE
Nature of Sample	TEST PIECE	Sample Received on : 17-11-2021
Specification	**EN AW-6060**	Date of Completion : 17-11-2021
Sample Drawn By	Customer	
Deviation if Any	Nil	Enclosure : NIL
Test :	Hardness, CHEMICAL ANALYSIS	
Sample Identification	ALUMINIUM BOTTOM	

I. Chemical

1.

CHEMICAL ANALYSIS

Test Method : ASTM E1251:2017

	Result	Reqd.
% Silicon (Si)	0.488	0.30-0.60
% Iron (Fe)	0.300	0.10-0.30
% Copper (Cu)	0.059	0.10 max.
% Manganese (Mn)	0.089	0.10 max.
% Magnesium (Mg)	0.373	0.35-0.60
% Chromium (Cr)	0.038	0.05 max.
% Zinc (Zn)	0.150	0.15 max.
% Titanium (Ti)	0.023	0.10 max.
% Aluminium (Al)	Remainder	Remainder

Remarks The material conforms to EN AW-6060 with respect to test/s carried out.

II. Mechanical

2.

Hardness Test

Test Method : MT 02 *

	Result
Hardness, 15T Scale (Rockwel Superficial Hardness)	62
Approx. Conversion to Hardness, HRB (Refer Fine Chart)	40

----------End of Report----------

NIHVA TECHNOLOGIES PVT. LTD. * PUNE *

Vijay V Satpute QUEST 3046 Pune

29/3

For Mattest Laboratory

AUTHORISED SIGNATORY

Note :1) This report refers only to the particular item(s) submitted for testing.
2) This report shall not be reproduced,except in full, unless written permission for the publication of an approved abstract has been obtain from the CEO, Mattest Laboratory.
3) The customers are advised to take into account the CURRENTLY PREVAILING ACCURACY AND UNCERTAINTY VALUES while

Mumbai : H-123, Lokmanya Nagar, Mahim, Mumbai.
Pune : 303, Spandan Residency, Popular Nagar, Pune
Aurangabad : C-150, MIDC Waluj, Aurangabad - 431 136. 0240-2554065
Kolhapur : 23, Vidya Colony, Post Market Yard, Kolhapur.
Satara : 3, Tribhuvan Apartment, Yadogopal Peth, Satara
E-mail : mattestlab@gmail.com
Cell : +91 09823012371

MATTEST

Test Report

Customer's Name Nihva Technologies Pvt Ltd

(F/7.8/1 , Rev 0)
Report No. P1962
Date: 17-11-2021

Customer's Ref. TR Dated 16-11-2021
Nature of Sample TEST PIECE
Specification **EN AW-6060**
Sample Drawn By Customer
Deviation if Any Nil

Condition of Sample : CUT PIECE
Sample Received on : 17-11-2021
Date of Completion : 17-11-2021

Enclosure : NIL

Test : Hardness, CHEMICAL ANALYSIS

Sample Identification ALUMINIUM CONNECTOR

I. Chemical

1.

CHEMICAL ANALYSIS

Test Method : ASTM E1251:2017

	Result	Reqd.
% Silicon (Si)	0.463	0.30-0.60
% Iron (Fe)	0.300	0.10-0.30
% Copper (Cu)	0.055	0.10 max.
% Manganese (Mn)	0.089	0.10 max.
% Magnesium (Mg)	0.365	0.35-0.60
% Chromium (Cr)	0.037	0.05 max.
% Zinc (Zn)	0.147	0.15 max.
% Titanium (Ti)	0.023	0.10 max.
% Aluminium (Al)	Remainder	Remainder

Remarks The material conforms to EN AW-6060 with respect to test/s carried out.

II. Mechanical

2.

Hardness Test

Test Method : MT 02 *

	Result
Hardness, BHN	72

----------End of Report----------

NIHVA TECHNOLOGIES PVT. LTD. * PUNE *

Vijay V Satpute
QUEST
3046
Pune

29/3/21

For Mattest Laboratory

AUTHORISED SIGNATORY

Note :1) This report refers only to the particular item(s) submitted for testing.
2) This report shall not be reproduced,except in full, unless written permission for the publication of an approved abstract has been obtain from the CEO, Mattest Laboratory.
3) The customers are advised to take into account the CURRENTLY PREVAILING ACCURACY AND UNCERTAINTY VALUES while making decisions about acceptance or rejection of their material based on grade confirmation statement. The values are readily available with Quality Manager.

Mumbai : H-123, Lokmanya Nagar, Mahim, Mumbai.
Pune : 303, Spandan Residency, Popular Nagar, Pune.
Aurangabad : C-150, MIDC Waluj, Aurangabad - 431 136. 0240-2554065
Kolhapur : 23, Vidya Colony, Post Market Yard, Kolhapur.
Satara : 3, Tribhuvan Apartment, Yadogopal Peth, Satara.
E-mail : mattestlab@gmail.com
Cell : +91 09823012371

MATTEST
LABORATORY

Test Report

Customer's Name Nihva Technologies Pvt Ltd

(F/7.8/1 , Rev 0)
Report No. P1964
Date: 17-11-2021
Condition of Sample : CUT PIECE
Sample Received on : 17-11-2021
Date of Completion : 17-11-2021

Enclosure : NIL

Customer's Ref. TR Dated 16-11-2021
Nature of Sample TEST PIECE
Specification **EN AW-6060**
Sample Drawn By Customer
Deviation if Any Nil
Test : Hardness, CHEMICAL ANALYSIS
Sample Identification ALUMINIUM GUIDE

I. Chemical

1.

CHEMICAL ANALYSIS

Test Method : ASTM E1251:2017

	Result	Reqd.
% Silicon (Si)	0.412	0.30-0.60
% Iron (Fe)	0.115	0.10-0.30
% Copper (Cu)	Nil	0.10 max.
% Manganese (Mn)	Nil	0.10 max.
% Magnesium (Mg)	0.477	0.35-0.60
% Chromium (Cr)	Ni	0.05 max.
% Zinc (Zn)	0.023	0.15 max.
% Titanium (Ti)	0.018	0.10 max.
% Aluminium (Al)	Remainder	Remainder

Remarks The material conforms to EN AW-6060 with respect to test/s carried out.

II. Mechanical

2.

Hardness Test

Test Method : MT 02 *

	Result
Hardness, BHN	72

----------End of Report----------

For Mattest Laboratory

Vijay V Satpute
QUEST
3046
Pune

NIHVA TECHNOLOGIES PVT. LTD. PUNE

AUTHORISED SIGNATORY

Note :1) This report refers only to the particular item(s) submitted for testing.
2) This report shall not be reproduced,except in full, unless written permission for the publication of an approved abstract has been obtain from the CEO, Mattest Laboratory.
3) The customers are advised to take into account the CURRENTLY PREVAILING ACCURACY AND UNCERTAINTY VALUES while making decisions about acceptance or rejection of their material based on grade confirmation statement. The values are readily available with Quality Manager.

TEST REPORT
ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-3 V2.1.1 (2019-03)

Report Reference No.....:	**OCET221020001EC-Y1**
Supervised by (position+printed name+signature)..:	Test Engineer/Mark Tan
Approved by (position+printed name+signature)..:	Manager/Jack Zhang
Date of issue.....:	Oct 26, 2022
Testing Laboratory Name.....:	Shenzhen Eurotest Certification Co.,Ltd
Address.....:	3F, Huafeng Business Building, Pu'an Industrial Zone, Bao'an District,Shenzhen, China
Applicant's name.....:	SHENZHEN JUTAI COMM CO., LTD
Address.....:	5F,MingJinHai Industrial Park,ShiyanTown, BanAn, Shenzhen ,China
Test specification.....:	
Standard.....:	**ETSI EN 301 489-1 V2.2.3 (2019-11)** **ETSI EN 301 489-3 V2.1.1 (2019-03)**

Shenzhen Eurotest Certification Co.,LtdAll rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the **Shenzhen Eurotest Certification Co.,Ltd**iis acknowledged as copyright owner and source of the material. **Shenzhen Eurotest Certification Co.,Ltd**takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

Test item description.....:	Industry Opening Sensor.
Trade Mark.....:	JUTAI
Manufacturer.....:	SHENZHEN JUTAI COMM CO., LTD
Model/Type reference.....:	RVP42-9M
List Model.....:	RVP42-9ME, RVP42-9MG, RVP42-6S, RVP42-12MS
Hardware version.....:	ASK
Software version.....:	24.165GHZ
Ratings.....:	DC 5V, 100mA
Result.....:	**PASS**

TEST REPORT

Equipment under Test	:	Industry Opening Sensor.
Model /Type	:	RVP42-9M
Listed Models	:	RVP42-9ME, RVP42-9MG, RVP42-6S, RVP42-12MS
Applicant	:	SHENZHEN JUTAI COMM CO., LTD
Address	:	5F,MingJinHai Industrial Park,ShiyanTown, BanAn, Shenzhen ,China
Manufacturer	:	SHENZHEN JUTAI COMM CO., LTD
Address	:	5F,MingJinHai Industrial Park,ShiyanTown, BanAn, Shenzhen ,China

Test Result	PASS

The test report merely corresponds to the test sample.
It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Vijay V Satpute QUEST 3046 Pune

NIHIVA TECHNOLOGIES PVT. LTD. PUNE

SIOEN

Test Report Version 1 - Revision 02/22

3127883 / 83936 / B6701

CUSTOMER		***QUALITY***	B6701
ORDER	3127883 / 83936	***COLOR***	RAL 7035
PRODUCTION DATE	15/09/2022	***WIDTH***	240,0 cm
ROLLNUMBER		***DESCRIPTION***	
COMMENT			

TEST	*NORM*	*TOLERANCE*	*ROLLNUMBER*	*RESULT*
Fabric	DIN ISO 2060 : 1994	100 % PES / 1100 dtex		-
Total weight	ISO 2286/2 : 2016	1700 [+/-5%]	001	1712
Characteristics		Antistatic		-
Lacquering		1/1		-
Embossing		Glossy	001	47,0
Breaking strength Warp	ISO 1421/1 : 2016	> 4000	001	4630
Breaking strength Weft	ISO 1421/1 : 2016	> 4000	001	4620
Breaking extension Warp	ISO 1421/1 : 2016	< 40	001	23
Breaking extension Weft	ISO 1421/1 : 2016	< 40	001	28
Tear strength Warp	DIN 53363 : 2003	> 600	001	645
Tear strength Weft	DIN 53363 : 2003	> 600	001	618
Adhesion	ISO 2411 : 2017	> 100	001	259
surface resistance	DIN 54345 T1 : 1992	< 1. 10E09		-
Temperature resistance	EN 1876/1 : 1998	-30/+70		-
Light fastness (Except white and (half-)transparent)	ISO 105 B02 : 2014	7-8		-
Fire behaviour	ISO 3795 : 1989	< 100		-
Application -> Building/IndustrialDoor				-

NIHVA TECHNOLOGIES PVT. LTD. PUNE

Vijay V Satpute QUEST 3046 Pune

26/3/22

MACHINERY DIRECTIVE ATTESTATION OF CONFORMITY

Technical file of the company mentioned below has been inspected and audit has been completed successfully.

2006/42/EC Machinery Directive Annex VIII has been taken as references for these processes.

Company Name	: **JIAXING IDER Electronic Technology Co., LTD**
Company Address	: 87 Shuguang Road, Tongxiang City, Zhejiang Province, China
Related Directives and Annex	: **2006/42/EC Machinery Directive/Annex VIII**
Related Standards	: **EN ISO 12100:2010, EN ISO 13857:2019, EN ISO 13850:2015 EN 953:1997+A1:2009, EN ISO 13849-1:2013 EN 1088:1995+A2:2008, EN 60204-1:2018+AC:2010**
Product Name	: **Automatic door opener**
Report No and Date	: BCTC2306336017SN1
Product Brand/Model/Type	: IDER / GYM50,GYM70, GYM-75, GYM90, GYM60S, GYM100S, GYM150S, GYM200S, GYM260S, GYM350S, GYM500S, GYM650S, GYJ40, GYJ50, GYJ60, GYJ70, GYJ80, GYJ100, GYK-91Y, GYK-92Y, GYK-91SY, GYK-92SY, GYK-93S-1, GYK-53S-1, BLDC100, GYM80DC GYM120DC GYM200DC GYK-56DC GYK-93PTDC
Certificate Number	: **M.2023.206.C87374**
Initial Assessment Date	: 03.07.2023
Registration Date	: 04.07.2023
Reissue Date/No	: -
Expiry Date	: **03.07.2028**

UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co.

The validity of the certificate can be checked through www.udem.com.tr. Upon completion of EC declaration of conformity it is used solely at the manufacturer's responsibility. This certificate remains the property of UDEM International Certification Auditing Training Centre Industry and Trade Inc. Co. to whom it must be returned upon request. The above named firm must keep a copy of this certificate for 15 years from the registration of certificate. This certificate only covers the product(s) stated above and UDEM must be noticed in case of any changes on the product(s).

Address: Mutlukent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya – Ankara – TURKEY
Phone: +90 0312 443 03 90 **Fax:** +90 0312 443 03
E-mail: info@udem.com.tr www.udem.com.tr

NIHVA TECHNOLOGIES PVT. LTD. PUNE

QUEST 3046 Pune

29/3/24

POCE
POCE Technology

Shenzhen POCE Technology Co.,Ltd.
H Building, Hongfa Science and Technology Park,
Tangtou, Shiyan, Bao'an District, Shenzhen, China

CERTIFICATE OF CONFORMITY

Certificate No.	:	POCE200629020KCE
Applicant	:	SHENZHEN JUTAI COMM CO., LTD.
Address	:	Building 5F, Mingjinhai Industry Park, Shiyan Town, Bao'an District, Shenzhen, China, 518108
Manufacturer	:	SHENZHEN JUTAI COMM CO., LTD.
Address	:	Building 5F, Mingjinhai Industry Park, Shiyan Town, Bao'an District, Shenzhen, China, 518108
Product	:	Infrared Photocell Sensor
Trade Name	:	JUTAI
Model(s)	:	IS-30R, WIS-30, IR-20, IRR-7, IPS-20R, IRT-3, IR-16S, IR-8S
Test Report No.	:	POCE200629019PRE
Test Standards	:	**EN 55032:2015+AC:2016-07** **EN 55035:2017+AC:2019-11** **EN 61000-3-2:2019** **EN 61000-3-3:2013+A1:2019**

The EUT described above has been tested by us with the listed standards and found in compliance with the council **EMC** Directive 2014/30/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

CE

NIHVA TECHNOLOGIES PVT. LTD. PUNE

SHEN ZHEN POCE TECHNOLOGY CO.,LTD. APPROVED

Wang

For Chief Executive / Jade Wang
Date: Jun. 29, 2020

Vijay V Satpute QUEST 3046 Pune

This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.

TENSILE ARCHITECTURE
TECHNICAL TEXTILES

LUCKY-TECH MEMBRANES

Product **TRANSPARENT PVC**

Type of Coating and finish			
Type of Coating	Clear PVC		
Total Weight	2500	g/m^2	EN ISO 2286 - 2
Thickness	2	mm	DIN EN ISO 2286 - 3
Cold Resistance	-20	^0C	EN ISO 1876 - 1
Dimensional Stability at 60 ^0C	MD <5 CD <2	%	ASTM-D 1204
High Temperature	+50	^0C	PA. 07.04 (intern)
Remarks	no Scrim		
Tensile Strength KG/cm^2	MD250: CD190	KG/cm^2	EN ISO 527-3
WeiterreiBfestigkeit KG/mm^2	MD 15,5:CD 15,5	KG/mm^2	EN ISO 6383 - 1

These Indicated technical data are based on average results.Due to production procedures deviations upto -10% can occur. All technical data in accordance with present standard of knowledge and give product information without legal binding. All data apply to new products. Application suggested do not release the customer to test the material for its intended application.

Vijay V Satpute
QUEST
3046
Pune

an exclusive partner of SICEN

Design & Engineering From Technical Germany TEXNET Automated Accurate Cutting Machine From ZÜND High Frequency Fabric Welding From FORSSTROM

NIHVA TECHNOLOGIES PVT. LTD. PUNE

SiT

EC-RED Certificate

CERTIFICATE NO.: SIT190416580301

Product	:	Wireless air switch
Model	:	B6xx
Trade Mark	:	Butterfly
Applicant	:	Shenyang JMTY door control co., LTD
Address	:	166-11 baishan road, yuhong district, shenyang city (4-1-2)
Manufacturer	:	Shenyang JMTY door control co., LTD
Address	:	166-11 baishan road, yuhong district, shenyang city (4-1-2)

The EUT described above has been tested by us with the listed standards and found in compliance with the council RED directive 2014/53/EU.It is possible to use CE marking to demonstrate the compliance with this Directive.
The scope of evaluation relates to the submitted document only.

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art3.1(a)	Health	EN 62479:2010	SIT190416580301HR	Pass
Art3.1(a)	Safety	EN 60335-1:2012+A11:2014	SIT190416580301SR	Pass
Art3.1(b)	EMC	ETSI EN 301 489-1 V2.2.0 (2017-03) ETSI EN 301 489-17 V3.2.0 (2017-03)	SIT190416580301ER-2	Pass
Art3.2	Radio	ETSI EN 300328 V2.1.1 (2016-11)	SIT190416580301ER-1	Pass

CE

SHENZHEN SIT TESTING TECHNOLOGY CO., LTD APPROVED

Authorized Signer: _____
Department Manager

NIHVA TECHNOLOGIES PVT. LTD. PUNE

Date: April 24, 2019

Vijay V Satpute QUEST 3046 Pune