Quote Proposal



Sameer Shelar
Nihva Technologies Private Limited
187, G-Block, Thermax chowk, MIDC,
above Renault Showroom ,Chinchwad
Pune
411019

Domino Printech India LLP
167 Udyog Vihar Phase-1
HSIIDC, Haryana

T ++91 (0) 124 4886100
F ++91 (0) 124 2347408

Ref:21-10-391419
Quotation: Q-144169, Version:1
11th October 2021

Domino Contact:Sujit Ethape
T +91 9820299485
sujitethape@dominoindia.com

Subject: Proposal for Domino M230i T4 PALM

Dear Sameer,

We thank you for your interest in Domino Products & Solutions.

Domino provides a complete range of high quality products and solutions to meet your Primary, Secondary & Tertiary coding needs.

Based on our discussions and understanding, we take pleasure in proposing our M230i T4 for printing & applying 100X50 mm labels from side of cartons.

As part of our Proposal, please find enclosed our Quotation along with Terms of supply.

We trust this proposal is in line with our discussions and meets with your approval. Should you have any questions or require any further information, please feel free to contact us.

Look forward to the privilege of adding value to your organisation in the area of coding.

Best regards


Sujit Ethape
Business Development Manager - OEM
Domino Printech India LLP
Mobile: +91 9820299485
sujitethape@dominoindia.com
www.dominoindia.com

Project Specification

Details	Application
Product	Shipper Cartons
Product Shape	Cuboid
Carton Size in mm	Max : 400 X 400 X 600 mm Min : 400 X 250 X 600 mm
Application of Label	From Side
Label Size	100 X 50 mm
Orientation of Label	Landscape
Product Movement	Horizontal
Max No of Product/Minute	50
No of Label per Product	1
No of SKU	2
Apply Printed Label When Product	Moving
Cycle Time	0.9 Sec
Min gap between product	100mm
Applicator Type	Tamp

Installation Requirements

Label Application & orientation




☐ Portrait ☑ Landscape



☑ Side

Area of the installation,
according to the stated conveyor direction below.

☐ Installation area ☑ In



Prefered operator side

☐ A ☑ B ☐ C

Terms of Supply

Prices	FOR Destination
Price Variation	The prices are liable to change in case there is a variation of more than 3% in INR against GBP
Taxes	All prices are exclusive of Taxes. GST will be levied extra based on HSN code for the Products
Local levies	Any other location levies will be extra to your account
Validity	Valid until 11/7/2021
Payment Terms:	100% advance with the order
Delivery Period	5-6 weeks from the date of receipt of technically and commercially confirmed Purchase order
Mode of dispatch	Standard mode of dispatch is through surface courier
Warranty	All Domino printers are warranted for 12 months from the date of installation or 13 months from the date of dispatch, whichever is earlier, for defects in material or workmanship provided that the printer has not been damaged because of improper installation or incorrect use by the Purchaser. The warranty covers all parts except consumables such as fluids, filters, Ribbons, Labels, Wipes, printhead, i-Tech module etc. The defective part(s) will be rectified or replaced free of charge. The usage of consumables or modifications to printers, which have not been approved by Domino Printech, shall invalidate the warranty.
Installation & Commissioning	Extra, The installation charges will be Rs.10,000/- per printer and this includes operator training. Travel charges for installation will be extra as applicable. Unless otherwise mentioned, the above Warranty is applicable for installation, commissioning & usage of printers within INDIA only
Placement of order	All purchase orders to be addressed to : Domino Printech India LLP Plot No 117, Sector – 8, IMT Manesar Gurgaon 122 050 (Haryana) GSTIN No.06AAMFD9286F1Z1

Note: The Prices and discounts offered for the Accessories and Spares with this Quotation are valid only with the sale of the printer, These are not applicable for ordering Separately.

Installation:
Normal working hours are between 8.30am and 5.30pm, Monday to Friday, including travel time. Any additional work required will be charged at Domino standard rates.

Domino will be responsible for:

- Unpacking, configuring and installing the equipment specified within the quotation. This excludes modifications to the production line.
- Ensuring the equipment is performing to the specification detailed within the quotation.
- Providing appropriate operator instruction for the equipment purchased.

Nihva Technologies Private Limited will be responsible for:

- Providing the required services such as power and air within 1 metre of the installation.
- Supply - 230 volts with proper ground. Earth leakage not to exceed 3V
- Placing the equipment at the site of the installation, or as required by the Domino technical personnel.
- Facilitating the access of the Domino technical personnel to the production site.
- Carrying out any drilling on the production floor or modifications to the production line.
- Making operators available for instruction on the installation date.
- Allowing the Domino technical personnel to stop the production line for an appropriate time in order for the installation set up to be carried out.

Domino Terms & Conditions Apply
Please note that deposit payment is required prior to printer build. Prompt payment of this invoice will avoid any delays in delivery.



M230i-T

Modular and flexible labelling

With the **M2**30i-T4 and **M2**30i-T6 you will get one of the most flexible and safe Print & Apply solutions on the market. Providing a choice of three standard stroke lengths, eight standard non stick pad sizes and left or right hand configuration, the **M2**30i-T4 and **M2**30i-T6 is highly configurable to meet your increasingly demanding and dynamic production environments - both today and in the future.





Scan to see more

Technical Specification

For labelling on the top, side or bottom, the **M2**30i-T can be configured to suit your specific needs.
All M-Series units are equipped with a powerful Printer Control Unit (PCU).

	M230i-T4	**M2**30i-T6
Print width	108 mm (4")	162 mm (6")
Print technology	Thermal Transfer / Direct Thermal	
Resolution	12 dots/mm (300dpi)	
Orientation	Left hand or Right hand	
Label & Ribbon lengths	Up to 600 m	
Typical capacity	60 labels/min	44 labels/min
Distance to product (to center of pad)	Up to 560 mm	
Label sizes (WxL)	25x15* mm - 150x210 mm *55 if Label Check required	
Communication	2xRS232, 1xUSB 2.0, Ethernet	
I/Os (configurable)	10 Inputs and 10 Outputs	
User interface	Graphical display with 25 languages	
Dimensions (HxWxL)	Min: 625 x 272 x 560 mm Max: 951 x 272 x 671 mm	Min: 625 x 327 x 560 mm Max: 951 x 327 x 671 mm



Domino. Do more.