
Spare Parts
RR 500

ASSA ABLOY



2016-03 Index 01

Side frame right	RR500
Seitenteil rechts	RR500




8300RG218	Rev.: b	Sheet: 4 of 4

ASSA ABLOY

RR 500, Version 00

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right (see drawing Side frame right)**								
1	Guiding rail compl. RH, no cover	DH < 4000 PDFGLIMAG079		D8220RG378	G	D	Stck./pc.	1	
	Guiding rail compl. RH, no cover	DH < 5600 PDFGLIMAG083		D8220RG380	G	D	Stck./pc.	1	
2	Side frame profile RH, cut	PDFMONM03002		D4521RG449	G	D	Stck./pc.	1	
3	Side frame cover non-drive side RH, Alu	drive side left PDFMON500002		D4721RG369	G	D	Stck./pc.	1	
	Side frame cover drive side RH, Alu	drive side right PDFCST500002		D4721RG367	G	D	Stck./pc.	1	
4	Set base plate right	DW≤7000 KITACCM03012		D8220R0114		C	Stck./pc.	1	
	Set reinforced bearing plate right	DW>7000 PDFKITM03014		D8220R0116		C	Stck./pc.	1	
5	Gearing mechanism set right	DW≤7000 PDFKIT500003		D8220R0118		C	Stck./pc.	1	
	Gearing mechanism set steel right	DW>7000 PDFKIT500005		D8220R0120		C	Stck./pc.	1	
6	Reintroduction block	KITACCM03004		D4521R2383		C	Stck./pc.	2	
7	Set plastic guiding headplate right	PDFMUT500001		D8120R0152		C	Stck./pc.	1	x
8	Sliding rail plastic, length 5600mm	GLIMUTMAG006		D4121R0577		C	Stck./pc.	1	x
9	Sliding rail plastic, length 150mm	GLIMUTMAG007		D4121R0578		C	Stck./pc.	1	x
10	Set belt pulley galvanized	drive side left PDFDIVALL034		D8220R0121		C	Stck./pc.	1	
11	Belt counterweight 7000mm	drive side left PDFDIVALL009		D5105R0102		C	Stck./pc.	1	x
12	Counterweight 70x70, length 1350 + fixing	drive side left COLCTP135001		D8220R0123		C	Stck./pc.	1	
	Counterweight 70x70, length 2000 + fixing	drive side left COLCTP200001		D8220R0122		C	Stck./pc.	1	
13	C-rail for lateral support (5600mm)	PDFGLIMAG018		D4521R2384		C	Stck./pc.	1	
14	Sealing lip guiding rail	PDFGLIMAG087		D4050R0078		C	Stck./pc.	1	
15	Bracket side frame	FINSUPALL001		D4521R2385		C	Stck./pc.	12	
16	Photocell transmitter + 20m cable	control box left ELECELALL032		D4904R0572		C	Stck./pc.	1	
	Photocell receiver + 20m cable	control box right ELECELALL033		D4904R0573		C	Stck./pc.	1	
17	Set springs with bolts (10 pcs)	PDFDIVALL035		D8120R0151		C	Stck./pc.	1	

Side frame right	RR500
Seitenteil rechts	RR500




8300RG218	Rev.: b	Sheet: 4 of 4

ASSA ABLOY

RR 500, Version 00

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame left (see drawing Side frame right)**								
1	Guiding rail complete LH, no cover	DH < 4000 PDFGLIMAG080		D8220RG379	G	D	Stck./pc.	1	
	Guiding rail complete LH, no cover	DH < 5600 PDFGLIMAG084		D8220RG381	G	D	Stck./pc.	1	
2	Side frame profile LH, cut	PDFMONM03001		D4521RG450	G	D	Stck./pc.	1	
3	Side frame cover non-drive side LH, Alu	drive side right PDFMON500001		D4721RG370	G	D	Stck./pc.	1	
	Side frame cover drive side LH, Alu	drive side left PDFCST500001		D4721RG368	G	D	Stck./pc.	1	
4	Set base plate left	DW≤7000 KITACCM03013		D8220R0113		C	Stck./pc.	1	
	Set reinforced bearing plate left	DW>7000 PDFKITM03015		D8220R0115		C	Stck./pc.	1	
5	Gearing mechanism set left	DW≤7000 PDFKIT500002		D8220R0117		C	Stck./pc.	1	
	Gearing mechanism set steel left	DW>7000 PDFKIT500004		D8220R0119		C	Stck./pc.	1	
6	Reintroduction block	KITACCM03004		D4521R2383		C	Stck./pc.	2	
7	Set plastic guiding headplate left	PDFMUT500002		D8120R0153		C	Stck./pc.	1	x
8	Sliding rail plastic, length 5600mm	GLIMUTMAG006		D4121R0577		C	Stck./pc.	1	x
9	Sliding rail plastic, length 150mm	GLIMUTMAG007		D4121R0578		C	Stck./pc.	1	x
10	Set belt pulley galvanized	drive side right PDFDIVALL034		D8220R0121		C	Stck./pc.	1	
11	Belt counterweight 7000mm	drive side right PDFDIVALL009		D5105R0102		C	Stck./pc.	1	x
12	Counterweight 70x70, length 1350 + fixing	drive side right COLCTP135001		D8220R0123		C	Stck./pc.	1	
	Counterweight 70x70, length 2000 + fixing	drive side right COLCTP200001		D8220R0122		C	Stck./pc.	1	
13	C-rail for lateral support (5600mm)	PDFGLIMAG018		D4521R2384		C	Stck./pc.	1	
14	Sealing lip guiding rail	PDFGLIMAG087		D4050R0078		C	Stck./pc.	1	
15	Bracket side frame	FINSUPALL001		D4521R2385		C	Stck./pc.	12	
16	Photocell transmitter + cable	control box right ELECELALL032		D4904R0572		C	Stck./pc.	1	
	Photocell receiver + cable	control box left ELECELALL033		D4904R0573		C	Stck./pc.	1	
17	Set springs with bolts (10 pcs.)	PDFDIVALL035		D8120R0151		C	Stck./pc.	1	

RR500	Top rolls with curtain
RR500	Wickelwellen mit Torbehang




ASSA ABLOY

RR 500, Version 00

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
II	**Top rolls with curtain and bottom profile**								
1	Rolling drum for drive			D8240RG207	G	D	Stck./pc.	1	
2	Rolling drum for curtain	PDFTAMM03002		D8240RG208	G	D	Stck./pc.	1	
3	Bearing Ø 35	KITPALM03001		D5103R0098		C	Stck./pc.	4	
4	Sleeve for belt	DW > 6000		D4121R0589		A	Stck./pc.	1	
5	complete curtain PVC with Safety edge			D8230RG503	G	D	Stck./pc.	1	x
	complete curtain Nomatex with Safety edge			D8230RG502	G	D	Stck./pc.	1	x
	Vision panel Nomatex		Upcharge		G	D	m		
6	Zipper right			D8230RG511	G	B	Stck./pc.	1	x
7	Zipper left			D8230RG512	G	B	Stck./pc.	1	x
8	Rubber profile complete RR500			D4421RG053	G	B	m		
9	Safety edge wireless system, transmitter			D4904T0027		A	Stck./pc.	1	
10	Battery for safety edge wireless system			D4909T0020		A	Stck./pc.	2	x
11	Tooth for Zipper, with screws (100 pcs.)	PDFZIPMAG040		D8130R0057		A	Stck./pc.	1	x
12	Windbreaktap (12 pcs.)			D8130R0009		A	Stck./pc.	1	
13	PVC-ring (oder Streifen)			D4050R0079		A	Stck./pc.	7	
14	Albany Assa Abloy sign 80x40	on radio transmitter		D6403V0003		A	Stck./pc.	1	

Drive unit complete	RR500
Antrieb komplett	RR500



Pos. 6 nicht gezeichnet
Pos. 6 not drawn


8410RG107	Rev.: d	Sheet: 2 of 2

ASSA ABLOY

RR 500, Version 00

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Drive unit / Control system**								
	Drive unit MCC complete (without cables)			D8410RG107	G	B	Stck./pc.	1	
1	Gear motor UL with MCC encoder	UL		D8910R0107		A	Stck./pc.	1	
	Gear motor with MCC encoder	not UL DW>5000		D8910R0108		A	Stck./pc.	1	
	Gear motor with MCC encoder	not UL DW≤5000		D8910R0109		A	Stck./pc.	1	
2	Brake			D6622R0026		A	Stck./pc.	1	
3	Torque arm			D8110R0102		A	Stck./pc.	2	x
4	Bracket torque arm / motor cover			D4521R2375		A	Stck./pc.	1	
5	Emergency crank handle switch	without chain hoist		D4905R0228		A	Stck./pc.	1	
6	E-connection MCC			D8903RG145	G	B	Stck./pc.	1	
7	Encoder MCC with bracket			D8410R0080		A	Stck./pc.	1	
8	Limit switch section, 6 switches			D4905018		A	Stck./pc.	1	
9	Cam			D4801240		A	Stck./pc.	6	
10	Crank 0,7m GfA	standard		D4521R1081		A	Stck./pc.	1	
	Crank 1,0m GfA	2300≤H≤2800		D4521R0968		A	Stck./pc.	1	
	Crank 1,7m GfA	2800<H≤3500		D4521R1425		A	Stck./pc.	1	
	Crank 2,4m GfA	3500<H≤4200		D4521R2082		A	Stck./pc.	1	
	Crank 3,3m GfA	H>4200		D4521R2099		A	Stck./pc.	1	
11	KNH hand chain operation	with option chain hoist		D8410R0101		A	Stck./pc.	1	
12	Chain extension, 4m	with option chain hoist and DH>5200		D6625R0006		A	Stck./pc.	1	

RR500	Options
RR500	Optionen



Pos. 9, 12, 16 nicht gezeichnet
Pos. 9, 12, 16 not drawn

8300RG219	Rev.: b	Sheet: 5 of 5

ASSA ABLOY

RR 500, Version 00

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Options**								
1	Belt cover RH	drive side left CAPSTR500004		D4721R0403		C	Stck./pc.	1	
	Belt cover LH	drive side right CAPSTR500003		D4721R0404		C	Stck./pc.	1	
2	Drum cover-top+front	with top roll cover PDFCTA500001		D8260RG084	G	D	Stck./pc.	1	
3	Bracket for belt- and drum cover	ASSSUPALL003		D4521R2514		C	Stck./pc.	10	
4	Drum cover	without top roll cover CAPTAM500003		D4721R0431		C	Stck./pc.	2	
5	Motor cover steel cpl RH			D8160R0149		B	Stck./pc.	1	
	Motor cover steel cpl LH			D8160R0150		B	Stck./pc.	1	
6	Bracket motor cover RH			D4521R1491		A	Stck./pc.	1	
	Bracket motor cover LH			D4521R1488		A	Stck./pc.	1	
7	Bracket torque arm / motor cover			D4521R2375		A	Stck./pc.	1	
8	Cover black			D4121R0222		A	Stck./pc.	1	
9	Lubricant cartridge (300ml)	PDFKIT313010		D5504R0003		A	Stck./pc.	1	x
10	Albany Assa Abloy sign 210x100			D6403V0001		A	Stck./pc.	1	
11	Safety edge wireless system, receiver			D4904T0028		A	Stck./pc.	1	
12	Cable wireless system MCC			D8830R0164		A	Stck./pc.	1	
13	Canopy Plate	option canopy CAPTAMM03007		D4521R2517		C	Stck./pc.	max. 9	
14	Canopy side plate right	option canopy CAPTAMM03006		D4521R2515		C	Stck./pc.	1	
15	Canopy side plate left	option canopy CAPTAMM03005		D4521R2516		C	Stck./pc.	max. 9	
16	Kit assembly canopy (26 pcs.)	option canopy PDFKITCAN001		D8170R0357		C	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

