CIN U27104GJ2001PLC040192

NSL NANDESHWARI STEEL LIMITED

Regd. Offi. : 301 Chitrakut Appartment, Madhuvan Compound, Dafnala, Shaibaug, Ahmedabad - 380 004
Factory : Survey No 324, Village : Zak, Ta. Dehgam, Dist. Gandhinagar, GUJARAT - 382 325
Mobile : +91 99798 50411 E-Mail : nandeshwaristeel@yahoo.com

TEST CERTIFICATE

(AS PER EN 10204 - 3.1)

ISO 9001 : 2015 TUVNORD : CERTI NO.QM 024 00467

CUSTOMER :-

TC NO:- 2767

DATE:- 06.11.2023

ORDER NO:-
INVOICE NO:- 3610
INVOICE DATE:- 06.11.2023

SPECIFICATION	PROCESS ROUTE	SUPPLY CONDITION	COLOUR	WEIGHT (KG)
ASTM-A479 AISI - 304 ROUND BARS	E/F-CASTER (CCM)- ROLLING	AS ROLLED	GREEN	5855

CHEMICAL ANALYSIS AND PERCENTAGE

ELEMENTS		C	MN	SI	S	P	CR	NI	N2%	SIZE	Length (Mtrs)	Pcs	WEIGHT(KG)
SPECIFICATION	Min	-	-	-	-	-	18.00	8.00					
	Max	0.080	2.00	1.00	0.030	0.040	20.00	10.00	0.1000				
H. NO / LOT . NO													
683		0.077	1.25	0.39	0.020	0.039	18.11	8.03	0.0770	50 MM	STD	18	1700
693		0.062	1.24	0.40	0.012	0.037	18.08	8.04	0.0760	53 MM	STD	11	1187
612		0.072	1.22	0.39	0.022	0.037	18.11	8.05	0.0750	60 MM	STD	8	1088
523		0.073	1.20	0.43	0.018	0.037	18.10	8.04	0.0770	90 MM	STD	6	1880

MECHANICAL PROPERTIES (ASTM A 370)

H. NO	SIZE	TEST CONDITION	HARDNESS		UTS (Mpa)	YS (Mpa)	% EL	% RA
			MIN	MAX				
683	50 MM	AS ROLLED	166	169	638	338	56	61
693	53 MM	AS ROLLED	168	171	637	337	54	63
612	60 MM	AS ROLLED	170	173	640	340	55	65
523	90 MM	AS ROLLED	182	185	650	348	62	72

ULTRA SONIC TESTING (ASTM - 388)

MACRO TEST (ASTM E-381)

MACROSTREAK FLAW TEST (IS-4076)

	2 nd	3 rd

METRALLURGICAL TEST RESULT (ASTM E45)

INCLUSION RATING

	A		C	D
Thin				
Thick				

WE CERTIFY THAT WE 98/290 KGS OF 50mm + 1nos. P.O. VIDE Bill Aashish steel Ind. OUR INV NO. DT. 29/11/23

Remakrs

Material is ultrasonically tested as per ASTM A388 & found satisfactory.

The material is free from radioactive contamanation.

Lead has not added during manufacturing

Steel is fully killed by aluminum for grain structure (ASTM E112 :2013)

Marerial confirms the requirments as per ASTM A484/A484M,SA484/SA484M & ASTM A479/479M,SA479/479M,ASME Sec II Part-2017 edition.

We here by certify that above material discribed herain has been manufactured and tested with satisfactory Result in acordance with the specification & requirments

Quality Assurance Department.

NANDESHWARI STEEL LIMITED AHMEDABAD

Authorised Signatory (Q.C)

erial Supply to : Preciotech Industries Pvt. Ltd
inst Invoice No.: 656
eat No.: 683
Quantity : 08 NOS. Weight : ⌀50x22mm L
Date : 30-12-2023
Venkatesh Sales & Service
Authorized Signature

CIN U27104GJ2001PLC040192

NSL

NANDESHWARI STEEL LIMITED

Regd. Offi. : 301 Chitrakut Appartment, Madhuvan Compound, Dafnala, Shaibaug, Ahmedabad-380 004.
Factory : Block No. 76, Village : Zak, Ta. Dehgam, Dist. Gandhinagar, GUJARAT- 382325.
Phone : (F) +91 2716269404 **E-Mail** : nandeshwaristeel@yahoo.com

TEST CERTIFICATE
(AS PER EN 10204 - 3.1)
ISO 9001 : 2015 TUVNORD : CERTI NO.QM 024 00467

CUSTOMER :-	TC NO:- 780	DATE:- 22.02.2023	ORDER NO:-	
			INVOICE NO:-	3649
			INVOICE DATE:-	22.02.2023

SPECIFICATION	SUPPLY CONDITION	COLOUR	WEIGHT (KG)
ASTM-A479 AISI - 304 ROUND BARS	AS ROLLED	PINK	4595

CHEMICAL ANALYSIS AND PERCENTAGE

ELEMENTS		C	MN	SI	S	P	CR	NI	N2%	SIZE	Lentgh	Pcs	WEIGHT(KG)
SPECIFICATION	Min	-	-	-	-	-	18.00	8.00	-		(Mtrs)		
	Max	0.080	2.00	1.00	0.030	0.040	20.00	10.00	0.1000				
H . NO / LOT . NO													
497		0.074	1.29	0.41	0.022	0.037	18.10	8.04	0.0740	40 MM	STD	17	900
189		0.075	1.36	0.37	0.020	0.039	18.17	8.03	0.0720	45 MM	STD	12	920
200		0.077	1.26	0.39	0.021	0.039	18.13	8.03	0.0740	50 MM	STD	9	860
77		0.076	1.27	0.42	0.019	0.039	18.16	8.05	0.0790	56 MM	STD	7	835
102		0.076	1.26	0.43	0.024	0.035	18.12	8.02	0.0740	70 MM	STD	5	1080

MECHANICAL PROPERTIES (ASTM A 370)

H. NO	SIZE	TEST CONDITION	HARDNESS		UTS (Mpa)	YS (Mpa)	% EL	% RA
			MIN	MAX				
497	40 MM	AS ROLLED	164	168	625	325	50	60
189	45 MM	AS ROLLED	166	170	626	326	51	59
200	50 MM	AS ROLLED	167	171	624	327	53	64
77	56 MM	AS ROLLED	169	173	628	328	54	63
102	70 MM	AS ROLLED	174	178	630	329	55	65

ULTRA SONIC TESTING (ASTM - 388)	MACRO TEST (ASTM E-381)	MACROSTREAK FLAW TEST (IS-4076)		
		1 st	2 nd	3 rd
100%	C1R1S1	OK	OK	OK

METRALLURGICAL TEST RESULT (ASTM E45)

INCLUSION RATING

	A	B	C	D
Thin	-	-	-	-
Thick	-	-	-	-

Remakrs

Material is ultrasonixally tested as per ASTM A388 & found satisfactory.

The material is free from radioactive contamanation.

Lead has not added during manufacturing.

Steel is fully killed by aluminum for grain structure (ASTM E112 :2013)

Marerial confirms the requirments as per ASTM A484/A484M,SA484/SA484M & ASTM A479/479M,SA479/479M,ASME Sec II Part-2017 edition.

We here by certify that above material discribed herain has been manufactured and tested with satisfactory

Result in acordance with the specification & requirments

Quality Assurance Department.

Authorize Signatory (Q.C.)

Material Supply to : Precitech Industries Pvt. Ltd
Against Invoice No.: 656
Heat No.: 77
Quantity : 11 NOS ~~Weight~~ : Ø56X205 mmL
Date : 30-12-2023
Venkatesh Sales & Service
Authorized Signature

CIN U27104GJ2001PLC040192

NSL NANDESHWARI STEEL LIMITED

Regd. Offi. : 301 Chitrakut Appartment, Madhuvan Compound, Dafnala, Shaibaug, Ahmedabad - 380 004
Factory : Survey No. 324, Village : Zak, Ta. Dehgam, Dist. Gandhinagar, GUJARAT - 382 325
Mobile : +91 99798 50411 E-Mail : nandeshwarisleel@yahoo.com

TEST CERTIFICATE

(AS PER EN 10204 - 3.1)

ISO 9001 : 2015 TUVNORD : CERTI NO.QM 024 00667

CUSTOMER :-	TC NO:- 3244	DATE : 09.12.2023	ORDER NO:- INVOICE NO:- 4049 INVOICE DATE:- 09.12.2023

SPECIFICATION	PROCESS ROUTE	SUPPLY CONDITION	COLOUR	WEIGHT (KG)
ASTM-A479 AISI - 304 ROUND BARS	E/F-CASTER (CCM)- ROLLING	AS ROLLED	PINK	4915

CHEMICAL ANALYSIS AND PERCENTAGE

ELEMENTS		C	MN	SI	S	P	CR	NI	N2%	SIZE	Length (Mtrs)	Pcs	WEIGHT(KG)
SPECIFICATION	Min	-	-	-			18.00	8.00	-	-			
	Max	0.080	2.00	1.00	0.030	0.040	20.00	10.00	0.1000				
H. NO / LOT . NO													
839		0.072	1.27	0.44	0.021	0.036	18.14	8.04	0.0790	45 MM	STD	14	1070
922		0.071	1.26	0.38	0.020	0.037	18.14	8.05	0.0770	56 MM	STD	5	605
940		0.071	1.28	0.39	0.021	0.035	18.08	8.04	0.0750	60 MM	STD	4	555
954		0.077	1.30	0.45	0.022	0.039	18.13	8.04	0.0750	65 MM	STD	3	480
530		0.072	1.27	0.40	0.022	0.037	18.11	8.04	0.0750	95 MM	STD	3	1035
536		0.070	1.21	0.40	0.018	0.036	18.08	8.04	0.0760	100 MM	STD	2	750
544		0.069	1.27	0.38	0.018	0.036	18.14	8.04	0.0770	105 MM	STD	1	420

MECHANICAL PROPERTIES (ASTM A 370)

H.NO	SIZE	TEST CONDITION	HARDNESS MIN	HARDNESS MAX	UTS (Mpa)	YS (Mpa)	% EL	% RA
839	45 MM	AS ROLLED	163	166	632	332	53	63
922	56 MM	AS ROLLED	165	168	635	331	54	65
940	60 MM	AS ROLLED	168	171	638	333	56	66
954	65 MM	AS ROLLED	170	173	640	340	57	67
530	95 MM	AS ROLLED	180	183	650	350	64	73
536	100 MM	AS ROLLED	182	185	651	352	65	75
544	105 MM	AS ROLLED	185	188	650	356	68	76

ULTRA SONIC TESTING (ASTM - 388)	MACRO TEST (ASTM E-381)	MACROSTREAK FLAW TEST (IS-4076)		
	C:R:S:1	1st	2nd	3rd

METRALLURGICAL TEST-RESULT (ASTM E45)

INCLUSION RATING

	A	B	C	D
Thin	-			-
Thick	-			-

Remakrs

Material is ultrasonically tested as per ASTM A388 & found satisfactory.

The material is free from radioactive contamanation.

Lead has not added during manufacturing.

Steel is fully killed by aluminum for grain structure (ASTM E112:2013)

Marerial confirms the requirments as per ASTM A484/A484M,SA484/SA484M & ASTM A479/479M,SA479/479M,ASME Sec II Part-2017 edition.

We here by certify that above material discribed herein has been manufactured and tested with satisfactory

Result in acordance with the specification & requirements

Quality Assurance Department.

Authorise Signatory (Q.C)

Material Supply to : Precistech Industries Pvt Ltd.
Against Invoice No.: 656
Heat No.: 839
Quantity 02 Nos. ~~Weight~~ Ø45X140mmL
Date : 30-12-2023
Venkatesh Sales & Service
Authorized Signature

NSL
NANDESHWARI STEEL LIMITED
Regd. Offi. : 301 Chitrakut Appartment, Madhuvan Compound, Dafnala, Shaibaug, Ahmedabad-380 004.
Factory : Block No. 76, Village : Zak, Ta. Dehgam, Dist. Gandhinagar, GUJARAT- 382325.
Phone : (F) +91 2716 269404 **E-Mail** : nandeshwaristeel@yahoo.com

TEST CERTIFICATE
(AS PER EN 10204 – 3.1)
ISO 9001 : 2015 TUVNORD : CERTI NO. QM 02 00467

Customer: MOMAI METAL	T.C NO :-336	Date : 11.09.2021	ORDER NO : - INVOICE NO :-1762 INVOICE DATE:-11.09.2021

Specification	Supply condition	Color Code	Weight (KG)
AISI – 304 Round Bars	AS ROLLED	PINK	7760

CHEMICAL ANALYSIS IN PERCENTAGE

ELEMENTS		C	Mn	Si	S	P	Cr	Ni	N	Size	Length (Mtrs)	Pcs.	Weight (kg)
Specification	Min.	-	-	-	-	-	18.00	8.00	-				
	Max.	0.080	2.00	1.00	0.030	0.045	20.00	10.00	0.1000				
H.. NO / LOT . NO													
506		0.074	1.38	0.50	0.020	0.038	18.07	8.03	0.0750	22 MM	STD	83	1525
229		0.076	1.47	0.48	0.020	0.035	18.12	8.03	0.0740	40 MM	STD	16	845
318		0.076	1.35	0.40	0.021	0.038	18.13	8.03	0.0730	65 MM	STD	07	1125
506		0.074	1.38	0.50	0.020	0.038	18.07	8.03	0.0750	90 MM	STD	04	1225
229		0.076	1.47	0.48	0.020	0.035	18.12	8.03	0.0740	95 MM	STD	03	1050
393		0.075	1.35	0.44	0.022	0.035	18.04	8.04	0.0770	28 MM	STD	30	865
129		0.081	1.34	0.40	0.020	0.041	18.09	8.04	0.0730	65 MM	STD	07	1125

MECHANICAL PROPERTIES

H .NO	Size	Test Condition	Hardness (BHN)		UTS (N/MM²)	YS (N/MM²)	%EL	%RA
506	22 MM	AS ROLLED	152	156	621	322	51	62
229	40 MM	AS ROLLED	156	160	624	324	53	64
318	65 MM	AS ROLLED	165	169	626	328	58	65
506	90 MM	AS ROLLED	178	182	629	329	59	69
229	95 MM	AS ROLLED	180	184	630	330	61	71
393	28 MM	AS ROLLED	154	158	624	324	55	64
129	65 MM	AS ROLLED	167	171	629	328	57	66

ULTRASONIC TESTING (ASTM A - 388)	MACRO TEST (ASTM E-381)	MACROSTREAK FLAW TEST (IS-4076)		
		1st	2nd	3rd
100 % OK	C1 R1 S1	OK	OK	OK

METALLURGICAL TEST RESULT

INCLUSION RATING

	A	B	C	D
Thin	-	-	-	-
Thick	-	-	-	-

Remarks

1 Radioactive contaminations are well within the limit.
2 The test certificate findings are correct & results are as per standard /customer's requirements.

Quality Assurance Department.

NANDESHWARI STEEL LIMITED

Autho[illegible]C.)

Material Supplied to
Venkatesh Sales & Services

aterial Supply to : Preciotech Industries Pvt Ltd
gainst Invoice No.: 656
leat No.: 506
Quantity : 08 NOS ~~Weight~~ Φ22X24mm L
Date : 30-12-2023
Venkatesh Sales & Service
Authorized Signature

Partner

CIN U27104GJ2001PLC040192

NSL NANDESHWARI STEEL LIMITED

Regd. Offi. : 301 Chitrakut Appartment, Madhuvan Compound, Dafnala, Shahibag, Ahmedabad - 380 004
Factory : Survey No 324, Village Zak, Ta Dehgam, Dist Gandhinagar GUJARAT 382 325
Mobile : +91 99798 50411 E-Mail nandeshwaristeel@yahoo.com

TEST CERTIFICATE

(AS PER EN 10204 3.1)

ISO 9001 2015 TUVNORD : CERTI NO.QM 024 00167

ORDER NO.:
INVOICE NO.: 2338
INVOICE DATE:- 23.08.2023

CUSTOMER :-	TC NO.- 1433	DATE:- 23.08.2023			
SPECIFICATION	SUPPLY CONDITION		COLOUR	WEIGHT (KG)
ASTM-A479 AISI - 304 ROUND BARS	AS ROLLED		PINK	6230

CHEMICAL ANALYSIS AND PERCENTAGE

ELEMENTS		C	MN	SI	S	P	CR	NI	N2%	SIZE	Length (Mtrs)	Pcs	WEIGHT(KG)
SPECIFICATION	Min						18.00	8.00					
	Max	0.080	2.00	1.00	0.030	0.010	20.00	10.00	0.1000				
H. NO/LOT NO													
955		0.074	1.25	0.45	0.022	0.039	18.11	8.01	0.0740	70 MM	STD	5	940
921		0.069	1.26	0.45	0.019	0.010	18.14	8.03	0.0770	40 MM	STD	24	1490
937		0.073	1.31	0.4	0.021	0.010	18.12	8.08	0.0740	20 MM	STD	150	2290
425		0.075	1.74	0.42	0.024	0.036	18.13	8.05	0.0780	22 MM	STD	82	1510

MECHANICAL PROPERTIES (ASTM A 370)

H. NO	SIZE	TEST CONDITION	HARDNESS MIN	HARDNESS MAX	UTS (Mpa)	YS (Mpa)	% EL	% RA
955	70 MM	AS ROLLED	174	178	639	338	56	65
921	40 MM	AS ROLLED	163	167	631	330	50	60
937	20 MM	AS ROLLED	156	160	621	320	45	54
425	22 MM	AS ROLLED	158	167	623	323	46	56

ULTRA SONIC TESTING (ASTM - 388)	MACRO TEST (ASTM E-381)	MACROSTREAK FLAW TEST (IS-4076) 1st	2nd	3rd
100%	C (R 1 S 1)	OK	OK	OK

METRALLURGICAL TEST RESULT (ASTM E45)

INCLUSION RATING

	A	B	C	D
Thin				
Thick				

remarks

aterial is ultrasonically tested as per ASTM A388 & found satisfactory.

he material is free from radioactive contamanation

ead has not added during manufacturing

teel is fully killed by aluminium for grain structure (ASTM E112 -2013)

aterial confirms the requirments as per ASTM A484/A484M,SA484/SA484M & ASTM A479/479M,SA479/479M,ASME Sec II Part-2017 edition.

/e here by certify that above material dacribed herain has been manufactured and tested with satisfactory

esult in acordance with the specification & requirments

Quality Assurance Department

AHMEDABAD

Authority Signatory

Material Supply to : Preciotech Industraics Pvt Ltd.
Against Invoice No.: 656
Heat No.: 937
Quantity : 02 NOS. ~~Weight~~ Φ20X2355 mmL Φ20X100mmL
Date : 30-12-2023
Venkatesh Sales & Service
Authorized Signature