

Interior view, door closed (1 : 100)


Door head steel.
To be supported with the existing building structure.
Designed, provided and installed by others than ASSA ABLOY.
E
F
B
B
Nom. Clear height 47500
Guide rail
Main control panel.
Please specify location
C
C
E
F

Interior view, door open (1 : 100)



SECTION
(1 : 100)



SECTION E-E
(1 : 100)



SECTION F-F
(1 : 100)



SECTION A-A
(1 : 100)



SECTION B-B
(1 : 100)



SECTION C-C
(1 : 100)

Detail 4 (1 : 20)


Area for
wire rope transfer
TW
Sheave unit
℄ door leaf
118
R25
Sheave unit attachment plate
To be designed, provided and installed
by others than ASSA ABLOY.


approx. 1000
Top limit switch
Wire rope fleet.
Wire rope hoist attachment plate.
Should be flat within 5mm/m.
To be designed, provided and installed
by others than ASSA ABLOY.
Wire rope hoist.

Detail 1 (1 : 20)


Top limit switch
Top limit switch attachment plate.
To be designed, provided and installed
by others than ASSA ABLOY.
Door head attachment steel.
Needs to be supported by building steel.
To be designed, provided and installed
by others than ASSA ABLOY.
Top beam
Attachment beams
By ASSA ABLOY.
Spaced approx. 1000 C/C.
See section A-A
Distance
between
flanges.
535
min. 547
max. 616

Detail 3 (1 :20)


Side jamb e.g. c-channel, angle bar, steel plate.
Supported by building steel.
To be designed, provided and installed
by others than ASSA ABLOY.
Self tapping screw
M6SF-TAPTITE 8x20
34
Self tapping screw
M6SF-TAPTITE 10x30
℄ door leaf
160
790 +0.5 -0.5
797
Clear width
Min. thickness 10
Total width
Side jamb HEA360.
Supported by building steel.
To be designed, provided and installed
by others than ASSA ABLOY.

Detail 2 (1 :20)



Detail 5 (1 : 20)

DOOR IDENTITY NUMBER: 84704001-004

LOAD DIAGRAM & NOTES, ref. to drwng. no. 74495

DESIGNED	SIZE	SCALE	
FV	A1F	1:100	**Seabird Karwar** India Megadoor 28000 x 47500 Load diagram & Notes
CODE 84704	If not otherwise stated: Tolerances ISO 2768-m EN ISO 13920-B Cutting class ISO 9013-442 Weld class ISO 5817-C Surface finish Smooth raw surface		PLOT DATE
ITEM NO			DRAWING NO 74494
DATE 2021-11-03			REVISION --
ASSA ABLOY			

This document is the property of ASSA ABLOY Entrance Systems AB and shall not without our written permission be copied, imparted to a third party or used for any other unauthorized purpose.