NIHVA

NIHVA Technologies Pvt. Ltd.

SHIVAAH

division


NIHVA
NIHVA Technologies Pvt. Ltd.

Why to Choose NIHVA?

- Prominent Brand for Automation products.
- Deep technical Capabilities
- Pioneers in offering Intelligent, Innovative and Economical Solutions.
- Continuous Improvement in - Change, Communication, Gratitude, Performance & Leadership
- Integrity, Quality & Commitment.
- Experienced & Skilled Manpower.
- Specialized in Integrated solutions of Automations.
- Customer Centric Organization to deliver Best Quality Products & On Time Service back up

TYPES of Swimming Pool Enclosure:

It is important to understand that **pool enclosures** come in a wide variety of types, construction, materials and height.



Low pool enclosure

Medium pool enclosure

High pool enclosure

NIHVA
NIHVA Technologies Pvt. Ltd.

LOW POOL ENCLOSURE



NIHVA
NIHVA Technologies Pvt. Ltd.

MEDIUM POOL ENCLOSURE



HIGH POOL ENCLOSURE

NIHVA
NIHVA Technologies Pvt. Ltd.



USP's of Swimming Pool Enclosure

NIHVA
NIHVA Technologies Pvt. Ltd.

- Specially extruded Aluminium Profile.
- Imported Polycarbonate sheet.
- UV-A & UV-B ray protection.
- RAL Powder coating finish as per requirement.
- Easy and smooth working.
- Designed to cater safety of the kids and pets.
- Reduce the usage of chemical and avoid dust.
- Provides privacy.
- The enclosure can be made of different height as per the requirement.
- Manual locking.
- Polyamide handles and lock which makes the enclosure more aesthetic.

NIHVA

NIHVA Technologies Pvt. Ltd.

- Retractable Pool Enclosures are made from aluminium frames, impact resistance & absolutely shatterproof polycarbonate transparent panels that encloses swimming pools. It creates an environment protecting Pool from the outside elements thus, transforming the pool area to an indoor pool.

- You can lock your swimming pool when needed, limit your child's access to the pool and prevent children or animals from falling into the pool, protecting the safety of your children and pets.

- The System can be operate either Manual or Automatic.

- In a telescopic swimming pool enclosure, the lower parts need to slide under the higher parts, but the other way round is also perfectly possible. In that case, the low parts remain in place, while the higher elements slide over them.



Small Material Introduction

NIHVA
NIHVA Technologies Pvt. Ltd.

Aluminium Profile details

1. We have special various types of extruded aluminium profile which designed and manufactured by NIHVA.

2. We used high corrosion resistance grade of aluminium i.e. 4000 to 6000 series.


3. Some sample photos of our special extruded aluminium profile as follows,

NIHVA
NIHVA Technologies Pvt. Ltd.

Special Extruded aluminium profile







NIHVA

NIHVA Technologies Pvt. Ltd.





NIHVA
NIHVA Technologies Pvt. Ltd.

Water Proof Epdm rubber

1. We have special various types of EPDM rubber seals which are designed and manufactured only for NIHVA Technologies Pvt Ltd.

2. We used EPDM rubber seal which have shore hardness A60 with Tensile strength 115kg/cm2.

3. Our EPDM rubber seal are withstand in temperature upto120 degree Celsius.

4. Some sample photos of our special EPDM rubber as follows,

NIHVA
NIHVA Technologies Pvt. Ltd.

Special EPDM rubber seals











NIHVA
NIHVA Technologies Pvt. Ltd.

Polycarbonate sheet details

1. We have used various types of polycarbonate sheet which having wide UV protection range and Scratch protection.

2. Control and testing of Polycarbonate sheet is carried out in accordance to ISO 9001:2008.

3. The Polycarbonate sheet not display a change in yellowness for a period of 10 years.

4. Polycarbonate sheet not break up to a result of impact of hail , measuring up to 25mm diameter attending a velocity up to 20m/s.

NIHVA

NIHVA Technologies Pvt. Ltd.





NIHVA
NIHVA Technologies Pvt. Ltd.

Requirement of client

Swimming Pool enclosure

Size - 6100 (w) x 25000 (L) mm

NIHVA
NIHVA Technologies Pvt. Ltd.

Recommended system to you

1. We recommend Galvanised MS with glass retractable system for swimming pool enclose as strength of MS is more than aluminium.

2. For Mounting of glass we used special spider mounter.


3. We used 8mm toughened glass.

4. Material of Bottom track is hard chrome SS bar and aluminium.

5. We used bearing mechanism for smooth and easy operation of swimming pool enclosure.


6. Some 3D sketch of swimming pool enclosure as follows,

NIHVA
NIHVA Technologies Pvt. Ltd.



Open Swimming Pool Enclosure


Enclosed Swimming Pool Enclosure



NIHVA

NIHVA Technologies Pvt. Ltd.

Stacking Space On Both sides




NIHVA


NIHVA Technologies Pvt. Ltd.




NIHVA


NIHVA Technologies Pvt. Ltd.




1468 panel height
6253
7169

Track width




NIHVA
NIHVA Technologies Pvt. L
TRACK SYSTEM



www.nihva.com

NIHVA
NIHVA Technologies Pt. Ltd.

International Business Partners

ALBANY ASSA ABLOY

MEGADOOR ASSA ABLOY

Crawford ASSA ABLOY

ACO

Teckentrup