PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Door Sizes :-

structural opening


SR.NO	STRUCTURAL OPENING WIDTH (W+5)	STRUCTURAL OPENING HEIGHT (H+5)	DOOR SIZE WIDTH (W)	DOOR SIZE HEIGHT (H)	HANDING	LOCATION	QTY
01	905	2105	900	2100	LHR	----	2


HARDWARE LIST

SR.NO	DESCRIPTION	MAKE	QTY.
01	HINGES	DORMA	04 Nos.
02	PANIC BAR SINGLE POINT PHA2000	DORMA	01 Nos.
03	EXTERNAL TRIM PHT08	DORMA	01 Nos.
04	DOOR CLOSER	DORMA	01 Nos.
05	ANCHOR FASTENERS		10 Nos.
06	VISION PANEL 200X300		01 Nos.


FINISH :- SYNTHETIC ENEMAL RAL 9010 PURE WHITE

Color - RAL 8002 carmine Red.





DETAIL 'A'



NOTES:-
1) ALL DIMENSION ARE IN MM
2) GENERAL TOLERANCE ± 4 MM
3) FRAME THICKNESS - 1.5MM
4) SHUTTER THICKNESS - 1.2MM.

Project By.
NIHVA TECHNOLOGIES PVT LTD.

Horizon Chutes Pvt Ltd
Gat No 68 ,Plot No -2, Kasurdi Khe Ba
Shivapur Saswad Rd, Tal -Bhor,Dist-Pune 412 205,

APPD	L.M	28.11.17	
CHKD	S.H	28.11.17	
DRN	S.J	28.11.17	
	Name	Date	

Where Used:
TITLE : Fire Door GA Drawing
Scale NTS
Unit Door Code HCPL/U2/SQ/0267/R0

NIHVA TECHNOLOGIES PVT.LTD. PUNE

Drawing is approved with comments.
29/11/17


PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT


Scanned by CamScanner

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Door Sizes :- structural openings.

SR.NO	STRUCTRAL OPENING WIDTH (W+5)	STRUCTRAL OPENING HEIGHT (H+5)	DOOR SIZE WIDTH (W)	DOOR SIZE HEIGHT (H)	HANDING	LOCATION	QTY.
01	1505	2205	1500	2200	LHRA	MOLD WASHING ROOM	1
01	1505	2205	1500	2200	LHRA	MOLD WASHING ROOM	1
01	1505	2205	1500	2200	LHRA	INTEC AREA	1
01	1505	2205	1500	2200	LHRA	INTEC AREA	1






HARDWARE LIST-

SR.NO	DESCRIPTION	MAKE	QTY.
01	HINGES	DORMA	08 Nos.
02	BOTH SIDE D HANDLE 300X22	DORSET	02 Nos.
03	DEAD BOLT	DORSET	01 Nos.
04	DOOR CLOSER	RYOBI	02 Nos.
05	CYLINDER WITH BOTH SIDE KEY.	DORSET	01 Nos.
06	VISION PANEL 300X300		02 Nos.
07	CONCEALED FLUSH BOLT	RYOBI	02 Nos.
08	ANCHOR FASTENERS		13 Nos.
09	RUBBER SEAL(BOTTOM ONLY) -EXTERNAL MOUNTED.		1.5 RMT.

FINISH:-SYNTHETIC ENEMAL (PURE WHITE-9010)



DETAIL 'A'

NOTES:-
1) ALL DIMENSION ARE IN MM
2) GENERAL TOLERANCE ± 4 MM
3) FRAME THICKNESS - 1.2 MM
4) SHUTTER THICKNESS - 0.8MM

Drawing is approved with comments

Project By.
NIHVA TECHNOLOGY

Horizon Chutes Pvt Ltd
Gat No 68 ,Plot No -2, Kasurdi Khe Ba
Shivapur Saswad Rd, Tal -Bhor,Dist-Pune 412 205,

Revision Numbers Symbol	IR P1	ER R0	Where Used:	
Rev. No. As Per SI :			Title :	Non Fire Door GA Drawing
APPD	L.M	28.11.17		
CHKD	S.H	28.11.17	Unit Door Code	HCPL/U2/SQ/0253/R0
DRN	S.J	28.11.17		
	Name	Date	Scale NTS	Sheet 1 of 1

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT


Scanned by CamScanner

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Door Sizes :-

structural openings.

SR.NO	STRUCTRAL OPENING		DOOR SIZE		HANDING	LOCATION	QTY.
	WIDTH (W+5)	HEIGHT (H+5)	WIDTH (W)	HEIGHT (H)			
01	1505	2205	1500	2200	LHRA	INTEC AREA	1




HARDWARE LIST


SR.NO	DESCRIPTION	MAKE	QTY.
01	HINGES	DORMA	08 Nos.
02	PANIC BAR TWO POINT	BRITON	01 Nos.
03	PANIC BAR SINGLE POINT	BRITON	01 Nos.
04	EXTERNAL TRIM	BRITON	01 Nos.
05	DOOR CLOSER	RYOBI	02 Nos.
06	VISION PANEL 300X300MM		02 Nos.
07	ANCHOR FASTENERS		13 Nos.
08	RUBBER SEAL(BOTTOM ONLY) -EXTERNAL MOUNTED.		1.5 RMT.

FINISH:-SYNTHETIC ENEMAL
Outside - (PURE WHITE-9010)
inside - Std. red.

NOTES:-
1) ALL DIMENSION ARE IN MM
2) GENERAL TOLERANCE ± 4 MM
3) FRAME THICKNESS - 1.2 MM
4) SHUTTER THICKNESS - 0.8MM



DETAIL 'A'



drawing is approved with comments

Project By.
NIHVA TECHNOLOGY

Horizon Chutes Pvt Ltd
Gat No 68 ,Plot No -2, Kasurdi Khe Ba
Shivapur Saswad Rd, Tal -Bhor,Dist-Pune 412 205,

APPD	L.M	28.11.17	
CHKD	S.H	28.11.17	
DRN	S.J	28.11.17	
	Name	Date	

Where Used:
TITLE : Non Fire Door GA Drawing
Unit Door Code HCPL/U2/SQ/0253/R0
Scale NTS
Sheet 1 of 1

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Scanned by CamScanner