
CLIENT													
WEIGHT ESTIMATION SHEET													
CLIENT			S.S.GHORPADE CONSTRUCTION PVT.LTD							DATE	22-11-2024		
PROJECT			Motorised Telescope Sliding Gate (One side opening)							LOCATION	Pune		
FINISH SIZE			7.5 m x 2.7 m							PREPARED BY	Sumit		
SR	**DESC**	**DETAILS**	**MATERIAL GRADE**	**SP.GRAVITY**	**DIA**	**WIDTH**	**HEIGHT**	**THICKNESS**	**LENGTH**	**UOM**	**QUANTITY**	**WEIGHT**	**REMARK**
1	SINGLE LEAF (3.9M X 2.7 M)	Tube - Outer Frame	MS	7.85		70	50	3	84300	mm	1	453	768
		Vertical Inner Support - Tube	MS	7.85		70	50	3	11400	mm	1	61	Weight OF leaf
		Vertical Inner Support - Tube	MS	7.85		25	25	2	40280	mm	1	58	
		MS sheet (1000X1000X3mm)	MS	7.85						No's	4	196	
2		Post	MS	7.85		72	72	3	20800	mm	1	145	
3	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	25				20	M	1	80	
		If ISMC C channel 100 x 50 x 5 in our scope	MS	7.85					20	M	1	212	
		Wire Rope							10	M	1		
		Rack & pinion							4.5	M	1		
4	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	4		
		Nylon Roller with bearing								No's	11		
										Weight For Required Qty	1	1205	
										Weight Including Safety Factor	1.5	1808	
Mode Of Operation = Motorised													
Motor Selection = According		1152.0	kg	Motorconsider 1200 kg									
CC Two Tube = 100 mm													

REFERENCE IMAGE



CLIENT													
WEIGHT ESTIMATION SHEET													
CLIENT			S.S.GHORPADE CONSTRUCTION PVT.LTD							DATE	22-11-2024		
PROJECT			Wicket Gate							LOCATION	Pune		
FINISH SIZE			1.5 m x 2.7 m							PREPARED BY	Sumit		
SR	**DESC**	**DETAILS**	**MATERIAL GRADE**	**SP.GRAVITY**	**DIA**	**WIDTH**	**HEIGHT**	**THICKNESS**	**LENGTH**	**UOM**	**QUANTITY**	**WEIGHT**	**REMARK**
1	SINGLE LEAF (1.5M X 2.7 M)	Tube - Outer Frame	MS	7.85		70	50	3	22950	mm	1	123	297
		Vertical Inner Support - Tube	MS	7.85		25	25	2	6890	mm	1	10	
		MS sheet (1000X1000X3mm)	MS	7.85						No's	4	164	
3	Accessories	Hinges	MS	7.85						No's	3	0	
		Manual Lock	MS	7.85						No's	1		
		Tower Bolt	MS	7.85						No's	1		
										Weight For Required Qty	1	297	
										Weight Including Safety Factor	1.5	446	
Mode Of Operation = Manual													

REFERENCE IMAGE

