
NIHVA Technologies Pvt.Ltd.
187/G-Block.1st floor,Thermax Chowk,MIDC, Above Kotak Bank,Chinchwad 19
+912066304033 www.nihva.com
Phone: 9834694452



Simulation of Main Dock Leveler Assembly

Date: 07 December 2025
Designer: Bharati Sabale
Study name: Static 1
Analysis type: Static

Table of Contents


Description 1
Assumptions 2
Model Information 3
Study Properties 24
Units 25
Material Properties 26
Loads and Fixtures 34
Connector Definitions 35
Contact Information 36
Mesh information 37
Sensor Details 38
Resultant Forces 39
Beams 40
Study Results 48
Conclusion 51

Description

No Data

Assumptions

Model Information








Model name: Main Dock Leveler Assembly
Current Configuration: Default



Solid Bodies




Document Name and Reference	Treated As	Volumetric Properties	Document Path/Date Modified
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER**





			3D\Flip Plate MTG BKT.SLDPRT Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Cut-Extrude4[1]	Solid Body	**Mass:0.271829 kg** **Volume:3.44087e-05 m^3** **Density:7,900 kg/m^3** **Weight:2.66392 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\1600 mm filp plate.SLDPRT** Dec 7 14:24:39 2024
Cut-Extrude4[2]	Solid Body	**Mass:0.271829 kg** **Volume:3.44087e-05 m^3** **Density:7,900 kg/m^3** **Weight:2.66392 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\1600 mm filp plate.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg** **Volume:6.20894e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024




Fillet1	Solid Body	**Mass:0.490506 kg Volume:6.20894e-05 m^3 Density:7,900 kg/m^3 Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg Volume:6.20894e-05 m^3 Density:7,900 kg/m^3 Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg Volume:6.20894e-05 m^3 Density:7,900 kg/m^3 Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Fillet1	Solid Body	**Mass:0.490506 kg Volume:6.20894e-05 m^3 Density:7,900 kg/m^3 Weight:4.80696 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Flip Plate MTG BKT.SLDPRT** Dec 7 14:24:39 2024
Cut-Extrude1 	Solid Body	**Mass:118,427 kg Volume:14.9908 m^3 Density:7,900 kg/m^3 Weight:1.16059e+06 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\BS.SLDPRT** Dec 7 14:24:37 2024
Boss-Extrude1 	Solid Body	**Mass:3.64461 kg Volume:0.000461343 m^3 Density:7,900 kg/m^3 Weight:35.7172 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL BODY 01.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude3	Solid Body	**Mass:0.22104 kg Volume:2.79798e-05 m^3 Density:7,900 kg/m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS**

		**Weight:2.1662 N**	**PETCARE\DOCK LEVELER 3D\CYL BODY 01.SLDPRT** Dec 7 14:24:38 2024
Mirror4[1] 	Solid Body	**Mass:0.261488 kg** **Volume:3.30998e-05 m^3** **Density:7,899.99 kg/m^3** **Weight:2.56258 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL BODY 01.SLDPRT** Dec 7 14:24:38 2024
Mirror4[2] 	Solid Body	**Mass:0.796641 kg** **Volume:0.000100841 m^3** **Density:7,900 kg/m^3** **Weight:7.80708 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL BODY 01.SLDPRT** Dec 7 14:24:38 2024
Cut-Extrude1 	Solid Body	**Mass:0.0404501 kg** **Volume:5.12027e-06 m^3** **Density:7,900 kg/m^3** **Weight:0.396411 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL BODY 01.SLDPRT** Dec 7 14:24:38 2024
Mirror2[2] 	Solid Body	**Mass:0.646077 kg** **Volume:8.17819e-05 m^3** **Density:7,900 kg/m^3** **Weight:6.33155 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL SHAFT01.SLDPRT** Dec 7 14:24:37 2024
Cut-Extrude1 	Solid Body	**Mass:0.00622348 kg** **Volume:7.87732e-07 m^3** **Density:7,900.51 kg/m^3** **Weight:0.0609901 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL SHAFT01.SLDPRT** Dec 7 14:24:37 2024
Mirror2[1]	Solid Body	**Mass:4.56665 kg** **Volume:0.000578057 m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK**

		**Density:7,900 kg/m^3** **Weight:44.7532 N**	**LEVELER\MARCS PETCARE\DOCK LEVELER 3D\CYL SHAFT01.SLDPRT** Dec 7 14:24:37 2024
Cut-Extrude1 	Solid Body	**Mass:0.394409 kg** **Volume:4.99252e-05 m^3** **Density:7,900 kg/m^3** **Weight:3.86521 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cyl mtg pin.SLDPRT** Dec 7 14:24:37 2024
Boss-Extrude2 	Solid Body	**Mass:0.0558418 kg** **Volume:7.06858e-06 m^3** **Density:7,900 kg/m^3** **Weight:0.54725 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cyl mtg pin.SLDPRT** Dec 7 14:24:37 2024
Cut-Extrude1 	Solid Body	**Mass:0.394409 kg** **Volume:4.99252e-05 m^3** **Density:7,900 kg/m^3** **Weight:3.86521 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cyl mtg pin.SLDPRT** Dec 7 14:24:37 2024
Boss-Extrude2 	Solid Body	**Mass:0.0558418 kg** **Volume:7.06858e-06 m^3** **Density:7,900 kg/m^3** **Weight:0.54725 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cyl mtg pin.SLDPRT** Dec 7 14:24:37 2024
Boss-Extrude1 	Solid Body	**Mass:0.468505 kg** **Volume:5.93045e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.59135 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cylinder MTG BKT.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude1	Solid Body	**Mass:0.468505 kg** **Volume:5.93045e-05 m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK**

		**Density:7,900 kg/m^3** **Weight:4.59135 N**	**LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cylinder MTG BKT.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude1 	Solid Body	**Mass:0.468505 kg** **Volume:5.93045e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.59135 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cylinder MTG BKT.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude1 	Solid Body	**Mass:0.468505 kg** **Volume:5.93045e-05 m^3** **Density:7,900 kg/m^3** **Weight:4.59135 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Cylinder MTG BKT.SLDPRT** Dec 7 14:24:38 2024
Cut-Extrude2 	Solid Body	**Mass:2.13057 kg** **Volume:0.000269693 m^3** **Density:7,900 kg/m^3** **Weight:20.8796 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack bar.SLDPRT** Dec 7 14:24:36 2024
Cut-Extrude2 	Solid Body	**Mass:2.13057 kg** **Volume:0.000269693 m^3** **Density:7,900 kg/m^3** **Weight:20.8796 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack bar.SLDPRT** Dec 7 14:24:36 2024
External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg** **Volume:2.29612e-07 m^3** **Density:7,900 kg/m^3** **Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024

External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024
External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024
External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024
External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024
External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024
External Circlip 22mm.STEP	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT**



			Dec 7 14:24:42 2024
External Circlip 22mm.STEP 	Solid Body	**Mass:0.00181394 kg Volume:2.29612e-07 m^3 Density:7,900 kg/m^3 Weight:0.0177766 N**	**C:\Users\DESIGN\AppData\Local\Temp\swx6860\IC~~\External Circlip 22mm.step.SLDPRT** Dec 7 14:24:42 2024
Boss-Extrude2 	Solid Body	**Mass:0.28826 kg Volume:3.64889e-05 m^3 Density:7,899.95 kg/m^3 Weight:2.82495 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\STD Cylinder\eye bolt\Lifting eye bolt M16 DIN580.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude2 	Solid Body	**Mass:0.28826 kg Volume:3.64889e-05 m^3 Density:7,899.95 kg/m^3 Weight:2.82495 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\STD Cylinder\eye bolt\Lifting eye bolt M16 DIN580.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude2 	Solid Body	**Mass:0.28826 kg Volume:3.64889e-05 m^3 Density:7,899.95 kg/m^3 Weight:2.82495 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\STD Cylinder\eye bolt\Lifting eye bolt M16 DIN580.SLDPRT** Dec 7 14:24:38 2024
Cut-Extrude4 	Solid Body	**Mass:7.75075 kg Volume:0.000981107 m^3 Density:7,900 kg/m^3 Weight:75.9573 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\MS dia 25 Rod.SLDPRT** Dec 7 14:24:39 2024

Boss-Extrude1 	Solid Body	**Mass:4.51021 kg** **Volume:0.000570913 m^3** **Density:7,900 kg/m^3** **Weight:44.2001 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\MTG Block.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude1 	Solid Body	**Mass:4.51021 kg** **Volume:0.000570913 m^3** **Density:7,900 kg/m^3** **Weight:44.2001 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\MTG Block.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude1 	Solid Body	**Mass:4.51021 kg** **Volume:0.000570913 m^3** **Density:7,900 kg/m^3** **Weight:44.2001 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\MTG Block.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude1 	Solid Body	**Mass:4.51021 kg** **Volume:0.000570913 m^3** **Density:7,900 kg/m^3** **Weight:44.2001 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\MTG Block.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude1 	Solid Body	**Mass:9.48 kg** **Volume:0.0012 m^3** **Density:7,900 kg/m^3** **Weight:92.904 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Support plate.SLDPRT** Dec 7 14:24:37 2024
Cut-Extrude2[1]	Solid Body	**Mass:315.952 kg** **Volume:0.0399939 m^3** **Density:7,900 kg/m^3** **Weight:3,096.33 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Cut-Extrude2[2]	Solid Body	**Mass:0.177397 kg** **Volume:2.24553e-05 m^3** **Density:7,900 kg/m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS**

		Weight:1.73849 N	**PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude6	Solid Body	**Mass:13.3668 kg Volume:0.001692 m^3 Density:7,900 kg/m^3 Weight:130.995 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude5	Solid Body	**Mass:13.3668 kg Volume:0.001692 m^3 Density:7,900 kg/m^3 Weight:130.995 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude7	Solid Body	**Mass:18.96 kg Volume:0.0024 m^3 Density:7,900 kg/m^3 Weight:185.808 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Cut-Extrude2[4]	Solid Body	**Mass:0.177397 kg Volume:2.24553e-05 m^3 Density:7,900 kg/m^3 Weight:1.73849 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Cut-Extrude2[3]	Solid Body	**Mass:0.177397 kg Volume:2.24553e-05 m^3 Density:7,900 kg/m^3 Weight:1.73849 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
Boss-Extrude1	Solid Body	**Mass:0.846595 kg Volume:0.000107164 m^3 Density:7,900 kg/m^3 Weight:8.29663 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack flip plate bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.846595 kg Volume:0.000107164 m^3 Density:7,900 kg/m^3 Weight:8.29663 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack flip plate bkt.SLDPRT**





			Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.846595 kg** **Volume:0.000107164 m^3** **Density:7,900 kg/m^3** **Weight:8.29663 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack flip plate bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.846595 kg** **Volume:0.000107164 m^3** **Density:7,900 kg/m^3** **Weight:8.29663 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack flip plate bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.846595 kg** **Volume:0.000107164 m^3** **Density:7,900 kg/m^3** **Weight:8.29663 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack flip plate bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.846595 kg** **Volume:0.000107164 m^3** **Density:7,900 kg/m^3** **Weight:8.29663 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Dack flip plate bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:6.06509 kg** **Volume:0.000767733 m^3** **Density:7,900 kg/m^3** **Weight:59.4379 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Side Cover.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:6.06509 kg** **Volume:0.000767733 m^3** **Density:7,900 kg/m^3** **Weight:59.4379 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Side Cover.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT**



			Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.782407 kg** **Volume:9.90389e-05 m^3** **Density:7,900 kg/m^3** **Weight:7.66759 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\dack bkt.SLDPRT** Dec 7 14:24:40 2024
Boss-Extrude1	Solid Body	**Mass:0.161343 kg** **Volume:2.04231e-05 m^3** **Density:7,900 kg/m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS**




		**Weight:1.58116 N**	**PETCARE\DOCK LEVELER 3D\lip plat rest bkt.SLDPRT** Dec 7 14:24:38 2024
Boss-Extrude1 	Solid Body	**Mass:0.161343 kg Volume:2.04231e-05 m^3 Density:7,900 kg/m^3 Weight:1.58116 N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\lip plat rest bkt.SLDPRT** Dec 7 14:24:38 2024



Beam Bodies:



Document Name and Reference	Formulation	Properties	Document Path/Date Modified
SolidBody 1(Angle iron - configured 35 X 35 X 5(1)[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/angle iron Section Area: 0.000719635m^2 Length:2,070.45mm Volume:0.00148997m^3 Mass Density:7,900kg/m^3 Mass:11.7707kg Weight:115.353N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\BS.SLDPRT** Dec 7 14:24:37 2024
SolidBody 2(Angle iron - configured 35 X 35 X 5(1)[3]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/angle iron Section Area: 0.000719635m^2 Length:2,560.22mm Volume:0.00184243m^3 Mass Density:7,900kg/m^3 Mass:14.5552kg Weight:142.641N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\BS.SLDPRT** Dec 7 14:24:37 2024
SolidBody 3(Angle iron - configured 35 X 35 X 5(1)[1])	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/angle iron Section Area: 0.000719635m^2 Length:2,560.22mm Volume:0.00184243m^3 Mass Density:7,900kg/m^3 Mass:14.5552kg Weight:142.641N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\BS.SLDPRT** Dec 7 14:24:37 2024


			
SolidBody 1(Rectangular tube - configured 70 X 40 X 5(1)[4]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00103562m^2 Length:400mm Volume:0.000414248m^3 Mass Density:7,900kg/m^3 Mass:3.27256kg Weight:32.0711N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 2(Trim/Extend2[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:1,725mm Volume:0.00226005m^3 Mass Density:7,900kg/m^3 Mass:17.8544kg Weight:174.973N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 3(Trim/Extend7[4]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00103562m^2 Length:674.282mm Volume:0.000698282m^3 Mass Density:7,900kg/m^3 Mass:5.51643kg Weight:54.061N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 4(Rectangular tube - configured 120 X 80 X 8(1)[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00158389m^2 Length:2,000mm Volume:0.00316779m^3 Mass Density:7,900kg/m^3 Mass:25.0255kg Weight:245.25N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024



SolidBody 5(Angle iron - configured 35 X 35 X 5(1)[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/angle iron Section Area: 0.000719635m^2 Length:2,000mm Volume:0.00143927m^3 Mass Density:7,900kg/m^3 Mass:11.3702kg Weight:111.428N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 6(Rectangular tube - configured 70 X 40 X 5(1)[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00103562m^2 Length:400mm Volume:0.000414248m^3 Mass Density:7,900kg/m^3 Mass:3.27256kg Weight:32.0711N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 7(Rectangular tube - configured 70 X 40 X 5(1)[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00103562m^2 Length:400mm Volume:0.000414248m^3 Mass Density:7,900kg/m^3 Mass:3.27256kg Weight:32.0711N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 8(Rectangular tube - configured 70 X 40 X 5(1)[3]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00103562m^2 Length:400mm Volume:0.000414248m^3 Mass Density:7,900kg/m^3 Mass:3.27256kg Weight:32.0711N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 9(Trim/Extend3[1])	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/angle iron Section Area: 0.000719635m^2 Length:628.648mm Volume:0.000456428m^3 Mass Density:7,900kg/m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024

		**Mass:3.60578kg** **Weight:35.3367N**	
SolidBody 10(Trim/Extend3[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/angle iron** **Section Area: 0.000719635m^2** **Length:628.648mm** **Volume:0.000456423m^3** **Mass Density:7,900kg/m^3** **Mass:3.60574kg** **Weight:35.3363N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 11(Trim/Extend7[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube** **Section Area: 0.00103562m^2** **Length:674.282mm** **Volume:0.000698282m^3** **Mass Density:7,900kg/m^3** **Mass:5.51643kg** **Weight:54.061N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 12(Trim/Extend7[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube** **Section Area: 0.00103562m^2** **Length:674.282mm** **Volume:0.000698282m^3** **Mass Density:7,900kg/m^3** **Mass:5.51643kg** **Weight:54.061N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 13(Trim/Extend7[3]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube** **Section Area: 0.00103562m^2** **Length:674.282mm** **Volume:0.000698282m^3** **Mass Density:7,900kg/m^3** **Mass:5.51643kg** **Weight:54.061N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024

SolidBody 14(Trim/Extend8) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:600mm Volume:0.000786105m^3 Mass Density:7,900kg/m^3 Mass:6.21023kg Weight:60.8603N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 15(Rectangular tube - configured 120 X 80 X 8(1)[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/rectangular tube Section Area: 0.00158389m^2 Length:2,000mm Volume:0.00316779m^3 Mass Density:7,900kg/m^3 Mass:25.0255kg Weight:245.25N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 16(Trim/Extend2[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:1,725mm Volume:0.00226005m^3 Mass Density:7,900kg/m^3 Mass:17.8544kg Weight:174.973N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\Base Frame.SLDPRT** Dec 7 14:24:41 2024
SolidBody 1(Trim/Extend10[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:380.432mm Volume:0.000503077m^3 Mass Density:7,900kg/m^3 Mass:3.97431kg Weight:38.9482N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 3(Sb beam - configured 120 X 12(1)[2])	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/sb beam Section Area: 0.00146373m^2 Length:2,350mm Volume:0.00343977m^3 Mass Density:7,900kg/m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024

		**Mass:27.1742kg** **Weight:266.307N**	
SolidBody 6(Sb beam - configured 120 X 12(1)[4]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/sb beam** **Section Area: 0.00146373m^2** **Length:2,350mm** **Volume:0.00343977m^3** **Mass Density:7,900kg/m^3** **Mass:27.1742kg** **Weight:266.307N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 7(Sb beam - configured 120 X 12(1)[3]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/sb beam** **Section Area: 0.00146373m^2** **Length:2,350mm** **Volume:0.00343977m^3** **Mass Density:7,900kg/m^3** **Mass:27.1742kg** **Weight:266.307N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 8(Trim/Extend5[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel** **Section Area: 0.00131018m^2** **Length:372.863mm** **Volume:0.000497808m^3** **Mass Density:7,900kg/m^3** **Mass:3.93268kg** **Weight:38.5403N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 9(Trim/Extend11[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel** **Section Area: 0.00131018m^2** **Length:380.432mm** **Volume:0.000503078m^3** **Mass Density:7,900kg/m^3** **Mass:3.97432kg** **Weight:38.9483N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024

SolidBody 10(Trim/Extend9) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:372.863mm Volume:0.000497807m^3 Mass Density:7,900kg/m^3 Mass:3.93267kg Weight:38.5402N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 11(Trim/Extend5[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:372.863mm Volume:0.000497807m^3 Mass Density:7,900kg/m^3 Mass:3.93267kg Weight:38.5402N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 14(Trim/Extend5[3]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:372.863mm Volume:0.000497807m^3 Mass Density:7,900kg/m^3 Mass:3.93267kg Weight:38.5402N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 16(Trim/Extend7[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:372.863mm Volume:0.000497807m^3 Mass Density:7,900kg/m^3 Mass:3.93267kg Weight:38.5402N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 17(Trim/Extend7[2])	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel Section Area: 0.00131018m^2 Length:372.863mm Volume:0.000497807m^3 Mass Density:7,900kg/m^3**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024

		**Mass:3.93267kg** **Weight:38.5402N**	
SolidBody 18(Trim/Extend10[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel** **Section Area: 0.00131018m^2** **Length:380.432mm** **Volume:0.000503077m^3** **Mass Density:7,900kg/m^3** **Mass:3.97431kg** **Weight:38.9482N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 20(Trim/Extend7[3]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel** **Section Area: 0.00131018m^2** **Length:372.863mm** **Volume:0.000497808m^3** **Mass Density:7,900kg/m^3** **Mass:3.93268kg** **Weight:38.5403N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 21(Sb beam - configured 120 X 12(1)[1]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/sb beam** **Section Area: 0.00146373m^2** **Length:2,350mm** **Volume:0.00343977m^3** **Mass Density:7,900kg/m^3** **Mass:27.1742kg** **Weight:266.307N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024
SolidBody 22(Trim/Extend11[2]) 	Beam - Uniform C/S	**Section Standard-weldment profiles/iso/c channel** **Section Area: 0.00131018m^2** **Length:380.432mm** **Volume:0.000503079m^3** **Mass Density:7,900kg/m^3** **Mass:3.97432kg** **Weight:38.9484N**	**E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D\DOCK PLATE.SLDPRT** Dec 7 14:24:41 2024


Study Properties

Study name	Static 1
Analysis type	Static
Mesh type	Mixed Mesh
Thermal Effect:	On
Thermal option	Include temperature loads
Zero strain temperature	298 Kelvin
Include fluid pressure effects from SOLIDWORKS Flow Simulation	Off
Solver type	Direct sparse solver
Inplane Effect:	Off
Soft Spring:	Off
Inertial Relief:	Off
Incompatible bonding options	Automatic
Large displacement	Off
Compute free body forces	On
Friction	Off
Use Adaptive Method:	Off
Result folder	SOLIDWORKS document (E:\NIHVA AUTOMATION 2024\AUTOMATION\DOCK LEVELER\MARCS PETCARE\DOCK LEVELER 3D)

Units

Unit system:	SI (MKS)
Length/Displacement	mm
Temperature	Kelvin
Angular velocity	Rad/sec
Pressure/Stress	N/m^2

Material Properties

Model Reference	Properties	Components
	**Name:** AISI 1020 **Model type:** Linear Elastic Isotropic **Default failure criterion:** Max von Mises Stress **Yield strength:** 3.51571e+08 N/m^2 **Tensile strength:** 4.20507e+08 N/m^2 **Elastic modulus:** 2e+11 N/m^2 **Poisson's ratio:** 0.29 **Mass density:** 7,900 kg/m^3 **Shear modulus:** 7.7e+10 N/m^2 **Thermal expansion coefficient:** 1.5e-05 /Kelvin	SolidBody 1(Chamfer3)(200 mm filp plate. assembly-1/200 mm filp plate-1), SolidBody 1(Fillet1)(200 mm filp plate. assembly-1/Flip Plate MTG BKT-1), SolidBody 1(Fillet1)(200 mm filp plate. assembly-1/Flip Plate MTG BKT-3), SolidBody 1(Chamfer3)(200 mm filp plate. assembly-2/200 mm filp plate-1), SolidBody 1(Fillet1)(200 mm filp plate. assembly-2/Flip Plate MTG BKT-1), SolidBody 1(Fillet1)(200 mm filp plate. assembly-2/Flip Plate MTG BKT-3), SolidBody 1(Cut-Extrude4[1])(600 mm flip plate assembly-1/1600 mm filp plate-1), SolidBody 2(Cut-Extrude4[2])(600 mm flip plate assembly-1/1600 mm filp plate-1), SolidBody 3(Chamfer3)(600 mm flip plate assembly-1/1600 mm filp plate-1), SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-1), SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-10), SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-16), SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-17),

		SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-18), SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-19), SolidBody 1(Fillet1)(600 mm flip plate assembly-1/Flip Plate MTG BKT-20), SolidBody 1(Angle iron - configured 35 X 35 X 5(1)[2])(BS-1), SolidBody 2(Angle iron - configured 35 X 35 X 5(1)[3])(BS-1), SolidBody 3(Angle iron - configured 35 X 35 X 5(1)[1])(BS-1), SolidBody 4(Cut-Extrude1)(BS-1), SolidBody 1(Rectangular tube - configured 70 X 40 X 5(1)[4])(Base Frame-1), SolidBody 2(Trim/Extend2[2])(Base Frame-1), SolidBody 3(Trim/Extend7[4])(Base Frame-1), SolidBody 4(Rectangular tube - configured 120 X 80 X 8(1)[2])(Base Frame-1), SolidBody 5(Angle iron - configured 35 X 35 X 5(1)[1])(Base Frame-1), SolidBody 6(Rectangular tube - configured 70 X 40 X 5(1)[1])(Base Frame-1), SolidBody 7(Rectangular tube - configured 70 X 40 X 5(1)[2])(Base Frame-1), SolidBody 8(Rectangular tube - configured 70 X 40 X 5(1)[3])(Base Frame-1), SolidBody 9(Trim/Extend3[1])(Base Frame-1),

		SolidBody 10(Trim/Extend3[2])(Base Frame-1), SolidBody 11(Trim/Extend7[1])(Base Frame-1), SolidBody 12(Trim/Extend7[2])(Base Frame-1), SolidBody 13(Trim/Extend7[3])(Base Frame-1), SolidBody 14(Trim/Extend8)(Base Frame-1), SolidBody 15(Rectangular tube - configured 120 X 80 X 8(1)[1])(Base Frame-1), SolidBody 16(Trim/Extend2[1])(Base Frame-1), SolidBody 1(Boss-Extrude1)(CYL BODY 01-1), SolidBody 2(Boss-Extrude3)(CYL BODY 01-1), SolidBody 3(Mirror4[1])(CYL BODY 01-1), SolidBody 4(Mirror4[2])(CYL BODY 01-1), SolidBody 5(Cut-Extrude1)(CYL BODY 01-1), SolidBody 1(Mirror2[2])(CYL SHAFT01-1), SolidBody 2(Cut-Extrude1)(CYL SHAFT01-1), SolidBody 3(Mirror2[1])(CYL SHAFT01-1), SolidBody 1(Cut-Extrude1)(Cyl mtg pin-1), SolidBody 2(Boss-Extrude2)(Cyl mtg pin-1), SolidBody 1(Cut-Extrude1)(Cyl mtg pin-2), SolidBody 2(Boss-Extrude2)(Cyl mtg pin-2),

		SolidBody 1(Boss-Extrude1)(Cylinder MTG BKT-1), SolidBody 1(Boss-Extrude1)(Cylinder MTG BKT-2), SolidBody 1(Boss-Extrude1)(Cylinder MTG BKT-5), SolidBody 1(Boss-Extrude1)(Cylinder MTG BKT-6), SolidBody 1(Cut-Extrude2)(Dack bar-1), SolidBody 1(Cut-Extrude2)(Dack bar-3), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-1), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-2), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-3), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-4), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-5), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-6), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-7), SolidBody 1(External Circlip 22mm.STEP)(External Circlip 22mm.step-8), SolidBody 1(Boss-Extrude2)(Lifting eye bolt M16 DIN580-1), SolidBody 1(Boss-Extrude2)(Lifting eye bolt M16 DIN580-2),


		SolidBody 1(Boss-Extrude2)(Lifting eye bolt M16 DIN580-3), SolidBody 1(Cut-Extrude4)(MS dia 25 Rod-1), SolidBody 1(Boss-Extrude1)(MTG Block-1), SolidBody 1(Boss-Extrude1)(MTG Block-2), SolidBody 1(Boss-Extrude1)(MTG Block-3), SolidBody 1(Boss-Extrude1)(MTG Block-4), SolidBody 1(Boss-Extrude1)(Support plate-1), SolidBody 1(Trim/Extend10[1])(dack assembly-1/DOCK PLATE-1), SolidBody 2(Cut-Extrude2[1])(dack assembly-1/DOCK PLATE-1), SolidBody 3(Sb beam - configured 120 X 12(1)[2])(dack assembly-1/DOCK PLATE-1), SolidBody 4(Cut-Extrude2[2])(dack assembly-1/DOCK PLATE-1), SolidBody 5(Boss-Extrude6)(dack assembly-1/DOCK PLATE-1), SolidBody 6(Sb beam - configured 120 X 12(1)[4])(dack assembly-1/DOCK PLATE-1), SolidBody 7(Sb beam - configured 120 X 12(1)[3])(dack assembly-1/DOCK PLATE-1), SolidBody 8(Trim/Extend5[1])(dack assembly-1/DOCK PLATE-1), SolidBody 9(Trim/Extend11[1])(dack assembly-1/DOCK PLATE-1),

		SolidBody 10(Trim/Extend9)(dack assembly-1/DOCK PLATE-1), SolidBody 11(Trim/Extend5[2])(dack assembly-1/DOCK PLATE-1), SolidBody 12(Boss-Extrude5)(dack assembly-1/DOCK PLATE-1), SolidBody 13(Boss-Extrude7)(dack assembly-1/DOCK PLATE-1), SolidBody 14(Trim/Extend5[3])(dack assembly-1/DOCK PLATE-1), SolidBody 15(Cut-Extrude2[4])(dack assembly-1/DOCK PLATE-1), SolidBody 16(Trim/Extend7[1])(dack assembly-1/DOCK PLATE-1), SolidBody 17(Trim/Extend7[2])(dack assembly-1/DOCK PLATE-1), SolidBody 18(Trim/Extend10[2])(dack assembly-1/DOCK PLATE-1), SolidBody 19(Cut-Extrude2[3])(dack assembly-1/DOCK PLATE-1), SolidBody 20(Trim/Extend7[3])(dack assembly-1/DOCK PLATE-1), SolidBody 21(Sb beam - configured 120 X 12(1)[1])(dack assembly-1/DOCK PLATE-1), SolidBody 22(Trim/Extend11[2])(dack assembly-1/DOCK PLATE-1), SolidBody 1(Boss-Extrude1)(dack assembly-1/Dack flip plate bkt-1), SolidBody 1(Boss-Extrude1)(dack assembly-1/Dack flip plate bkt-10),

		SolidBody 1(Boss-Extrude1)(dack assembly-1/Dack flip plate bkt-11), SolidBody 1(Boss-Extrude1)(dack assembly-1/Dack flip plate bkt-12), SolidBody 1(Boss-Extrude1)(dack assembly-1/Dack flip plate bkt-7), SolidBody 1(Boss-Extrude1)(dack assembly-1/Dack flip plate bkt-8), SolidBody 1(Boss-Extrude1)(dack assembly-1/Side Cover-1), SolidBody 1(Boss-Extrude1)(dack assembly-1/Side Cover-3), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-1), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-2), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-3), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-4), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-5), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-6), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-7), SolidBody 1(Boss-Extrude1)(dack assembly-1/dack bkt-8), SolidBody 1(Boss-Extrude1)(lip plat rest bkt-1), SolidBody 1(Boss-Extrude1)(lip plat rest bkt-3)




Curve Data:N/A


Loads and Fixtures


Fixture name	Fixture Image	Fixture Details
Fixed-1		**Entities:** 4 face(s) **Type:** Fixed Geometry

Resultant Forces

Components	X	Y	Z	Resultant
Reaction force(N)	0.0126953	149.524	147,100	147,100
Reaction Moment(N.m)	0	0	0	1e-33

Virtual wall-1		**Type:** Virtual wall **Entities:** 1 face(s), 1 plane(s) **Wall Type:** Rigid
Virtual wall-2		**Type:** Virtual wall **Entities:** 1 face(s), 1 plane(s) **Wall Type:** Rigid
Virtual wall-3		**Type:** Virtual wall **Entities:** 1 face(s), 1 plane(s) **Wall Type:** Rigid


Virtual wall-4		**Type:** Virtual wall **Entities:** 1 face(s), 1 plane(s) **Wall Type:** Rigid

Load name	Load Image	Load Details
Force-1		**Entities:** 1 face(s) **Type:** Apply normal force **Value:** 15,000 kgf

Connector Definitions

No Data

Contact Information


Contact	Contact Image	Contact Properties
Global Contact		**Type:** Bonded **Components:** 1 component(s) **Options:** Incompatible mesh

Mesh information

Mesh type	Mixed Mesh
Mesher Used:	Curvature-based mesh
Jacobian points for High quality mesh	16 Points
Jacobian check for shell	Off
Maximum element size	246.857 mm
Minimum element size	12.3429 mm
Mesh Quality	High
Remesh failed parts with incompatible mesh	Off

Mesh information - Details

Total Nodes	210694
Total Elements	122786
Time to complete mesh(hh;mm;ss):	00:00:19
Computer name:	



Sensor Details

No Data

Resultant Forces

Reaction forces

Selection set	Units	Sum X	Sum Y	Sum Z	Resultant
Entire Model	N	0.0126953	149.524	147,100	147,100

Reaction Moments

Selection set	Units	Sum X	Sum Y	Sum Z	Resultant
Entire Model	N.m	0	0	0	1e-33

Free body forces

Selection set	Units	Sum X	Sum Y	Sum Z	Resultant
Entire Model	N	0.00341797	-0.124023	3.13281	3.13527

Free body moments

Selection set	Units	Sum X	Sum Y	Sum Z	Resultant
Entire Model	N.m	1.0611e-07	-6.45888e-08	3.48825e-07	3.70283e-07

Beams

Beam Forces

Beam Name	Joints	Axial(N)	Shear1(N)	Shear2(N)	Moment1(N.m)	Moment2(N.m)	Torque(N.m)
Beam-1(Angle iron - configured 35 X 35 X 5(1)[2])	1	306.441	-116.926	113.255	-5.81699	-2.63427	-0.0111512
	2	96.9447	-121.662	91.5962	-1.60782	-2.86743	-0.368742
Beam-2(Angle iron - configured 35 X 35 X 5(1)[3])	1	8.0008e-13	-4.66704e-11	6.44587e-11	-9.33981e-12	-2.6816e-12	-1.45543e-12
	2	2.00321e-10	-1.06989e-10	-1.26007e-11	-6.84642e-11	1.93098e-10	5.21941e-12
Beam-3(Angle iron - configured 35 X 35 X 5(1)[1])	1	-1.2738e-11	-1.8229e-11	4.8374e-11	-2.03376e-12	1.35323e-12	-2.18311e-13
	2	1.25163e-10	4.97546e-11	5.44589e-11	1.58027e-10	-8.0543e-11	-7.83906e-13
Beam-4(Rectangular tube - configured 70 X 40 X 5(1)[4])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Beam-5(Trim/Extend2[2])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Beam-6(Trim/Extend7[4])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-7(Rectangular tube - configured 120 X 80 X 8(1)[2])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0
Beam-8(Angle iron - configured 35 X 35 X 5(1)[1])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
	5	0	0	0	0	0	0
	6	0	0	0	0	0	0
Beam-9(Rectangular tube	1	0	0	0	0	0	0
	2	0	0	0	0	0	0

- configured 70 X 40 X 5(1)[1])	3	0	0	0	0	0	0
Beam-10(Rectangular tube - configured 70 X 40 X 5(1)[2])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Beam-11(Rectangular tube - configured 70 X 40 X 5(1)[3])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Beam-12(Trim/Extend3[1])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-13(Trim/Extend3[2])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-14(Trim/Extend7[1])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-15(Trim/Extend7[2])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-16(Trim/Extend7[3])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-17(Trim/Extend8)	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
Beam-18(Rectangular tube - configured 120 X 80 X 8(1)[1])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
	4	0	0	0	0	0	0
Beam-19(Trim/Extend2[1])	1	0	0	0	0	0	0
	2	0	0	0	0	0	0
	3	0	0	0	0	0	0
Beam-20(Trim/Extend10[1])	1	-14,838.6	-4,079.56	-1,055.57	232.071	-334.239	-10.8436
	2	14,838.6	4,079.56	1,055.55	181.18	-1,262.91	10.8431
Beam-21(Sb beam - configured 120 X 12(1)[2])	1	135,030	31,754.2	-27,707.1	2,737.31	-5,275.07	-103.754
	2	-1,315.91	4,284.72	-157.481	-9.47495	-421.945	-8.32907
	3	-28,614	11,188	-5,156.53	-582.415	682.329	-29.0421
	4	-125,588	4,476.15	-7,477.52	-428.418	7,242.61	-39.2425
	5	-61,174.9	5,783.15	4,368.41	303.932	2,900	16.4548
	6	-15,469.9	5,314.1	2,602.11	368.845	864.074	22.0724

Beam-22(Sb beam - configured 120 X 12(1)[4])	1	290,982	64,427.2	-5,578.38	77.2131	-6,605.27	-3.58213
	2	-280.065	1,539.05	1,169.92	-7.24849	-137.031	-9.33134
	3	-21,066.1	-2,135.98	-5,407.06	-685.24	1,398.53	-28.8102
	4	-12,565.1	10,285.1	5,489.49	613.933	-301.236	31.3859
	5	-60,363.8	9,892.51	2,010.48	215.71	1,771.7	6.89665
	6	-269,832	44,418.8	-62.1792	-379.517	12,891.1	-15.1357
	7	-121,021	22,376.6	497.57	-67.2038	3,646.33	-5.56145
Beam-23(Sb beam - configured 120 X 12(1)[3])	1	98,854.2	49,056.4	27,143	-2,634.03	-1,742.13	101.492
	2	-1,268.3	1,809.53	-128.569	4.09319	-229.732	2.79559
	3	-8,793.31	-3,969.89	-5,648.34	-626.546	1,079.01	-41.3065
	4	-23,643.4	5,021.84	4,516.45	533.155	793.66	21.6323
	5	-48,382.1	7,375.17	-3,491.78	-361.565	2,115.41	-16.4412
	6	-94,518.9	3,536.96	6,826.97	371.292	6,157.03	38.0679
Beam-24(Trim/Extend5[1])	1	-19,919.2	-1,072.03	-441.355	15.4845	452.115	-3.55839
	2	19,919.2	1,072.03	441.355	158.851	-875.568	3.55839
Beam-25(Trim/Extend11[1])	1	-13,229.2	3,180.27	0.23791	-8.39958	-465.81	-0.824253
	2	13,229.2	-3,180.27	-0.23791	8.49273	-779.265	0.824253
Beam-26(Trim/Extend9)	1	16,940.6	255.042	414.068	78.8616	-754.704	2.9292
	2	-16,940.6	-255.042	-414.083	84.6983	653.962	-2.92984
Beam-27(Trim/Extend5[2])	1	-10,160.5	-347.426	-695.888	129.124	437.386	-1.70303
	2	10,160.5	347.426	695.888	145.752	-574.619	1.703
Beam-28(Trim/Extend5[3])	1	9,069.94	-786.882	-175.581	184.282	-357.98	-8.52392
	2	-9,069.94	786.886	175.573	-114.929	47.1603	8.52378
Beam-29(Trim/Extend7[1])	1	14,318.4	588.449	-15.192	181.208	-49.1692	2.93588
	2	-14,318.4	-588.442	15.179	-175.21	281.605	-2.93593
Beam-30(Trim/Extend7[2])	1	-7,977.13	3,585.56	78.1662	-36.3824	1,409.12	-4.41892
	2	7,977.13	-3,585.56	-78.1667	5.5066	7.17961	4.41888
Beam-31(Trim/Extend10[2])	1	3,202.7	676.177	-940.024	201.813	198.538	-9.9141
	2	-3,202.7	-676.177	940.024	166.206	66.1851	9.9141
	1	-11,128.5	1,899.6	-87.0396	19.4391	762.655	-1.8318

Beam-32(Trim/Extend7[3])	2	11,128.5	-1,899.6	87.0396	14.9415	-12.3118	1.8318
Beam-33(Sb beam - configured 120 X 12(1)[1])	1	265,160	96,218.1	6,284.52	-450.327	-2,974.69	25.7105
	2	-649.753	311.796	-1,025	0.740577	-52.4986	3.70377
	3	-132,053	17,878	-3,062.97	-325.04	4,810.88	-8.58454
	4	-274,534	45,721	8,710.18	889.062	14,316.3	45.935
	5	-75,780.3	10,036.6	-1,991.04	-126.087	2,087.53	-4.58481
	6	-12,874	6,503.98	-3,028.04	-352.979	-40.1222	-11.4196
	7	-37,715.1	3,374.23	1,454.94	201.713	1,291.6	7.06622
Beam-34(Trim/Extend11[2])	1	5,756.68	-1,402.39	-510.31	-120.412	28.5077	-6.08473
	2	-5,756.68	1,402.39	510.308	-79.3742	520.529	6.08461

Beam Stresses

Beam Name	Joints	Axial(N/m^2)	Bending Dir1(N/m^2)	Bending Dir2(N/m^2)	Torsional (N/m^2)	Upper bound axial and bending(N/m^2)
Beam-1(Angle iron - configured 35 X 35 X 5(1)[2])	1	-425,829	940,144	180,722	-130,354	1.5467e+06
	2	134,714	20,728.3	422,870	-4.31047e+06	578,312
Beam-2(Angle iron - configured 35 X 35 X 5(1)[3])	1	-1.11179e-09	1.71254e-06	6.32305e-07	-1.70135e-05	2.34595e-06
	2	2.78365e-07	-4.04578e-05	-5.16573e-05	6.1013e-05	9.23935e-05
Beam-3(Angle iron - configured 35 X 35 X 5(1)[1])	1	1.77006e-08	6.26979e-07	5.65827e-07	-2.55046e-06	1.21051e-06
	2	1.73926e-07	4.54903e-05	3.85276e-05	-9.15812e-06	8.41918e-05
Beam-4(Rectangular tube - configured 70 X 40 X 5(1)[4])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Beam-5(Trim/Extend2[2])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Beam-6(Trim/Extend7[4])	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-7(Rectangular tube - configured 120 X 80 X 8(1)[2])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0

	5	0	0	0	0	0
	6	0	0	0	0	0
Beam-8(Angle iron - configured 35 X 35 X 5(1)[1])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0
	5	0	0	0	0	0
	6	0	0	0	0	0
Beam-9(Rectangular tube - configured 70 X 40 X 5(1)[1])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Beam-10(Rectangular tube - configured 70 X 40 X 5(1)[2])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Beam-11(Rectangular tube - configured 70 X 40 X 5(1)[3])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Beam-12(Trim/Extend3[1])	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-13(Trim/Extend3[2])	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-14(Trim/Extend7[1])	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-15(Trim/Extend7[2])	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-16(Trim/Extend7[3])	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-17(Trim/Extend8)	1	0	0	0	0	0
	2	0	0	0	0	0
Beam-18(Rectangular tube - configured 120 X 80 X 8(1)[1])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
	4	0	0	0	0	0
Beam-19(Trim/Extend2[1])	1	0	0	0	0	0
	2	0	0	0	0	0
	3	0	0	0	0	0
Beam-20(Trim/Extend10[1])	1	1.13257e+07	-2.95072e+07	-8.35876e+06	-3.22691e+07	4.91916e+07
	2	1.13257e+07	2.30365e+07	3.15833e+07	3.22678e+07	6.59454e+07


Beam-21(Sb beam - configured 120 X 12(1)[2])	1	-9.22503e+07	-3.57247e+08	-9.26941e+07	-2.26156e+08	5.42191e+08
	2	-899,014	-1.23658e+06	7.41447e+06	-1.81552e+07	9.55006e+06
	3	-1.95487e+07	-7.60109e+07	-1.199e+07	-6.33041e+07	1.0755e+08
	4	-8.58002e+07	-5.59128e+07	-1.27268e+08	-8.55385e+07	2.68981e+08
	5	-4.17938e+07	3.96661e+07	-5.09591e+07	3.58672e+07	1.32419e+08
	6	-1.05688e+07	4.8138e+07	-1.51836e+07	4.8112e+07	7.38904e+07
Beam-22(Sb beam - configured 120 X 12(1)[4])	1	-1.98795e+08	-1.00771e+07	-1.16069e+08	-7.8081e+06	3.2494e+08
	2	-191,336	-946,001	2.40793e+06	-2.03399e+07	3.54527e+06
	3	-1.43921e+07	-8.94307e+07	-2.45751e+07	-6.27988e+07	1.28398e+08
	4	-8.58429e+06	8.01243e+07	5.29335e+06	6.84131e+07	9.4002e+07
	5	-4.12397e+07	2.81523e+07	-3.11325e+07	1.50329e+07	1.00525e+08
	6	-1.84345e+08	-4.95308e+07	-2.26524e+08	-3.29919e+07	4.604e+08
	7	-8.26798e+07	-8.77077e+06	-6.40737e+07	-1.21225e+07	1.55524e+08
Beam-23(Sb beam - configured 120 X 12(1)[3])	1	-6.75358e+07	3.43767e+08	-3.06129e+07	2.21227e+08	4.41916e+08
	2	-866,486	534,202	4.03687e+06	6.09366e+06	5.43756e+06
	3	-6.00746e+06	-8.17705e+07	-1.89604e+07	-9.00374e+07	1.06738e+08
	4	-1.61529e+07	6.95821e+07	-1.39463e+07	4.71527e+07	9.96812e+07
	5	-3.3054e+07	-4.71879e+07	-3.71721e+07	-3.58376e+07	1.17414e+08

	6	-6.4574e+07	4.84573e+07	-1.08192e+08	8.29782e+07	2.21223e+08
Beam-24(Trim/Extend5[1])	1	1.52034e+07	-1.9688e+06	1.13067e+07	-1.05871e+07	2.84789e+07
	2	1.52034e+07	2.01974e+07	2.18965e+07	1.05871e+07	5.72973e+07
Beam-25(Trim/Extend11[1])	1	-1.00973e+07	-1.06798e+06	1.16491e+07	-2.4524e+06	2.28144e+07
	2	-1.00973e+07	-1.07983e+06	-1.94881e+07	2.4524e+06	3.06652e+07
Beam-26(Trim/Extend9)	1	1.293e+07	1.0027e+07	1.88739e+07	8.71523e+06	4.18309e+07
	2	1.293e+07	-1.07691e+07	1.63545e+07	-8.71713e+06	4.00537e+07
Beam-27(Trim/Extend5[2])	1	7.75503e+06	-1.64177e+07	1.09383e+07	-5.06701e+06	3.5111e+07
	2	7.75503e+06	1.8532e+07	1.43703e+07	5.06693e+06	4.06573e+07
Beam-28(Trim/Extend5[3])	1	-6.92269e+06	-2.34309e+07	-8.95248e+06	-2.53612e+07	3.93061e+07
	2	-6.92269e+06	-1.46129e+07	-1.1794e+06	2.53608e+07	2.2715e+07
Beam-29(Trim/Extend7[1])	1	-1.09286e+07	-2.30401e+07	-1.22964e+06	8.7351e+06	3.51983e+07
	2	-1.09286e+07	-2.22774e+07	-7.04248e+06	-8.73525e+06	4.02485e+07
Beam-30(Trim/Extend7[2])	1	6.0886e+06	4.62591e+06	3.52397e+07	-1.31476e+07	4.59542e+07
	2	6.0886e+06	700,148	-179,550	1.31475e+07	6.9683e+06
Beam-31(Trim/Extend10[2])	1	-2.44448e+06	-2.56599e+07	4.96511e+06	-2.94974e+07	3.30695e+07
	2	-2.44448e+06	2.11327e+07	-1.65518e+06	2.94974e+07	2.52323e+07
Beam-32(Trim/Extend7[3])	1	8.49389e+06	-2.47163e+06	1.90727e+07	-5.45005e+06	3.00383e+07
	2	8.49389e+06	1.89977e+06	307,897	5.45005e+06	1.07016e+07
	1	-1.81153e+08	5.87722e+07	-5.22716e+07	5.60421e+07	2.92197e+08

Beam-33(Sb beam - configured 120 X 12(1)[1])	2	-443,902	96,652.8	922,512	8.07326e+06	1.46307e+06
	3	-9.02164e+07	-4.24209e+07	-8.45372e+07	-1.87121e+07	2.17175e+08
	4	-1.87558e+08	1.16032e+08	-2.51568e+08	1.00126e+08	5.55157e+08
	5	-5.17721e+07	-1.64557e+07	-3.66823e+07	-9.9937e+06	1.0491e+08
	6	-8.79535e+06	-4.60673e+07	705,032	-2.48917e+07	5.55677e+07
	7	-2.57664e+07	2.63256e+07	-2.26962e+07	1.54025e+07	7.47882e+07
Beam-34(Trim/Extend11[2])	1	4.39383e+06	-1.531e+07	-712,930	-1.81039e+07	2.04168e+07
	2	4.39383e+06	1.00922e+07	1.30176e+07	1.81035e+07	2.75036e+07


Study Results

Name	Type	Min	Max
Stress1	VON: von Mises Stress	0.000e+00N/m^2 Node: 5444	2.737e+09N/m^2 Node: 165906




Main Dock Leveler Assembly-Static 1-Stress-Stress1

Name	Type	Min	Max
Displacement1	URES: Resultant Displacement	0.000e+00mm Node: 5444	8.524e+01mm Node: 40




Main Dock Leveler Assembly-Static 1-Displacement-Displacement1

Name	Type	Min	Max
Strain1	ESTRN: Equivalent Strain	0.000e+00 Element: 2204	6.866e-03 Element: 116399



Main Dock Leveler Assembly-Static 1-Strain-Strain1

Name	Type
Displacement1{1}	Deformed shape



Main Dock Leveler Assembly-Static 1-Displacement-Displacement1{1}

Conclusion