ASSA ABLOY

80401726

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80401726*

Order No.
30721590

Ship Date
2019-02-06

Your reference
Ashish Marne

Your Order No.
NVA-416

Our reference
Mrs. Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit
		LCL delivery			
10	AD_RP300	ASSA ABLOY RP300	6000 -	1.00	ST
	Serien-Nr. 2620001252				
Daylight width		2,000 mm			
Daylight height		2,000 mm			
Side frame version		Aluminium			
Door curtain		RollTex Plus			
Door curtain colour		Blue, similar to RAL 5002			
Motor cover		Motor cover powder coated standard			
Top roll cover		Top roll cover made of aluminium			
Actuator 3		Excluded			
Actuator 4		Excluded			
Packing		Box, heat treated			
20	AD_RP300	ASSA ABLOY RP300	6000 -	1.00	ST
	Serien-Nr. 2620001253				
Daylight width		2,000 mm			
Daylight height		2,000 mm			
Side frame version		Aluminium			
Door curtain		RollTex Plus			
Door curtain colour		Blue, similar to RAL 5002			

ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com
Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com
Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00
VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106
Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

80401726

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80401726*

Order No.
30721590

Ship Date
2019-02-06

Your reference
Ashish Marne

Your Order No.
NVA-416

Our reference
Mrs. Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

Order Line	Volume	Net Weight	Gross Weight
10	0.00	200.00	220.00
20	0.00	201.00	221.00
Total	**0.00**	**401.00**	**441.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

The goods were accepted in full:

_____
Date/Signature

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India		**ASSA ABLOY, Rechnung/Invoice**	90761138
		Datum/Date	2019-02-06
		Lieferschein-Nr./delivery note	80401726
		Auftrags-Nr./Order No.	30721590
		Referenz/Reference	Mr. Marne

Kunden-Nr./Customer No.	**Innendienst/Internal department**	**Versandart/Way of delivery**	
1059669	Nadine Gundelach	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-416	FCA Hemau, Germany	2019-02-06

Lieferadresse/Delivery address	**Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**	**Fälligkeit/Due date**
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 90	2019-05-07

Pos. **item**	**Produkt** **Product**	**Beschreibung** **Description**	**Anzahl** **QTY**	**Einheit** **Unit**	**Preis/Einh.** **Price/Unit**	**Preis** **Price**

LCL delivery

AD_RP300	**ASSA ABLOY RP300**		**1.000**	**ST**	**3,900.00**	**3,900.00**
Serien-Nr. 2620001252						
Door type	High-speed roller door RapidProtect 300					
Daylight width	2 000 mm					
Daylight height	2 000 mm					
Side frame extension X-Level	0 mm					
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit					
Max. Opening Speed	2,3 m/s					
Max. Closing Speed	1,7 m/s					
Control box position	Mounted next to the drive unit					
Control system position	Right					
Motor Position	Right					
Wind class	1					
Side frame version	Aluminium					
Bottom plate	Delivered without bottom plates					
Bottom profile	Aluminium					
Safety contact edge	Pre running photocell at the bottom profile					
Photocell	With photocell					
Crank	With crank for manual operation					
Top roll material	Aluminum					
Door curtain	RollTex Plus					

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norby

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3 000 mm
Mains connection cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	2600X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**2560x540x460**
Dimension packing 2 LxWxH	**880x680x820**
Net Weight	**200,000 KG**
Gross Weight	**220,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **3,900.00** **3,900.00**

Serien-Nr. 2620001253

Door type	High-speed roller door RapidProtect 300
Daylight width	2 000 mm
Daylight height	2 000 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norby

ASSA ABLOY

Pos. / Item	Produkt / Product	Beschreibung / Description	Anzahl / QTY	Einheit / Unit	Preis/Einh. / Price/Unit	Preis / Price

Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3 000 mm
Mains connection cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	2600X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**2560x540x470**
Dimension packing 2 LxWxH	**880x680x820**
Net Weight	**201,000 KG**
Gross Weight	**221,000 KG**

Warenwert/Value of goods		**7,800.00**
Export packing		**700.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**8,500.00**

ASSA ABLOY

ASSA ABLOY Entrance Systems
High Performance Door Solutions

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
Tel.: 02941 / 766-0
www.albanydoors.com

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norby

ASSA ABLOY

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norby