
DL6010S
Swingdock

A2020133

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6010S

- frame type T
- tear plate 6mm
- 60kN
- swing lip 400mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 L SD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V

		NL / LH									
		2000	2000	2250	2250	2500	2500	2770	2770	3000	3000
		600	700	600	700	600	700	600	700	600	700
NW	1750	2 571,00	2 598,00	2 749,00	2 797,00	2 783,00	2 817,00	2 805,00	2 838,00	2 979,00	3 007,00
	2000	2 701,00	2 726,00	2 825,00	2 939,00	2 936,00	2 969,00	3 047,00	3 047,00	3 178,00	3 200,00
	2200	2 796,00	2 819,00	2 911,00	3 023,00	3 027,00	3 059,00	3 138,00	3 138,00	3 277,00	3 300,00

		NL / LH		
		3500	4000	4500
		800	900	900
NW	1750	3 255,00	3 530,00	3 846,00
	2000	3 453,00	3 773,00	4 105,00
	2200	3 563,00	3 891,00	4 234,00

	NL							
surface	2000	2250	2500	2770	3000	3500	4000	4500
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00	48,00	48,00	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00	126,00	126,00	126,00	126,00	126,00
hot galvanization	553,00	603,00	661,00	717,00	744,00	858,00	971,00	1 097,00

	NL							
frame	2000	2250	2500	2770	3000	3500	4000	4500
frame T200, RAL	36,00	40,00	43,00	46,00	47,00	55,00	63,00	70,00
frame T200, galvanized	53,00	57,00	63,00	65,00	68,00	78,00	90,00	101,00
frame W	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
frame P, RAL	99,00	99,00	99,00	99,00	99,00	---	---	---
frame P, galvanized	142,00	142,00	142,00	142,00	142,00	---	---	---
frame F	70,00	70,00	70,00	70,00	70,00	70,00	70,00	70,00
Box frame, RAL	180,00	223,00	238,00	253,00	268,00	299,00	330,00	362,00
Box frame, galvanized	255,00	319,00	340,00	361,00	383,00	427,00	473,00	518,00
prepared for pre-box	-286,00	-297,00	-309,00	-323,00	-331,00	-373,00	-424,00	-484,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
swing lip	lip length 500mm	*only LH>600mm!!*	pcs	90,00 €
	fold down segments "z" (2x125mm)	*not with NW 1750!!*	pair	91,00 €
	lip tapered "s" (125mm)		pcs	7,00 €
	lip straight		pcs	0,00 €
	lip bevelled 100mm		pcs	19,00 €
platform	tear plate 8mm		m²	31,00 €
	slip protection / noise reduction (platform and lip)		m²	137,00 €
	EPDM-seal (frame / platform)		pcs	79,00 €
	platform insulation 40mm		m²	63,00 €
	Leveller protection foil		m²	13,00 €
hydr. oil	low temperature oil		pcs	83,00 €
	bio oil		pcs	127,00 €
control unit	950 Docking LA SD		pcs	79,00 €
	950 Docking DL SD		pcs	68,00 €
	950 Docking DLA SD		pcs	144,00 €
	950 Docking LS SD		pcs	68,00 €
	950 Docking LSA SD		pcs	144,00 €
	950 Docking DLS SD		pcs	68,00 €
	950 Docking DLSA SD		pcs	144,00 €
	prepared for 950 Docking without Auto-button (control unit ordered with OHSD)		pcs	-228,00 €
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-149,00 €
control options	cable harness extension	*max = 16m!*	3m	10,00 €
	emergency stop push button		pcs	21,00 €
	power supply 230V		pcs	0,00 €
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00 €
	cross-traffic detection	*0A590104*	pcs	114,00 €
delivery	Leveller disassembled for containers		pcs	39,00 €


We keep the right to alter technical specifications!

DL6010SR
Swingdock Replacement

A2020133

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6010SR

- leveller with frame type Replacement F or pit frame
- tear plate 6mm
- 60kN
- swing lip 400mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking L SD
- mains switch
- cable harness 7m / 10m when NL ≥ 3000
- 400V

min PW 1760/1710 (F/P) min PL 1815/1850 (F/P)		PL (F/P) / LH					
		≤2015/2050	≤2015/2050	≤2515/2550	≤2515/2550	≤3015/3050	≤3015/3050
		600	700	600	700	600	700
PW	≤2060/2040	2 783,00	2 815,00	3 023,00	3 058,00	3 264,00	3 294,00
	≤2310/2290	2 946,00	2 974,00	3 168,00	3 222,00	3 431,00	3 460,00

	PL (F/P)		
surface	≤2015/2050	≤2515/2550	≤3015/3050
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanization	553,00	661,00	744,00

options			**unit**	**price**
swing lip	lip length 500mm	*only LH>600mm!!*	pcs	90,00
	fold down segments "z" (2x125mm)		pair	91,00
	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
	lip bevelled 100mm		pcs	19,00
platform	tear plate 8mm		m²	31,00
	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	platform insulation 40mm		m²	63,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking LA SD		pcs	79,00
	950 Docking DL SD		pcs	68,00
	950 Docking DLA SD		pcs	144,00
	950 Docking LS SD		pcs	68,00
	950 Docking LSA SD		pcs	144,00
	950 Docking DLS SD		pcs	68,00
	950 Docking DLSA SD		pcs	144,00
	prepared for 950 Docking without Auto-button (control unit ordered with OHSD)		pcs	-228,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-149,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6111S10
Swingdock 100

SDK100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111S10

- frame type T
- tear plate 8mm
- 100kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL ≥ 3000
- 400V

		NL / LH				
		2000	2500	3000	3500	4000
		700	700	700	800	900
NW	2000	3828,00	4154,00	4502,00	4857,00	5226,00
	2200	3932,00	4279,00	4630,00	5005,00	5381,00

	NL				
surface	2000	2500	3000	3500	4000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00	126,00	126,00
hot galvanisation	875,00	1010,00	1151,00	1295,00	1439,00

	NL				
frame	2000	2500	3000	3500	4000
frame W	0,00	0,00	0,00	0,00	0,00
Box frame, RAL	200,00	231,00	271,00	371,00	498,00
Box frame, galvanized	288,00	335,00	394,00	540,00	725,00

options			**unit**	**price**
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	platform insulation 40mm		m²	63,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6111S15
Swingdock 150

SDK150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111S15

- frame type T
- tear plate 8mm
- 150kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL ≥ 3000
- 400V

		NL / LH		
		2000	2500	3000
		750	750	750
NW	2000	4825,00	5277,00	5755,00
	2200	4953,00	5434,00	5913,00

	NL		
surface	2000	2500	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanisation	1162,00	1363,00	1565,00

	NL		
frame	2000	2500	3000
frame W	0,00	0,00	0,00
Box frame, RAL	183,00	202,00	223,00
Box frame, galvanized	261,00	294,00	330,00

options			**unit**	**price**
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	platform insulation 40mm		m²	63,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6010SM
Swingdock Minidock

A0010115

valid from: 2017-04-01

NW = Nominal width
DH = Dock height



All prices in: **EURO**

Gross Transfer Price List DL6010SM

- NL 700mm
- ramp installation / pit installation "P"
- steel lip
- RAL 5010

		kN	
		40	60
NW	1250	576,00	---
	2000	657,00	715,00
	2200	678,00	738,00

	NW		
surface	1250	2000	2200
RAL 9005 / RAL 3002 / RAL 6005	20,00	20,00	20,00
paintclass 160µm	29,00	29,00	29,00
hot galvanised	58,00	130,00	142,00

Equipment

Buffer		**Article No.**	**Unit**	**Price**
ramp-installation	buffer RB-flat 500x250x90 + protection plate with steel construction (RAL) 585x265x465	0A990271	pair	317,00
	buffer RB-flat 500x250x90 + protection plate with steel construction (galv.) 585x265x465	0A990271-0023	pair	371,00
	buffer RB-flat 500x250x90 with steel construction (RAL) 585x265x465	0A990261	pair	368,00
	buffer RB-flat 500x250x90 with steel construction (galv.) 585x265x465	0A990261-0013	pair	439,00
	buffer PE 500x250x40 with steel construction (RAL) 585x265x465	0A990290	pair	357,00
	buffer PE 500x250x40 with steel construction (galv.) 585x265x465	0A990290-0001	pair	429,00
	buffer RB/2-flat 250x250x90 with steel construction (RAL) 485x265x465	0A990280	pair	248,00
	buffer RB/2-flat 250x250x90 with steel construction (galv.) 485x265x465	0A990280-0001	pair	288,00
	bracket (RAL) for RB-flat at rampinstallation with cantilever plate	0A590105-0002	pair	52,00
	bracket (galv.) for RB-flat at rampinstallation with cantilever plate	0A590105-0001	pair	45,00
pit type "P"	buffer RB-flat with welding plate (galv.) 500x250x90	R0060104-0007	pair	163,00
	buffer RS with welding plate (galv.) 400x80x70	R0060139-0007	pair	47,00

Accessories	**Article No.**	**Unit**	**Price**
eye-bolt set	0L200110	set	12,00


We keep the right to alter technical specifications!

DL6020T
Teledock

A4100128

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6020T

- frame type T
- tear plate 8mm
- 60kN
- lip extension 500mm
- steel lip bevelled 40mm
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V

		NL / LH								
		2000	2000	2500	2500	3000	3000	3500	4000	4500
		600	700	600	700	600	800	800	900	900
NW	1750	3049,00	3064,00	3255,00	3281,00	3467,00	3506,00	3868,00	4152,00	4382,00
	2000	3143,00	3158,00	3364,00	3390,00	3590,00	3813,00	4005,00	4305,00	4550,00
	2200	3267,00	3282,00	3506,00	3533,00	3750,00	3791,00	4218,00	4547,00	4814,00
	2250	3286,00	3302,00	3528,00	3555,00	3775,00	4000,00	4246,00	4578,00	4848,00

	NL					
surface	2000	2500	3000	3500	4000	4500
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00	126,00	126,00	126,00
hot galvanised	739,00	836,00	940,00	1256,00	1397,00	1510,00

	NL					
frame	2000	2500	3000	3500	4000	4500
frame W	0,00	0,00	0,00	0,00	0,00	0,00
frame P	20,00	20,00	20,00	---	---	---
frame F, RAL	45,00	45,00	45,00	45,00	45,00	45,00
frame F, galvanized	72,00	72,00	72,00	72,00	72,00	72,00
frame T200, RAL	36,00	36,00	36,00	36,00	36,00	36,00
frame T200, galvanized	56,00	56,00	56,00	56,00	56,00	56,00
box-frame, RAL	164,00	191,00	245,00	274,00	318,00	353,00
box-frame, galvanised	248,00	288,00	375,00	422,00	491,00	547,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
telescopic lip	lip extension 1000mm (RAL)		pcs	351,00
	lip extension 1000mm (GALV)		pcs	469,00
	aluminium lip		pcs	367,00
	Ergo steel lip		pcs	0,00
	Ergo aluminium lip		pcs	367,00
	retracting tongues "z" (2x140mm) - need auto retraction!	*not with NW 1750 and/or not with Ergo lip!!*	pair	121,00
	lip tapered "s" (100mm)		pcs	7,00
	lip bevelled 100mm		pcs	19,00
	front cover curtain		pcs	56,00
platform	1 piece platform		pcs	192,00
	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension		3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6020TR
Teledock Replacement

A4100128

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6020TR

- frame type Replacement F
- tear plate 8mm
- 60kN
- lip extension 500mm
- steel lip bevelled 40mm
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m
- 400V
- Standard hydraulic oil

min PW 1760mm		**PL / LH**					
min PL 1815mm		≤2015	≤2015	≤2515	≤2515	≤3015	≤3015
		600	700	600	700	600	800
PW	≤2060	3297,00	3312,00	3526,00	3551,00	3761,00	3989,00
	≤2310	3449,00	3465,00	3700,00	3725,00	3957,00	4186,00

	PL		
surface	≤2015	≤2515	≤3015
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	739,00	836,00	940,00

options			**unit**	**price**
telescopic lip	lip extension 1000mm (RAL)		pcs	351,00
	lip extension 1000mm (GALV)		pcs	469,00
	aluminium lip		pcs	367,00
	Ergo steel lip		pcs	0,00
	Ergo aluminium lip		pcs	367,00
	retracting tongues "z" (2x140mm) - need auto retraction!	*not with NW 1750 and/or not with Ergo lip!!*	pair	121,00
	lip tapered "s" (100mm)		pcs	7,00
	lip bevelled 100mm	*only steel lip!!*	pcs	19,00
	front cover curtain		pcs	56,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6020TI
Teledock Isodock

A4100124

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6020TI

- standard frame
- tear plate 8mm
- 60kN
- lip extension 1000mm
- steel lip bevelled 40mm
- EPDM seal (platform/frame)
- platform insulation
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m
- power supply 400V

		NL / LH		
		2000	2500	3000
		830	830	900
NW	2000	4 788,00	5 203,00	5 433,00
	2200	5 016,00	5 355,00	5 600,00

	NL		
surface	2000	2500	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanized	1 105,00	1 214,00	1 484,00

options			**unit**	**price**
telescopic lip	aluminium lip		pcs	367,00
	retracting tongues "z" (2x140mm) - need auto retraction!		pair	121,00
	lip tapered "s" (100mm)		pcs	7,00
	lip bevelled 100mm	*only steel lip!!*	pcs	19,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6121T10
Teledock 100

TDK100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121T10

- frame type T
- tear plate 10mm
- 100kN
- lip extension 500mm
- steel lip bevelled 40mm
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m
- 400V

		NL / LH					
		2000	2500	3000	3500	4000	4500
		700	700	800	900	900	900
NW	2000	4692,00	4984,00	5327,00	5762,00	6116,00	6518,00
	2200	4926,00	5283,00	5619,00	6081,00	6464,00	6890,00

	NL					
surface	2000	2500	3000	3500	4000	4500
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00	126,00	126,00	126,00
hot galvanized	1 152,00	1 297,00	1 462,00	1 628,00	1 792,00	1 976,00

	NL					
frame	2000	2500	3000	3500	4000	4500
frame W	0,00	0,00	0,00	0,00	0,00	0,00
box-frame, RAL	113,00	139,00	259,00	292,00	330,00	373,00
box-frame, galvanised	177,00	217,00	405,00	455,00	517,00	582,00

options			**unit**	**price**
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6121T15
Teledock 150

TDK150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121T15

- frame type T
- tear plate 10mm
- 150kN
- lip extension 500mm
- steel lip bevelled 40mm
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA TD
- mains switch
- cable harness 7m
- 400V

		NL / LH		
		2000	2500	3000
		700	700	800
NW	2000	5930,00	6473,00	6916,00
	2200	6218,00	6739,00	7278,00

	NL		
surface	2000	2500	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanized	1 452,00	1 658,00	1 885,00

	NL		
frame	2000	2500	3000
frame W	0,00	0,00	0,00
box-frame, RAL	145,00	172,00	246,00
box-frame, galvanised	216,00	257,00	373,00

options			**unit**	**price**
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6030C
Combidock

A4010111

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
LE = Lip extension
LH = Leveller height



All prices in: **EURO**

Gross Transfer Price List DL6030C

- frame type T
- 60kN / 20kN
- lip extension 500mm
- aluminum lip
- RAL 5010
- paintclass 80µm
- control unit 950 Docking LA CD
- mains switch
- cable harness 18m
- 400V

		NL / LH		
		3000	3500	4000
		800	900	930
NW	2000	7 053,00	7 701,00	8 160,00

	NL		
surface	3000	3500	4000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
hot galvanised	1 010,00	1 123,00	1 205,00

	NL		
frame	3000	3500	4000
frame W	0,00	0,00	0,00

options			**unit**	**price**
telescopic lip	lip extension 1000mm (RAL)		pcs	206,00
	lip extension 1000mm (GALV)		pcs	329,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
	EPDM-seal (frame / platform)		pcs	79,00
	Leveller protection foil		m²	13,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA CD		pcs	68,00
	950 Docking LSA CD		pcs	68,00
	950 Docking DLSA CD		pcs	68,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-251,00
control options	emergency stop push button		pcs	21,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6010SA
Swingdock Autodock

L0900155

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6010SA

- NWAD 3300mm
- tear plate 6mm
- 60kN
- swing lip 400mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking L SD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V
- foundation type steel plinth / concrete plinth / console connection

		NL / LH		
		2000	2450	3000
		700	700	700
NW	2000	3 855,00	4 197,00	4 719,00
	2200	3 875,00	4 219,00	4 738,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	93,00	103,00	115,00
NWAD 3600mm	115,00	130,00	149,00
NWAD 3750mm	195,00	219,00	236,00

	NL		
surface platform	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	445,00	533,00	608,00

	NL		
surface autodock frame	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanised	445,00	502,00	563,00
NWAD 3500, hot galvanised	487,00	548,00	615,00
NWAD 3600, hot galvanised	497,00	560,00	630,00
NWAD 3750, hot galvanised	522,00	589,00	664,00

angular adjustment	75° / 105°	60° / 120°	45° / 135°
RAL	765,00	1 133,00	1 638,00
hot galvanised	1 064,00	1 612,00	2 366,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
swing lip	lip length 500mm		pcs	90,00
	fold down segments "z" (2x125mm)		pair	91,00
	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
	lip bevelled 100mm		pcs	19,00
platform	tear plate 8mm		m²	31,00
	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking LA SD		pcs	79,00
	950 Docking DL SD		pcs	68,00
	950 Docking DLA SD		pcs	144,00
	950 Docking LS SD		pcs	68,00
	950 Docking LSA SD		pcs	144,00
	950 Docking DLS SD		pcs	68,00
	950 Docking DLSA SD		pcs	144,00
	prepared for 950 Docking without Auto-button (control unit ordered with OHSD)		pcs	-228,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-149,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6111SA10
Swingdock Autodock 100

ADS100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111SA10

- NWAD 3300mm
- tear plate 8mm
- 100kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V
- foundation type steel plinth / concrete plinth / console connection

		NL / LH		
		2000	2450	3000
		800	800	800
NW	2000	4 889,00	5 332,00	5 838,00
	2200	4 934,00	5 396,00	5 901,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	92,00	103,00	115,00
NWAD 3600mm	127,00	143,00	163,00
NWAD 3750mm	181,00	205,00	235,00

	NL		
surface platform	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	641,00	753,00	875,00

	NL		
surface autodock frame	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanised	550,00	593,00	636,00
NWAD 3500, hot galvanised	589,00	636,00	686,00
NWAD 3600, hot galvanised	607,00	658,00	712,00
NWAD 3750, hot galvanised	636,00	691,00	749,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6111SA15
Swingdock Autodock 150

ADS150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LL = Lip length
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6111SA15

- NWAD 3300mm
- tear plate 8mm
- 150kN
- swing lip 500mm
- steel lip bevelled 40mm
- RAL 5010
- paint class 80µm
- control unit 950 Docking LA SD
- mains switch
- cable harness 7m / 10m when NL = 3000
- 400V
- foundation type steel plinth / concrete plinth / console connection

		NL / LH		
		2000	2450	3000
		850	850	850
NW	2000	5 871,00	6 401,00	7 038,00
	2200	5 916,00	6 445,00	7 081,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	93,00	103,00	119,00
NWAD 3600mm	133,00	154,00	183,00
NWAD 3750mm	198,00	229,00	267,00

	NL		
surface platform	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	774,00	923,00	1 071,00

	NL		
surface autodock frame	2000	2450	3000
RAL 3002 / RAL 9005 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanised	677,00	785,00	876,00
NWAD 3500, hot galvanised	721,00	836,00	935,00
NWAD 3600, hot galvanised	743,00	861,00	966,00
NWAD 3750, hot galvanised	777,00	899,00	1 011,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
swing lip	lip tapered "s" (125mm)		pcs	7,00
	lip straight		pcs	0,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA SD		pcs	65,00
	950 Docking LSA SD		pcs	65,00
	950 Docking DLSA SD		pcs	65,00
	prepared for 950 Docking with Auto-button (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6020TA
Teledock Autodock

L0900160

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6020TA

- NWAD 3300mm
- tear plate 8mm
- 60kN
- lip extension 500mm
- steel lip bevelled 40mm
- foundation type steel plinth / concrete plinth / console connection
- RAL 5010
- paint class 80µm
- control unit 950 Docking TD LA
- mains switch
- cable harness 7m
- 400V

		NL / LH					
		2000	2000	2450	2450	3000	3000
		600	700	600	700	600	800
NW	2000	4238,00	4316,00	4607,00	4686,00	5045,00	5374,00
	2200	4267,00	4342,00	4638,00	4714,00	5073,00	5212,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	122,00	141,00	168,00
NWAD 3600mm	159,00	183,00	215,00
NWAD 3750mm	221,00	251,00	294,00

	NL		
surface platform	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	577,00	659,00	742,00

	NL		
surface autodock frame	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanized	536,00	608,00	684,00
NWAD 3500, hot galvanized	572,00	649,00	732,00
NWAD 3600, hot galvanized	591,00	670,00	756,00
NWAD 3750, hot galvanized	619,00	701,00	792,00

angular adjustment	75° / 105°	60° / 120°	45° / 135°
RAL	765,00	1133,00	1638,00
hot galvanised	1064,00	1612,00	2366,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
telescopic lip	lip extension 1000mm (RAL)		pcs	351,00
	lip extension 1000mm (GALV)		pcs	469,00
	aluminium lip		pcs	367,00
	Ergo steel lip		pcs	0,00
	Ergo aluminium lip		pcs	367,00
	retracting tongues "z" (2x140mm) - need auto retraction!	*not with NW 1750 and/or not with Ergo lip!!*	pair	121,00
	lip tapered "s" (100mm)		pcs	7,00
	lip bevelled 100mm		pcs	19,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension		3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DL6121TA10
Teledock Autodock 100

ADT100LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121TA10

- NWAD 3300mm
- tear plate 8mm
- 100kN
- lip extension 500mm
- steel lip bevelled 40mm
- foundation type steel plinth / concrete plinth / console connection
- RAL 5010
- paint class 80µm
- control unit 950 Docking TD LA
- mains switch
- cable harness 7m
- 400V

		NL / LH		
		2000	2450	3000
		700	700	800
NW	2000	5609,00	6179,00	6555,00
	2200	5809,00	6225,00	6741,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	71,00	74,00	93,00
NWAD 3600mm	103,00	136,00	136,00
NWAD 3750mm	157,00	197,00	207,00

	NL		
surface platform	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	922,00	1047,00	1181,00

	NL		
surface autodock frame	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanized	797,00	883,00	1042,00
NWAD 3500, hot galvanized	836,00	953,00	1093,00
NWAD 3600, hot galvanized	855,00	949,00	1120,00
NWAD 3750, hot galvanized	884,00	983,00	1158,00

We keep the right to alter technical specifications!

DL6121TA10
Teledock Autodock 100

ADT100LVLR1MAIN

valid from: 2017-04-01

options			unit	price
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension		3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6121TA15
Teledock Autodock 150

ADT150LVLR1MAIN

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular adjustment
LE = Lip extension
LH = Leveller height



All prices in: EURO

Gross Transfer Price List DL6121TA15

- NWAD 3300mm
- tear plate 8mm
- 150kN
- lip extension 500mm
- steel lip bevelled 40mm
- foundation type steel plinth / concrete plinth / console connection
- RAL 5010
- paint class 80µm
- control unit 950 Docking TD LA
- mains switch
- cable harness 7m
- 400V

		NL / LH		
		2000	2450	3000
		700	700	800
NW	2000	6971,00	7489,00	8152,00
	2200	7169,00	7698,00	8384,00

	NL		
autodock frame	2000	2450	3000
NWAD 3500mm	74,00	85,00	101,00
NWAD 3600mm	111,00	128,00	151,00
NWAD 3750mm	165,00	192,00	227,00

	NL		
surface platform	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paint class 160µm	126,00	126,00	126,00
hot galvanised	1068,00	1220,00	1381,00

	NL		
surface autodock frame	2000	2450	3000
RAL 9005 / RAL 3002 / RAL 6005	48,00	48,00	48,00
paintclass 160µm	126,00	126,00	126,00
NWAD 3300, hot galvanized	681,00	797,00	949,00
NWAD 3500, hot galvanized	725,00	850,00	1011,00
NWAD 3600, hot galvanized	748,00	875,00	1041,00
NWAD 3750, hot galvanized	781,00	915,00	1087,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
telescopic lip	lip extension 1000mm (RAL)		pcs	380,00
	lip extension 1000mm (GALV)		pcs	558,00
	lip tapered "s" (100mm)		pcs	7,00
platform	slip protection / noise reduction (platform and lip)		m²	137,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	cable harness extension		3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00


We keep the right to alter technical specifications!

DL6020STA
Step Autodock

L0900162

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
OW = Overall width
DH = Dock height
AA = Angular Adjustment
LE = Lip extension
LH = Leveller height back
LH1 = Leveller height front



All prices in: EURO

Gross Transfer Price List DL6020STA

- NWAD 3300mm
- tear plate 8mm
- 60kN
- lip extension 500mm
- steel lip bevelled 40mm
- foundation type steel plinth / concrete plinth / console connection
- RAL 5010
- paint class 80µm
- control unit 950 Docking TD LA
- mains switch
- cable harness 7m
- 400V

		NL / LH1
		2450
		700
NW	2000	4 987,00

	NL
autodock frame	2450
NWAD 3500mm	83,00
NWAD 3600mm	122,00
NWAD 3750mm	263,00

	NL
surface platform	2450
RAL 9005 / RAL 3002 / RAL 6005	48,00
paint class 160µm	126,00
hot galvanised	580,00

	NL
surface autodock frame	2450
RAL 9005 / RAL 3002 / RAL 6005	48,00
paintclass 160µm	126,00
NWAD 3300, hot galvanized	661,00
NWAD 3500, hot galvanized	701,00
NWAD 3600, hot galvanized	721,00
NWAD 3750, hot galvanized	789,00

angular adjustment	75° / 105°	60° / 120°	45° / 135°
RAL	765,00	1 133,00	1 638,00
hot galvanised	1 064,00	1 612,00	2 366,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

options			unit	price
telescopic lip	aluminium lip		pcs	367,00
	Ergo steel lip		pcs	0,00
	Ergo aluminium lip		pcs	367,00
	lip tapered "s" (100mm)		pcs	7,00
	lip bevelled 100mm		pcs	19,00
hydr. oil	low temperature oil		pcs	83,00
	bio oil		pcs	127,00
frame	Cover at step for LH6080L/LH6081L		pcs	75,00
control unit	950 Docking DLA TD		pcs	65,00
	950 Docking LSA TD		pcs	65,00
	950 Docking DLSA TD		pcs	65,00
	prepared for 950 Docking (control unit ordered with OHSD)		pcs	-228,00
control options	automatic retraction		pcs	0,00
	cable harness extension	*max = 16m!*	3m	10,00
	emergency stop push button		pcs	21,00
	DE6090DI White pre assembled to autodock frame	*R0090195*	set	152,00
	DE6090DI Red pre assembled to autodock frame	*R0090200*	set	350,00
	DE6090DI White & Red pre assembled to autodock frame	*R0090205*	set	438,00
	DE6090DI Indication Lamp inside on 950 Docking	*R0090208*	set	38,00
	DE6090DI Second Red LED	*R0090210*	set	60,00
	power supply 230V		pcs	0,00
	netcard (needs cross-traffic detection!!)	*K047818*	pcs	49,00
	cross-traffic detection	*0A590104*	pcs	114,00
delivery	Leveller disassembled for containers		pcs	39,00


We keep the right to alter technical specifications!

DB6050F
Drawbridge Leveller fix version

B0400102

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width



All prices in: **EURO**

Gross Transfer Price List DB6050F

- 60kN
- segmented aluminum alloy lip
- hot galvanized
- operating rod (for 2000mm x 2000mm two operating rods)

		NL			
		1 200	1 500	1 750	2 000
NW	1 500	1 380,00	1 522,00	1 645,00	1 853,00
	1 750	1 492,00	1 638,00	1 759,00	1 971,00
	2 000	1 575,00	1 774,00	2 014,00	2 131,00

options	unit	price
additional operating rod	pcs	134,00


We keep the right to alter technical specifications!

DB6050MZ
Drawbridge Leveller movable Z-Profile

B1400102

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width



All prices in: EURO

Gross Transfer Price List DB6050MZ

- 60kN
- segmented aluminum alloy lip
- hot galvanized
- operating rod (for 2000mm x 2000mm two operating rods)

		NL			
		1 200	1 500	1 750	2 000
NW	1 500	1 529,00	1 656,00	1 779,00	1 986,00
	1 750	1 626,00	1 772,00	1 892,00	2 106,00
	2 000	1 708,00	1 909,00	2 148,00	2 265,00

options	unit	price
additional operating rod	pcs	134,00


We keep the right to alter technical specifications!

DB6050MC
Drawbridge Leveller movable C-Profile

B2400102

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width



All prices in: EURO

Gross Transfer Price List DB6050MC

- for replacement
- 60kN
- segmented aluminum alloy lip
- hot galvanized
- operating rod (for 2000mm x 2000mm two operating rods)

		NL			
		1 200	1 500	1 750	2 000
NW	1 500	1 543,00	1 685,00	1 808,00	2 015,00
	1 750	1 655,00	1 801,00	1 921,00	2 135,00
	2 000	1 738,00	1 938,00	2 177,00	2 294,00

options	unit	price
additional operating rod	pcs	134,00


We keep the right to alter technical specifications!

DS6060A
Curtain Dock Shelter Aluminium

K4020125

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
NT = Nominal depth
OP = Top curtain length
SP = Side curtain width



All prices in: EURO

Gross Transfer Price List DS6060A

- OP = 1000mm
- SP = 600mm for NW = 3250mm
- SP = 700mm for NW = 3450mm
- NT = 600mm
- PVC black
- parking guides white

		NW	
		3250	3450
NH	3200	889,00	908,00
	3400	926,00	945,00
	3600	963,00	982,00

options	unit	price
top curtain, splitted OP = 1000mm	pcs	47,00
top curtain OP = 1200	pcs	43,00
top curtain, splitted OP = 1200mm	pcs	81,00
rain channel	pcs	17,00
reinforced rubber flap, on both sides	pair	75,00
NT = 900mm	pcs	112,00
digit on top curtain (height 300mm)	pcs	41,00
notching on both sides	pcs	28,00
parking guides, yellow (RAL 1023)	pair	28,00

wall fixing	unit	price
concrete	pcs	7,00
sandwich	pcs	7,00
insulated panel 60	pcs	39,00
insulated panel 80	pcs	43,00
insulated panel 100	pcs	49,00
insulated panel 120	pcs	55,00
light concrete	pcs	28,00
loadhouse	pcs	6,00
cavity	pcs	9,00


We keep the right to alter technical specifications!

DS6060P
Curtain Dock Shelter Parallel

K4020128

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
NT = Nominal depth
OP = Top curtain length
SP = Side curtain width



All prices in: EURO

Gross Transfer Price List DS6060P

- OP = 1000mm
- SP = 600mm for NW ≤ 3250mm
- SP = 700mm for NW > 3250mm
- NT = 600mm
- PVC black
- parking guides white

		NW				
		3200	3250	3400	3450	3500
NH	3200	991,00	996,00	1 012,00	1 017,00	1 021,00
	3400	1 031,00	1 035,00	1 051,00	1 056,00	1 061,00
	3600	1 072,00	1 077,00	1 091,00	1 098,00	1 102,00
	3800	1 112,00	1 116,00	1 133,00	1 137,00	1 142,00
	4000	1 154,00	1 158,00	1 172,00	1 177,00	1 184,00
	4200	1 193,00	1 198,00	1 214,00	1 218,00	1 223,00
	4400	1 232,00	1 239,00	1 253,00	1 258,00	1 263,00
	4600	1 274,00	1 279,00	1 295,00	1 300,00	1 304,00

options	unit	price
top curtain, splitted OP = 1000mm	pcs	47,00
top curtain OP = 1200	pcs	43,00
top curtain, splitted OP = 1200mm	pcs	81,00
top curtain OP = 1500	pcs	81,00
top curtain, splitted OP = 1500mm	pcs	130,00
rain channel	pcs	17,00
reinforced rubber flap, on both sides	pair	75,00
NT = 900mm	pcs	112,00
digit on top curtain (height 300mm)	pcs	41,00
notching on both sides	pcs	28,00
parking guides, yellow (RAL 1023)	pair	28,00

wall fixing	unit	price
concrete	pcs	7,00
sandwich	pcs	7,00
insulated panel 60	pcs	39,00
insulated panel 80	pcs	43,00
insulated panel 100	pcs	49,00
insulated panel 120	pcs	55,00
light concrete	pcs	28,00
loadhouse	pcs	6,00
cavity	pcs	9,00


We keep the right to alter technical specifications!

DS6060F
Curtain Dock Shelter Fix

K3030104

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
OP = Top curtain length
SP = Side curtain width



All prices in: EURO

Gross Transfer Price List DS6060F

- OP = 1000mm
- SP = 600mm for NW = 3250mm
- SP = 700mm for NW = 3450mm
- PVC black
- parking guides white

		NW	
		3250	3450
NH	3200	541,00	550,00
	3400	562,00	574,00
	3600	583,00	594,00
	3800	606,00	618,00
	4000	627,00	638,00
	4200	650,00	659,00
	4400	671,00	683,00
	4600	692,00	703,00

options	unit	price
top curtain, splitted OP = 1000mm	pcs	47,00
top curtain OP = 1200	pcs	43,00
top curtain, splitted OP = 1200mm	pcs	81,00
top curtain OP = 1500	pcs	81,00
top curtain, splitted OP = 1500mm	pcs	130,00
reinforced rubber flap, on both sides	pair	75,00
digit on top curtain (height 300mm)	pcs	41,00
notching on both sides	pcs	28,00
parking guides, yellow (RAL 1023)	pair	28,00

wall fixing	unit	price
concrete	pcs	5,00
for anchor rail	pcs	29,00


We keep the right to alter technical specifications!

DS6060S
Curtain Dock Shelter Steel

K4020132

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
NT = Nominal depth
OP = Top curtain length
SP = Side curtain width



All prices in: EURO

Gross Transfer Price List DS6060S

- OP = 1000mm
- SP = 600mm for NW = 3250mm
- SP = 700mm for NW = 3450mm
- NT = 600mm
- PVC black
- parking guides white

		NW	
		3250	3450
NH	3280	822,00	840,00
	3480	857,00	873,00
	3680	889,00	905,00

options	unit	price
top curtain OP = 1200	pcs	43,00
rain channel	pcs	17,00
NT = 900mm	pcs	112,00
digit on top curtain (height 300mm)	pcs	41,00
notching on both sides	pcs	28,00

wall fixing	unit	price
concrete	pcs	7,00
sandwich	pcs	7,00
insulated panel 60	pcs	39,00
insulated panel 80	pcs	43,00
insulated panel 100	pcs	49,00
insulated panel 120	pcs	55,00
light concrete	pcs	28,00
loadhouse	pcs	6,00
cavity	pcs	9,00


We keep the right to alter technical specifications!

DS6070B
Inflatable Dock Shelter Bags

K6600107 / K6600108

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
NT = Nominal depth
HO = Top bag travel
HS = Side bag travel



All prices in: EURO

Gross Transfer Price List DS6070B

- HO = 1000mm
- HS = 650mm
- NT = 770mm
- panel in RAL 9016 outside & RAL 9002 inside
- front plate in RAL 9016
- control unit
- steel guard Flush
- sealing parts

single installation		**NW**
(K6600107)		3600
NH	3755	3 598,00
	4055	3 666,00
	4355	3 822,00
	4555	3 837,00

multi installation		**NW**
(K6600108)		3600
NH	3755	3 583,00
	4055	3 583,00
	4355	3 583,00
	4555	3 583,00

options	**unit**	**price**
special NW - 3200mm <= NW <= 3550mm in steps of 50mm	pcs	48,00
NT = 1020mm	pcs	176,00
HO = 1300mm	pcs	82,00
control via 950 docking LSA / DLSA / DS	pcs	-53,00
wear shield	pcs	250,00
digit on front plate	pcs	17,00
panel outside in standard RAL (RAL1021, RAL 3002, RAL 5010, RAL 6005, RAL 7016, RAL 9002, RAL 9006, RAL9007, RAL 9010)	pcs	0,00
panel outside in RAL XXXX (both sides)	pcs	1 160,00
front plate in standard RAL (RAL1021, RAL 3002, RAL 5010, RAL 6005, RAL 7016, RAL 9002, RAL 9006, RAL9007, RAL 9010)	pcs	0,00
front plate in RAL XXXX	pcs	10,00

wall fixing	**unit**	**price**
concrete / rail	pcs	141,00
steel / rail	pcs	141,00
light concrete / rail	pcs	147,00
insulated panel 120 / rail	pcs	155,00
insulated panel 170 / rail	pcs	154,00
loadhouse HI	pcs	87,00
loadhouse HI - for Robust (Sweden only!)	pcs	42,00


We keep the right to alter technical specifications!

DS6070R
Inflatable Dock Shelter Rollo

K6600111 / K6600112

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
NT = Nominal depth
FH = Free height above dock
OP = Top rollo length
HS = Side bag travel



All prices in: EURO

Gross Transfer Price List DS6070R

- ***OP = 2200mm***
- ***HS = 650mm***
- ***NT = 770mm***
- ***panel in RAL 9016 outside & RAL 9002 inside***
- ***front plate in RAL 9016***
- ***control unit***
- ***steel guard Flush***
- ***sealing parts***

single installation		**NW**
(K6600111)		3600
FH / NH	3600 / 4055	4 320,00
	3900 / 4355	4 477,00
	4100 / 4555	4 492,00

multi installation		**NW**
(K6600112)		3600
FH / NH	3600 / 4055	4 074,00
	3900 / 4355	4 074,00
	4100 / 4555	4 074,00

options	**unit**	**price**
special NW - 3200mm <= NW <= 3550mm in steps of 50mm	pcs	47,60
NT = 1020mm	pcs	176,00
control via 950 docking LSA / DLSA / DS	pcs	-21,00
steel guard ADS for NT = 770mm	pcs	249,00
wear shield	pcs	250,00
digit on front plate	pcs	17,00
panel outside in standard RAL (RAL1021, RAL 3002, RAL 5010, RAL 6005, RAL 7016, RAL 9002, RAL 9006, RAL9007, RAL 9010)	pcs	0,00
panel outside in RAL XXXX (both sides)	pcs	1 160,00
front plate in standard RAL (RAL1021, RAL 3002, RAL 5010, RAL 6005, RAL 7016, RAL 9002, RAL 9006, RAL9007, RAL 9010)	pcs	0,00
front plate in RAL XXXX	pcs	10,00

wall fixing	**unit**	**price**
concrete / rail	pcs	141,00
steel / rail	pcs	141,00
light concrete / rail	pcs	147,00
insulated panel 120 / rail	pcs	155,00
insulated panel 170 / rail	pcs	154,00
loadhouse HI	pcs	87,00
loadhouse HI - for Robust (Sweden only!)	pcs	42,00


We keep the right to alter technical specifications!

DS6070E
Inflatbale Dock Shelter Eco

K6600114

valid from: 2017-04-01

NB = Nominal width
NH = Nominal height
NT = Nominal depth
HO = Tob bag extension
HS = Side bag extension



All prices in: EURO

Gross Transfer Price List DS6070E

- HO = 800mm
- HS = 350mm for NW = 3250mm
- HS = 500mm for NW = 3550mm
- NT = 1080mm
- control unit
- front plate and side brackets in RAL 9010

		NW	
		3250	3550
NH	3775	3 828,00	4 100,00
	3925	4 109,00	4 134,00
	4375	4 468,00	4 827,00

options	unit	price
HO = 1100mm	pcs	200,00
control via 950 docking LSA / DLSA / DS	pcs	-53,00
counterweight with channel	pcs	177,00
top bag with 100mm curtain	pcs	151,00
additional curtain (max. 900 mm)	100mm	32,00
digit on front plate	pcs	17,00
front plate in RAL 9005	pcs	4,00

wall fixing	unit	price
concrete	pcs	13,00
steel	pcs	17,00
light concrete	pcs	64,00
insulated panel 120	pcs	87,00
insulated panel 170	pcs	85,00
loadhouse HI	pcs	16,00


We keep the right to alter technical specifications!

LH6080L
Heavy Duty stand alone Load House

L0000160 / L0000161

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
TH = Total height
FH = Free height above dock
DH = Dock height
NH = Nominal height
MH = Mounting height



HM HI

All prices in: EURO

Gross Transfer Price List LH6080L

- autodock and dock shelter are not included and have to be ordered separately!
- NW 3300mm, 3500mm & 3600mm for HM (L0000160)
- MH 4500mm for HM
- NW 3600mm & 3750mm for HI (L0000161)
- surface steel frame hot galvanised
- inside coating U-panel: protective colouring 10µm, RAL 7035 - light grey
- inside coating I-Panel: polyester 25µm, RAL 9002 - grey white

ATTENTION: When calculating a Loadhouse for multi installation you need to calculate one single and (x-1) add-on modules for multi installation when x is the total number of loadhouses!

single installation

multi installation

Loadhouse for mechanical dock shelter SME/SMP

HMU		NL		
		2000	2450	3000
DH	950 - 1050	2 578,00	2 900,00	3 223,00
	1100 - 1250	2 552,00	2 871,00	3 190,00
	1300 - 1500	2 527,00	2 844,00	3 159,00

HMU		NL		
		2000	2450	3000
DH	950 - 1050	1 677,00	1 885,00	2 095,00
	1100 - 1250	1 659,00	1 867,00	2 075,00
	1300 - 1500	1 643,00	1 848,00	2 054,00

HMI		NL		
		2000	2450	3000
DH	950 - 1050	4 123,00	4 741,00	5 360,00
	1100 - 1250	4 081,00	4 694,00	5 306,00
	1300 - 1500	4 041,00	4 647,00	5 253,00

HMI		NL		
		2000	2450	3000
DH	950 - 1050	2 680,00	3 083,00	3 484,00
	1100 - 1250	2 653,00	3 051,00	3 449,00
	1300 - 1500	2 627,00	3 021,00	3 414,00

HMX		NL		
		2000	2450	3000
DH	950 - 1050	1 707,00	1 834,00	1 962,00
	1100 - 1250	1 689,00	1 816,00	1 942,00
	1300 - 1500	1 672,00	1 797,00	1 924,00

HMX		NL		
		2000	2450	3000
DH	950 - 1050	1 366,00	1 468,00	1 570,00
	1100 - 1250	1 352,00	1 453,00	1 555,00
	1300 - 1500	1 338,00	1 439,00	1 539,00

We keep the right to alter technical specifications!

LH6080L
Heavy Duty stand alone Load House

L0000160 / L0000161

valid from: 2017-04-01

single installation

Loadhouse for inflatable dock shelter SIB/SIR

NW 3600	HIU	NL		
		2000	2450	3000
FH	3100	2 936,00	3 303,00	3 671,00
	3300	2 965,00	3 337,00	3 707,00
	3600	2 996,00	3 370,00	3 744,00
	3900	3 026,00	3 404,00	3 782,00
	4100	3 056,00	3 438,00	3 819,00

NW 3600	HII	NL		
		2000	2450	3000
FH	3100	4 986,00	5 734,00	6 483,00
	3300	5 036,00	5 791,00	6 546,00
	3600	5 087,00	5 849,00	6 612,00
	3900	5 137,00	5 908,00	6 679,00
	4100	5 189,00	5 968,00	6 745,00

NW 3600	HIX	NL		
		2000	2450	3000
FH	3100	1 831,00	1 969,00	2 106,00
	3300	1 850,00	1 989,00	2 127,00
	3600	1 868,00	2 008,00	2 149,00
	3900	1 887,00	2 028,00	2 170,00
	4100	1 905,00	2 049,00	2 192,00

single installation

NW 3600	HIU	NL		
		2000	2450	3000
FH	3100	1 909,00	2 148,00	2 387,00
	3300	1 928,00	2 170,00	2 410,00
	3600	1 947,00	2 191,00	2 434,00
	3900	1 967,00	2 213,00	2 459,00
	4100	1 986,00	2 235,00	2 483,00

NW 3600	HII	NL		
		2000	2450	3000
FH	3100	3 242,00	3 728,00	4 214,00
	3300	3 274,00	3 765,00	4 255,00
	3600	3 306,00	3 803,00	4 298,00
	3900	3 340,00	3 840,00	4 341,00
	4100	3 373,00	3 878,00	4 385,00

NW 3600	HIX	NL		
		2000	2450	3000
FH	3100	1 466,00	1 575,00	1 685,00
	3300	1 479,00	1 591,00	1 702,00
	3600	1 495,00	1 607,00	1 718,00
	3900	1 510,00	1 623,00	1 736,00
	4100	1 525,00	1 640,00	1 753,00

options		price
HI NW 3750	U-panel	149,00
	I-panel	263,00
	X-panel (without cladding)	65,00
angular adjustment 45° / 135°	U-panel	1 693,00
	I-panel	2 527,00
	X-panel (without cladding)	1 336,00
surface	special colour NL 2000mm	4 023,00
	special colour NL 2450mm	4 696,00
	special colour NL 3000mm	5 362,00
roof	drain pipe and gutter	256,00
	anti-drip coating (only unisolated panel) NL 2000mm	58,00
	anti-drip coating (only unisolated panel) NL 2450mm	70,00
	anti-drip coating (only unisolated panel) NL 3000mm	82,00
wall	wall flashing	471,00
	protrusion of facade (max. +100mm / min. -100mm)	444,00
	wall fixing - concrete	26,00
	wall fixing - steel	24,00
	wall fixing - light concrete	172,00
	wall fixing - insulated panel 120	82,00
	wall protection (plywood veneer) NL 2000mm	256,00
	wall protection (plywood veneer) NL 2450mm	279,00
	wall protection (plywood veneer) NL 3000mm	325,00

standard colours U-panel			
RAL 3009	oxide red	RAL 7011	iron grey
RAL 9006	white aluminium	RAL 9010	pure white
RAL 9011	graphite black		

standard colours I-panel			
RAL 1015	light ivory	RAL 3000	flame red
RAL 3009	oxide red	RAL 5010	gentian blue
RAL 7016	anthracite grey	RAL 7035	light grey
RAL 7037	dusty grey	RAL 8004	copper brown
RAL 9002	grey white	RAL 9006	white aluminium
RAL 9007	grey aluminium	RAL 9010	pure white


We keep the right to alter technical specifications!

LH6081L
Light Version stand alone Load House

L0000164 / L0000165

valid from: 2017-04-01

NL = Nominal length
NW = Nominal width
TH = Total height
FH = Free height above dock
DH = Dock height
NH = Nominal height
MH = Mounting height



HM HI

All prices in: EURO

Gross Transfer Price List LH6081L

- autodock and dock shelter are not included and have to be ordered separately!
- NW 3300mm, 3500mm & 3600mm for HM (L0000164)
- MH 4500mm for HM
- NW 3600mm for HI (L0000165)
- surface steel frame hot galvanised
- inside coating U-panel: protective colouring 10µm, RAL 7035 - light grey
- inside coating I-Panel: polyester 25µm, RAL 9002 - grey white

ATTENTION: When calculating a Loadhouse for multi installation you need to calculate one single and (x-1) add-on modules for multi installation when x is the total number of loadhouses!

single installation

multi installation

Loadhouse for mechanical dock shelter DS6060A/DS6060P

HMU		NL		
		2000	2450	3000
DH	950 - 1050	1 841,00	1 912,00	2 585,00
	1100 - 1250	1 807,00	1 877,00	2 536,00
	1300 - 1500	1 763,00	1 833,00	2 476,00

HMU		NL		
		2000	2450	3000
DH	950 - 1050	1 198,00	1 243,00	1 680,00
	1100 - 1250	1 174,00	1 221,00	1 649,00
	1300 - 1500	1 147,00	1 192,00	1 609,00

HMI		NL		
		2000	2450	3000
DH	950 - 1050	2 765,00	2 898,00	3 866,00
	1100 - 1250	2 696,00	2 830,00	3 773,00
	1300 - 1500	2 610,00	2 744,00	3 657,00

HMI		NL		
		2000	2450	3000
DH	950 - 1050	1 797,00	1 884,00	2 513,00
	1100 - 1250	1 753,00	1 840,00	2 453,00
	1300 - 1500	1 698,00	1 785,00	2 377,00

HMX		NL		
		2000	2450	3000
DH	950 - 1050	1 029,00	1 065,00	1 475,00
	1100 - 1250	1 017,00	1 053,00	1 457,00
	1300 - 1500	1 002,00	1 038,00	1 434,00

HMX		NL		
		2000	2450	3000
DH	950 - 1050	772,00	800,00	1 106,00
	1100 - 1250	763,00	790,00	1 093,00
	1300 - 1500	751,00	779,00	1 076,00

We keep the right to alter technical specifications!

LH6081L
Light Version stand alone Load House

L0000164 / L0000165

valid from: 2017-04-01

single installation

Loadhouse for inflatable dock shelter DS6070B/DS6070R

HIU		NL		
		2000	2450	3000
FH	3100	2 053,00	2 124,00	2 804,00
	3300	2 095,00	2 167,00	2 861,00
	3600	2 160,00	2 231,00	2 945,00
	3900	2 224,00	2 296,00	3 029,00

HII		NL		
		2000	2450	3000
FH	3100	3 304,00	3 441,00	4 424,00
	3300	3 392,00	3 529,00	4 536,00
	3600	3 523,00	3 660,00	4 704,00
	3900	3 654,00	3 791,00	4 871,00

HIX		NL		
		2000	2450	3000
FH	3100	1 034,00	1 070,00	1 483,00
	3300	1 047,00	1 083,00	1 500,00
	3600	1 065,00	1 101,00	1 527,00
	3900	1 084,00	1 120,00	1 560,00

single installation

HIU		NL		
		2000	2450	3000
FH	3100	1 334,00	1 381,00	1 823,00
	3300	1 362,00	1 409,00	1 860,00
	3600	1 404,00	1 450,00	1 914,00
	3900	1 446,00	1 492,00	1 969,00

HII		NL		
		2000	2450	3000
FH	3100	2 149,00	2 237,00	2 876,00
	3300	2 206,00	2 294,00	2 949,00
	3600	2 290,00	2 380,00	3 058,00
	3900	2 376,00	2 464,00	3 167,00

HIX		NL		
		2000	2450	3000
FH	3100	777,00	803,00	1 112,00
	3300	786,00	812,00	1 126,00
	3600	800,00	826,00	1 145,00
	3900	812,00	840,00	1 170,00

options		price
angular adjustment 45° / 135°	U-panel	1 521,00 €
	I-panel	2 269,00 €
	X-panel (without cladding)	1 201,00 €
angular adjustment 60° / 120°	U-panel	1 014,00 €
	I-panel	1 513,00 €
	X-panel (without cladding)	801,00 €
angular adjustment 75° / 105°	U-panel	507,00 €
	I-panel	757,00 €
	X-panel (without cladding)	401,00 €
surface	special colour NL 2000mm	3 219,00 €
	special colour NL 2450mm	3 758,00 €
	special colour NL 3000mm	4 290,00 €
roof	drain pipe and gutter	236,00 €
	anti-drip coating (only unisolated panel) NL 2000mm	53,00 €
	anti-drip coating (only unisolated panel) NL 2450mm	63,00 €
	anti-drip coating (only unisolated panel) NL 3000mm	74,00 €
wall	wall flashing	460,00 €
	protrusion of facade (max. +100mm / min. -100mm)	398,00 €
	wall fixing - concrete	6,00 €
	wall fixing - steel	2,00 €
	wall fixing - light concrete	13,00 €
	wall fixing - insulated panel 120	10,00 €
	wall protection (plywood veneer) NL 2000mm	99,00 €
	wall protection (plywood veneer) NL 2450mm	97,00 €
	wall protection (plywood veneer) NL 3000mm	115,00 €

standard colours U-panel			
RAL 3009	oxide red	RAL 7011	iron grey
RAL 9006	white aluminium	RAL 9010	pure white
RAL 9011	graphite black		

standard colours I-panel			
RAL 1015	light ivory	RAL 3000	flame red
RAL 3009	oxide red	RAL 5010	gentian blue
RAL 7016	anthracite grey	RAL 7035	light grey
RAL 7037	dusty grey	RAL 8004	copper brown
RAL 9002	grey white	RAL 9006	white aluminium
RAL 9007	grey aluminium	RAL 9010	pure white

We keep the right to alter technical specifications!

valid from: 2017-04-01

All prices in: **EURO**

Gross Transfer Price List equipment

equipment		article no.	unit	price
buffer	buffer RB-flat with welding plate (galv.) 500x250x90	R0060104-0007	pair	163,00
	buffer RB-flat with welding plate (galv.) 500x250x90 & protection plate front	R0060182	pair	250,00
	buffer RB-flat with welding plate (galv.) 500x250x90 & protection plate front+top	R0060183	pair	266,00
	buffer RB with welding plate (galv.) 500x250x140	R0060103-0008	pair	216,00
	buffer RB with welding plate (galv.) 500x250x140 & protection plate front	R0060184	pair	302,00
	buffer RB with welding plate (galv.) 500x250x140 & protection plate front+top	R0060185	pair	321,00
	buffer RS with welding plate (galv.) 400x80x70	R0060139-0007	pair	47,00
	floating buffer EBF with welding plate 500x250x90	R0060135-0007	pair	591,00
	floating buffer EBF with welding plate 500x250x140	R0060135-0008	pair	641,00
	height adjustable buffer EBH with welding plate 500x250x90	R0060134-0011	pair	745,00
	height adjustable buffer EBH with welding plate 500x250x140	R0060134-0010	pair	796,00
	spring steel buffer with welding plate BH 600	R0060177-0001	pair	1 104,00
	spring steel buffer with welding plate BH 800	R0060177-0002	pair	1 173,00
	buffer RB-flat with screwing set for concrete wall 500x250x90	R0060196	pair	126,00
	buffer RB-flat with screwing set for concrete wall 500x250x90 & protection plate front	R0060192	pair	220,00
	buffer RB-flat with screwing set for concrete wall 500x250x90 & protection plate front+top	R0060193	pair	212,00
	buffer RB with screwing set for concrete wall 500x250x140	R0060197	pair	170,00
	buffer RB with screwing set for concrete wall 500x250x140 & protection plate front	R0060194	pair	256,00
	buffer RB with screwing set for concrete wall 500x250x140 & protection plate front+top	R0060195	pair	256,00
	buffer RB-flat with screwing set for Autodock 500x250x90	R0060129-0004	pair	119,00
	buffer RB-flat with screwing set for Autodock 500x250x90 & protection plate front	R0060186	pair	216,00
	buffer RB-flat with screwing set for Autodock 500x250x90 & protection plate front+top	R0060187	pair	219,00
	buffer RB with screwing set for Autodock 500x250x140	R0060127	pair	165,00
	buffer RB with screwing set for Autodock 500x250x140 & protection plate front	R0060188	pair	250,00
	buffer RB with screwing set for Autodock 500x250x140 & protection plate front+top	R0060189	pair	266,00
	buffer RS with screwing set for Autodock 400x80x70	R0060128	pair	33,00
	floating buffer EBF with screwing set for Autodock 500x250x90	R0060135-0015	pair	600,00
	floating buffer EBF with screwing set for Autodock 500x250x140	R0060135-0014	pair	650,00
	buffer RB-flat 500x250x90	22100109-0004	pair	105,00
	buffer RB 500x250x140	22100678-0004	pair	149,00
	buffer RS 400x80x70	22100114-0004	pair	25,00
	buffer RB-flat 500x250x90 with steel construction (RAL) 585x265x465	0A990271	pair	317,00
	buffer RB-flat 500x250x90 with steel construction (galv.) 585x265x465	0A990271-0023	pair	371,00
	buffer RB-flat 500x250x90 + protection plate with steel construction (RAL) 585x265x450	0A990261	pair	368,00
	buffer RB-flat 500x250x90 + protection plate with steel construction (galv.) 585x265x450	0A990261-0013	pair	439,00
	buffer RB-flat 500x250x90 with steel construction (RAL) 555x265x485 + screwing set	H0A990272-0001	pair	466,00
	buffer RB-flat 500x250x90 with steel construction (galv.) 555x265x485 + screwing set	H0A990272-0100	pair	524,00
	buffer RB-flat 500x250x90 + protection plate with steel construction (RAL) 555x265x485 + screwing set	H0A990273-0001	pair	613,00
	buffer RB-flat 500x250x90 + protection plate with steel construction (galv.) 555x265x485 + screwing set	H0A990273-0100	pair	671,00
	bracket (RAL 5010) for spring steel buffer with welding plate BH 800	0A590105-0002	pair	52,00
	bracket (galv.) for spring steel buffer with welding plate BH 800	0A590105-0001	pair	45,00
	screwing set for buffer - 4 screws	0L200117	pair	26,00
guide rails	PS-P2 for 641 DMGZ, hot galvanised	20490108-0010	2m	96,00
	PS-P2 for 641 DMGZ, hot galvanised	20490108-0011	3m	116,00
	PS-P1 for 642 DMGC, hot galvanised	20490112-0006	2m	170,00
	PS-P1 for 642 DMGC, hot galvanised	20490112-0007	3m	205,00
DE6090TLS & DE6090WC	DE6090TLS (inside 120 & outside 120) with vehicle detection	HR0090215-0001	pcs	870,00
	DE6090TLS (inside integrated & outside 120) with vehicle detection	HR0090215-0003	pcs	745,00
	DE6090TLS (inside 120 & outside 120) with wheel chock rubber, with support, standard cable	HR0090216-0025	pcs	1 316,00
	DE6090TLS (inside integrated & outside 120) with wheel chock rubber, with support, standard cable	HR0090216-0026	pcs	1 191,00
	DE6090WC, with support, standard cable	R0050111-0001	pcs	611,00
	spiral cable instead of standard cable		pcs	19,00
	cable with automatic roller instead of standard cable		pcs	775,00
	overide key for DE6090TLS with wheel chock		pcs	82,00
corner seal	ES 600	0K400118-0001	pair	89,00
	ES 900	0K400118-0002	pair	103,00
	ESR 600	0K400112	pair	172,00
DE6090E	for one docking station	K043756	pcs	1 368,00
	traffic light holding device for multiple installations	0R020117	pcs	16,00

We keep the right to alter technical specifications!

valid from: 2017-04-01

accessories	parking guide EG, bolted	R0020112	pair	345,00
	parking guide EG, cast in	R0020113	pair	302,00
	eye-bolt set	0L200110	set	12,00
	photocell interlocking leveller/door	0R090150	pcs	64,00
	Repair Paint Spray Can, RAL 3002, 400 ml	54420107-3002	pcs	7,00
	Repair Paint Spray Can, RAL 5010, 400 ml	54420107-5010	pcs	7,00
	Repair Paint Spray Can, RAL 6005, 400 ml	54420107-6005	pcs	7,00
	Repair Paint Spray Can, RAL 9005, 400 ml	54420107-9005	pcs	7,00
	Repair Paint Spray Can, RAL Zinc, 400 ml	54420107-ZN	pcs	7,00
	cable channel 40x40x2000	40PRRC009543	pcs	7,00
DE6090TL	DE6090TL with key switch	HK049280	pcs	1 607,00
	DE6090TL Power Supply Kit	K048794	pcs	25,00
DE6090DL	DE6090DL	R0090211	pcs	360,00
	DE6090DL with arm	R0090212	pcs	462,00
DE6090DI	DE6090DI White for Pit and 950	R0090193	set	143,00
	DE6090DI Red for Pit and 950	R0090198	set	331,00
	DE6090DI White & Red for Pit and 950	R0090203	set	439,00
	DE6090DI Indication Lamp Inside on 950	R0090208	set	38,00
	DE6090DI White for Pit with transformer	R0090194	set	221,00
	DE6090DI Red for Pit with transformer	R0090199	set	375,00
	DE6090DI White & Red for Pit with transformer	R0090204	set	478,00
	DE6090DI Indication Lamp Inside on external box	R0090209	set	67,00
	DE6090DI Second Red LED	R0090210	set	60,00

pre-box for DL6010S		NL / LH									
article no. 0A240325		2000	2000	2250	2250	2500	2500	2770	2770	3000	3000
		600	700	600	700	600	700	600	700	600	700
NW	1750	475,00	512,00	499,00	542,00	524,00	571,00	550,00	598,00	572,00	626,00
	2000	497,00	536,00	521,00	565,00	546,00	594,00	572,00	622,00	598,00	649,00
	2200	513,00	553,00	538,00	583,00	562,00	612,00	587,00	638,00	614,00	665,00

		NL / LH		
		3500	4000	4500
		800	900	900
NW	1750	690,00	775,00	869,00
	2000	714,00	799,00	894,00
	2200	730,00	816,00	910,00

		NL							
		2000	2250	2500	2770	3000	3500	4000	4500
surface pre box	RAL 9005 / RAL 3002 / RAL 6005	20,00 €	20,00 €	20,00 €	20,00 €	20,00 €	20,00 €	20,00 €	20,00 €
	paintclass 160µm	29,00 €	29,00 €	29,00 €	29,00 €	29,00 €	29,00 €	29,00 €	29,00 €
	hot galvanized	230,00 €	243,00 €	256,00 €	267,00 €	279,00 €	307,00 €	343,00 €	382,00 €

We keep the right to alter technical specifications!