SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Date: 25/06/21
Quotation no: 20-21/251

QUOTATION RATE

Sr no	Machine name	Price
1	Storage tank (5000ltr)	5,05,000
2	Mixing tank (5000ltr)	5,73,000
3	Storage tank (100ltr)	45,000
4	Turn table 36"	75,000
5	Automatic airjet 6 head cleaning machine	2,40,000
6	Automatic six head filling machine	3,20,000
7	Automatic Pick & place capping machine	5,25,000
8	Automatic four head capping machine	4,25,000
	Total price	27,08,000
	18%	4,87,440
	TOTAL	31,95,440

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Quotation

Air Jet Cleaning Machines

Our range of products include automatic four head air jet cleaning machine, vertical bottle air jet cleaning machine and linear tunnel type bottle air jet cleaning machine.



Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Product Details:

Minimum Order Quantity	**1 Unit**
Machine Type	**Automatic**
Brand	**Shivam**
Usage/Application	**BOTTLE CLEANING**
Head	**6 HEADS**
Production Capacity	**AS PER THE REQUIREMENTS**
Model No	**SACM-100**
Output per Hour	**2400 to 7200**
Directon of Movement	**Left to Right**
Motor Power	**0.5 HP/ 415 V/ 50 Hz**
Blower Motor	**0.5 HP X 2= 2HP/ 415 V/ 50 Hz**
Cleaning Cycle	**Positive air Pressure and Vacuum Cleaning**
Working Desk Height	**860 to 910 mm**

With our vast experience and knowledge in this field, we are engaged in manufacturing a quality assured array of **Automatic Air Jet Cleaning Machine**.

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Salient Features:

- **Positive air pressure and vacuum cleaning**
- **Easy operation**
- **Stationary SS nozzles**
- **Automatic loading and unloading of container**
- **Individual control for air pressure and vacuum cleaning**
- **Higher capacity blower for proper cleaning**
- **SS Pressure meter**

QUOTATION

36'' DIA S.S. TURN TABLE With A.C. DRIVE

We offer Turn Table that is fabricated using premium quality material and is efficient in working. Turn Table System for transfer or movement of various type of Bottles, Vials, Jars on any Liquid Filling Line. Turn Table can be used with any machine for collection or feeding of products and also used to change the total line direction for "L" shape or "U" shape movement of line. Turn Table is available in various diameter of 600, 750, 900 or 1200 mm. the range is also custom designed as required by the clients.

Turn Table can be supplied with Standard Variable Speed Pulley Drive or A.C. Variable Frequency Drive System for smoother Start and Stop opetation for unstable products. Turn Table can also be made from

Stainless Steel Frame and also with Fully Stainless Steel Top Plate on request.

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========



Turn Table is also ideal for use in any automatic high speed liquid of powder line and turn table can also works as a buffer between two machines. If any of machines stop during the online operation, Turn Table can collect the outfeed product from machine or similarly can feed the products to machine without interrupting the complete line.

SALIENT FEATURE

All exposed parts are of S.S. to prevent rusting.

Reduction gear ensure jerk free & noise less performance & allows absolute cleanliness even inside.

Gear Motor: **Nutech**

A.C. Variable Frequency Drive: **DELTA Make**

MACHINE SPECIFICATION

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Direction: Left to Right
Power: 220 Volts, I Phase (2 Wire System) 50 Cycle/Second
Output: 100 to 120 Product /Minute (Depending upon the production speed)
Motor: 0.5 HP.

Q U O T A T I O N

Automatic 6-Head Liquid Bottle Filling Machine

Suitable Bottle from 600ml

Output: 60-65 Bottles/Minute Depending on Filling Volume & Liquid viscosity

We will provide basic machine in complete stainless steel finish with
One complete set of change parts (Syringe Set=6 Nos.) suitable for fill from **600ml.**
(Total machine construction in **S.S.-304** wherever; Contact parts is made from **S.S.-304** material
Diving Nozzle System to prevent against foaming problems especially for Pesticide Liquid
Nozzle Lock System to Stop Dropping Problems.
No Bottle – No Filling System
Built in A.C. Variable Frequency Drive system for speed control

Bottles with maximum speed **of 60 to 65 Bottles per minute**. The output of Bottle Filling Machines depending on nature of Liquids, Bottle Diameter, Bottle Height, Bottle Neck Size and Fill Volume. All parts coming in contact with Liquids are made from **SS-316** Materials. Machine construction in fully Stainless Steel finish including machine

---

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

frame structure. Machine with



Optional Turn Tables at In-feed and Out-feed with individual drives to match the speed of incoming and outgoing Bottles for smoother operationThe Automatic Four Head Volumetric Linear Liquid Bottle Filling Machine.

MACHINE SPECIFICATION:

Output: 60 to 65 Bottle/Minute (Depend on Filling volume, Nature of liquid & Bottle sizes)

Power Characteristics: Single Phase / III Phase with A.C. Frequency drive.

Dimension of Machine: 6” **L** X 3.5’’W

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Filling Accuracy: ± 1% in single dose

Filling range: 600ml

Note:Change part will be charged extra to Fill from another volume.

A.C. Variable Frequency Drive: Danfoss Make

Gear Box (Conveyor + Main) NUTECH Make

Motor (Conveyor + Main) NUTECH Make

Pneumatic Cylinder AIRA Make

HIGHLIGHT OF THE MACHINE:

Total contact parts are of S.S.-304 and Other surface parts are of S.S.-304
Manufactured with latest technology
Synchronized two nos. A.C. drive for main motor & conveyor belt
Automatic speed control system.
No Bottle - No Filling systems.
Special Type Diving Nozzle to prevent against foaming problems especially for Pesticide liquid.
Nozzle Lock system to stop dropping problems.
Automatic sensor based bottle counter system.
Bottle stopper and holder pneumatic based.
Rigid vibration free construction for trouble free performance
$.3. Elegantly matt finished body.
Minimum change overtime, from one size to another fill size

Self lubricating UHMW-PE guide profile for SS slat chain provides low friction wear surface, smooth and noiseless conveying.
Safety guard for conveyor gear box, motor and pneumatic cylinders
Inbuilt protection against over current, Voltage fluctuation, Short circuit in S.S. conveyor belt made from the **S.S.-304** [**Length:** 6 Feet]
Adjustable Conveyor height as per customer choice to align with another line machine.

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Standard in quality & economical in price

Q U O T A T I O N

AUTOMATIC PICK & PLACE INNER CAPPING MACHINE

SUITABLE TO CAPPING YOUR PLASTIC CAPS

OUTUPT: 60-65 BOTTLES/MINUTE (Depending on Bottle/Cap Sizes)

We will provide basic machine in complete stainless steel finish with

One complete set of change parts suitable for any one size Diameter of Caps & Bottle

Total machine construction in **S.S.-304**wherever; Contact parts is made from **S.S.-304** material

No Bottle – No Capping System

Bottle Jam – Machine stop system.

Built in A.C. Variable Frequency Drive system for speed control

MACHINE SPECIFICATIONS:-

Output bottle size)	:60-65 Bottles/Minute (Depending upon the
Powder characteristics Hz.	:440 Volts, III Phase (4 Wire system) 50
Machine Direction	:Left to right

INPUT SPECIFICATIONS:-

Cap Dia:	As per customer requirement
	(With the help of change parts.)

Change Parts Required To Change Bottle & Cap Dia : Star wheel &

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Cap die EXTRA

HIGH LIGHT OF THE MACHINE….

No Bottle – No Capping System.
Machine construction is Stainless Steel Finish.
Cap orientation auto. Start/stop system.
In feed & Exit sat wheel with over load clutch system to avoid bottle brekage.
Single motor synchronizes conveyor, star wheel & platform turret.
Minimum change over time.
Pick & place arrangement.
Hopper can be completed dismantled for easy cleaning.
Adjustable height conveyor belt.
Low noise level & low power consumption.
Standard in quality & Economical in price.

==========

AUTOMATIC FOUE HEAD CAPPING MACHINE
SUITABLE TO CAPPING YOUR CAPS
OUTUPT: 60-65 BOTTLES/MINUTE

(Depending on Bottle/Cap Sizes) We will provide basic machine in complete stainless steel finish with

One complete set of change parts suitable for any one size Diameter of Caps & Bottle

Total machine construction in **S.S.-304**wherever; Contact parts is made from **S.S.-304** material

No Bottle – No Capping System
Bottle Jam – Machine stop system.Built in A.C. Variable Frequency Drive system for speed control

---

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

MACHINE SPECIFICATIONS:-

Output :60-65 Bottles/Minute (Depending upon the bottle size)

Powder characteristics :440 Volts, III Phase (4 Wire system) 50 Hz. Machine Direction :Left to right

INPUT SPECIFICATIONS:-

Cap Dia: As per customer requirement (With the help of change parts.)

Change Parts Required To Change Bottle & Cap Dia : Star wheel & Cap die WILL BE CHARGE EXTRA



HIGH LIGHT OF THE MACHINE….

No Bottle – No Capping System.

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

Machine construction is Stainless Steel Finish. Cap orientation auto. Start/stop system.

In feed & Exit sat wheel with over load clutch system to avoid bottle brekage.

Single motor synchronizes conveyor, star wheel & platform turret

Minimum change over time. Pick & place arrangement.

Hopper can be completed dismantled for easy cleaning. Adjustable height conveyor belt.

Low noise level & low power consumption. Standard in quality & Economical in price.

TERMS & CONDITIONS :

PRICE BASE : All prices given above are Ex- works – Ahmedabad.

APPLICABLE TAX : Applicable taxes will be charged extra.(GST – 18%)

OCTROI & OTHER CHARGES: Octroi or any other expenses are to be born by the " CONSIGNEE "

DELIVERY TIME : 20 TO 25 DAYS from the date of commercially cleared purchase Order with advance payment or receipt of approval for input dimensions along with required Samples, which ever is later.

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

PACKING & FORWARDING CHARGES : Packing & forwarding charges will be

Charged extra. Transportation charges will be born by the " CONSIGNEE. "

Our responsibility ceases once the goods are delivery from our premises

.

INSURANCE : Transit insurance against theft, pilferage, breakages etc. Will

be arranged at a extra cost otherwise it will be assumed that the goods are

to be sent at your risk. The cost of transit insurance to be born by the

" CONSIGNEE

TERMS OF PAYMENT : 50% Advance along with the confirmation of order &

balance against our pro-forma invoice at the time of inspection before delivery of the machine from our works.Ownership of the goods shall remain with us until the full invoice value of the goods is received by us.

COMMISSIONING : For commissioning of the machines at your site we will depute one of our experienced engineer to complete the installation.But for that customer should intimate us in advance after the completion of the required utilities.

ORDER MODIFACATIONS OR CANCELLATION OF ORDER.: The purchaser

shall not be entitled to cancel or modify the Purchase order except our written consent. Any change in the order Will be accepted at our discretion only.

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com

SHIVAM PHARMA & PACKAGING MACHINE

Mfg. & Exporters: All type of Pharmaceutical & Packaging Machinery,

Food & Beverages Machinery, Pesticide Packaging Machinery

==========

WARRANTY : We offer one year warranty from the date of dispatch. The warranty is for manufacturing defect only & will not cover any electrical & electronic components.

VALIDITY OF QUOTATION : This quotation is valid up to a period of 30 days only.

JURISDICTION : We pray god that no legal proceeding will arise between us But If any dispute will arise the Jurisdiction will be " AHMEDABAD"ONLY.

For more details contact me.

Jalpesh 7990935706

Thank you (sspm)

Works & Office: Plot No. 91, Platinum Industrial Park, SLM Mill Compound, Nr. Vatva Railway Station,Vatva, Ahmedabad-382445 (Gujarat) INDIA.

Mobile: 7990935706

E-mail :shivampharma155@gmail.com