




ELEVATION




PLAN




SIDE VIEW

Curve Type MS Shutter SLATS



TECHNICAL SPECIFICATIONS		
SHUTTER SIZE - DW 3000 x DH 3400MM - 2 NOS		
SR NO	DESCRIPTION	SPECIFICATION
1.	SOLID SLAT	1 mm THK MS SLAT
2.	HONEYCOMB GRILL SIZE	3000(W) X 1000(H)
3.	M.S.GUIDE TYPE & SIZE	U GUIDE OF 75X2MM THK
4.	MOTOR & HOOD COVER 0.9 mm	1/SHUTTER + 1/SHUTTER
5.	BOTTOM	STURDY ALLUMINIUM BOTTOM PROFILE WITH ANGLE STIFFNER WITH RUBBER SAFTEY EDGE
6.	WIND LOCK	NOT CONSIDERED
7.	SAFETY BREAK	NOT CONSIDERED
8.	CABLE WITH CONDUIT	CONSIDERED
9.	CHAIN	UP TO MAN HEIGHT
10.	MOTOR LOCATION	RH SIDE
11.	SHUTTER MTG LOCATION	INSIDE
12.	SHUTTER MOUNTING BASE	M.S. STRUCTURE (IN CLIENT SCOPE)
13.	APPROVED RAL SHADE	AS CLIENT APPROVED RAL 1015 (IVORY)



ELEVATION

NOTE:-

1. ALL DIMENSION ARE IN MM.
2. SURFACE FINISH: POWDER COATING OF APPROVED RAL 1015 (IVORY)
3. MOUNTING: ON MS STRUCTURE WILL BE CLIENT SCOPE
4. THERE WILL BE JOINT IN MS GUIDE 75X2MM
5. ALL CIVIL WORK WILL BE IN CLIENT SCOPE
6. JIELONG MAKE MOTOR - CAPACITY 600 KG
7. 600 KG MOTOR SPEED 4.8 RPM

DW	DH	QTY
3000MM	3400MM	2NOS

Rev.No	Revision	Date	Revised By
2	QUANTITY CHANGED FROM 3 NOS TO 2 NOS & HONEYCOMB GRILL ADDED AS SHOWN IN DRG	17.07.2023	Nirmala
1	Required Motor capacity and RPM added in note	29.06.2023	Nirmala

This drawing & designing is the property of NIHVA TECHNOLOMSES. Not be sold or copy to any other concern.

NIHVA TECHNOLOGIES PVT. LTD.

MOTORIZED ROLLING SHUTTER
(INDIRECT DRIVE)

	NAME	DATE
DRAWN	SUJATA	21/06/2023
CHECK	A.K.	21/06/2023
APPRD	V.T.	21/06/2023

CLIENT - RBCC

PROJECT - ROLLING SHUTTER

SITE - PUNE

DWG. NO. -NIHVA/CLT/23-24/035 | REV.02

SCALE: 01 | WT: | SHEET: 01 OF 01

If any queries contact : design1@nihva.com