CLIENT

WEIGHT ESTIMATION SHEET

CLIENT	ROHAN BUILDERS	DATE	20-02-2025
PROJECT	Motorised Telescope Sliding Gate (One side opening)	LOCATION	Pune
FINISH SIZE	9 m x 2 m (OVERALL LENGTH)	PREPARED BY	BHARATI


SR	DESC	DETAILS	MATERIAL GRADE	SP.GRAVITY	DIA	WIDTH	HEIGHT	THICKNESS	LENGTH	UOM	QUANTITY	WEIGHT	REMARK
1	SINGLE LEAF (4000 MM X 2000 MM)	Tube - Outer Frame	MS	7.85		100	100	3	12000	mm	1	108	239
		Vertical Inner Support - Tube	MS	7.85		32	32	2	72000	mm	1	132	
2		Post	MS	7.85		100	100	3	17600	No's	1	18	
3	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	20				22	M	1	57	
		If ISMB Beam 100 x 50 in our scope	MS	7.85					22	M	1	233	
		Wire Rope							24	M	1		
		wire rope mechanisum								no's	3		
		Rack & pinion (only for master leaf)							4	M	1		
4	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	6		
		Nylon Roller with bearing(dia 50 x 50 mm)								No's	12		
										Weight For Required Qty	1	548	
										Weight Including Safety Factor	1.5	822	

Mode Of Operation = Motorised

Motor Selection = According | 358.9 | kg | MOTOR REQUIRED - RB400BDKCE

Tow Tube CD = 100 mmm

REFERENCE IMAGE



3 Leaf -4 x 2 M

CLIENT

WEIGHT ESTIMATION SHEET

CLIENT	ROHAN BUILDERS	DATE	20-02-2025
PROJECT	Motorised Telescope Sliding Gate (One side opening)	LOCATION	Pune
FINISH SIZE	8.4 m x 2 m (OVERALL LENGTH)	PREPARED BY	BHARATI


SR	DESC	DETAILS	MATERIAL GRADE	SP.GRAVITY	DIA	WIDTH	HEIGHT	THICKNESS	LENGTH	UOM	QUANTITY	WEIGHT	REMARK
1	SINGLE LEAF (3300 MM X 2000 MM)	Tube - Outer Frame	MS	7.85		100	100	3	10600	mm	1	95	204
		Vertical Inner Support - Tube	MS	7.85		32	32	2	59400	mm	1	109	
2		Post	MS	7.85		100	100	3	17600	No's	1	18	
3	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	20				18	M	1	47	
		If ISMB Beam 100 x 50 in our scope	MS	7.85					18	M	1	191	
		Wire Rope							20	M	1		
		wire rope mechanisum								no's	3		
		Rack & pinion (only for master leaf)							3.5	M	1		
4	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	6		
		Nylon Roller with bearing(dia 50 x 50 mm)								No's	12		
										Weight For Required Qty	1	460	
										Weight Including Safety Factor	1.5	690	

Mode Of Operation = Motorised

Motor Selection = According | 305.5 | kg | MOTOR REQUIRED - RB400BDKCE

Tow Tube CD = 100 mmm

REFERENCE IMAGE



3 Leaf -3.3 x 2 M

CLIENT


WEIGHT ESTIMATION SHEET

CLIENT	ROHAN BUILDERS	DATE	20-02-2025
PROJECT	Wicket Gate	LOCATION	Pune
FINISH SIZE	1.2 m x 2 m	PREPARED BY	BHARATI

SR	DESC	DETAILS	MATERIAL GRADE	SP.GRAVITY	DIA	WIDTH	HEIGHT	THICKNESS	LENGTH	UOM	QUANTITY	WEIGHT	REMARK
1	SINGLE LEAF (1.2M X 2M)	Tube - Outer Frame	MS	7.85		100	100	3	6400	mm	1	57	97
		Vertical Inner Support - Tube	MS	7.85		32	32	2	21600	mm	1	40	Weight OF leaf
3	Accessories	Hinges	MS	7.85						No's	2	0	
		Manual Lock	MS	7.85						No's	1		
		Tower Bolt	MS	7.85						No's	1		
										Weight For Required Qty	1	97	
										Weight Including Safety Factor	1.5	145	

Mode Of Operation = Manual

REFERENCE IMAGE



Leaf -1.2 x 2 M= 4NOS

CLIENT

WEIGHT ESTIMATION SHEET

CLIENT	ROHAN BUILDERS	DATE	20-02-2025
PROJECT	manual Sliding Gate (One side opening)	LOCATION	Pune
FINISH SIZE	9 m x 2 m (OVERALL LENGTH)	PREPARED BY	BHARATI

SR	DESC	DETAILS	MATERIAL GRADE	SP.GRAVITY	DIA	WIDTH	HEIGHT	THICKNESS	LENGTH	UOM	QUANTITY	WEIGHT	REMARK
1	SINGLE LEAF (9000 MM X 2000 MM)	Tube - Outer Frame	MS	7.85		100	100	3	23000	mm	1	206	338
		Vertical Inner Support - Tube	MS	7.85		32	32	2	72000	mm	1	132	
2		Post	MS	7.85		100	100	3	17600	No's	1	18	
3	Bottom Track	En 8 Bright Hardchrome Bar	En8	7.85	20				22	M	1	57	
		If ISMB Beam 100 x 50 in our scope	MS	7.85					22	M	1	233	
4	Accessories	Bottom Side wheel Assembly (4 inch)	MS	7.85						No's	2		
		Nylon Roller with bearing(dia 50 x 50 mm)								No's	6		
										Weight For Required Qty	1	646	
										Weight Including Safety Factor	1.5	969	

Tow Tube CD = 100 mmm

REFERENCE IMAGE

