NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

Letter of Introduction

To

Dear Sir,

"NIHVA" We are pleased to introduce ourselves as **NIHVA Technologies** as one of the Pioneers in offering intelligent, innovative and integrated Automation Solutions

We take pride that our product & service range is offered with a high level of working safety, comfort, functionality and supported by services and added value solutions.

Our scope of work start from understand need, real requirement, application, site visit, consulting, design & customization, supply, installation and commissioning with complete service back-up. while adhering to safety, health & environmental standards & thus we are able to serve with the best quality services and products to our customer like you.

"NIHVA" Business activities:

- **Door Automation :** High speed doors, Sectional doors, Hanger doors, Dock levelers, Dock shelters, Dock house, Mot. Rolling shutters, sliding gates, Fire rated rolling shutters/ sliding doors / Fire curtains, Scissor lifts Atex certified Explosion proof/ Falme proff High speed doors and rolling shutters,
- **Roof Automation** : Domes, Auto. vertical sliding windows, auto. Swing pool covers and deck and roof automation

Each solution is tailored to meet the specific operational, safety, and regulatory requirements of the application.

"NIHVA" has always been strongly supported by world leaders in automation. Our commitment is to execute projects with highest quality, on time & within the budget,

Our Reputation built on strong 4 columns i.e. EXPERIENCE – SKILLS – ABILITY - INNOVATIONS

Our Sales & Service Support –

- West : Pune, Mumbai, Nagpur, Nasik, Ahmadabad, Surat, Vadodara, Indore, Goa,
- South : Chennai, Bangalore, Hyderabad
- North : Delhi, Chandigarh

Our Strength	You will get
• World class quality and reliability	Save / reduction in TIME, MONEY & ENERGY
• On time delivery	Comprehensive Solutions to your needs
• Promise is Promise	Satisfaction

NIHVA TECHNOLOGIES PVT. LTD.

Who We Are :

NIHVA Technologies is headquartered in **Pune, Maharashtra (India)** and operates on a **Pan-India execution model**. We are a young and fast-growing organization, supported by **years of industrial experience**, strong engineering capability, and partnerships with **globally recognized leaders in Automation**. Having Manufacturing facility in Pune more then 40,000 sqft area.

Our organization is structured to deliver **complete project responsibility**, covering:

- Engineering & system design
- Manufacturing & system integration
- Installation & commissioning
- Testing, validation & handover
- After-sales service & lifecycle support

This integrated approach allows us to deliver projects **on time, within cost, and in full compliance with safety and quality standards**.

Our Vision : Our vision is to be a **trusted leader in "Automation Solutions"**, recognized for:

- Technical excellence
- Continuous innovation
- Quality-driven execution
- Total customer satisfaction

By adding **operational intelligence** to customer processes, we enable our clients to achieve their business objectives more efficiently and sustainably.

Our Mission : Our mission is to deliver **advanced automation solutions and services** by leveraging:

- Leading-edge information and communication technologies
- Proven automation platforms
- Strong engineering expertise
- Best-in-class project execution practices

We aim to consistently exceed customer expectations by delivering **reliable, scalable, and future-ready solutions**.

Our Core Purpose : Our core purpose is to provide **optimized and integrated automation solutions** that help individuals and organizations **save time, effort, and cost**, while enhancing operational intelligence and long-term sustainability.

We strive to inspire progress through **innovative technologies, intelligent designs, and reliable execution**, contributing not only to business success but also to broader social and economic prosperity.

Engineering-Driven Organization : NIHVA is fundamentally an **engineering-led company**. Our strength lies in our ability to translate operational requirements into **practical, safe, and high-performance automation solutions**.

Design & Engineering : Our experienced design and engineering teams focus on:

- Application-specific system design
- Compliance with relevant standards and safety norms
- Optimized performance and energy efficiency
- Ease of operation, maintenance, and future expansion

Every solution is engineered to match the **exact requirements of the application**, rather than offering generic or off-the-shelf configurations.

Manufacturing & System Integration : NIHVA follows controlled manufacturing and system integration practices to ensure:

- Consistent product quality
- Reliable performance under industrial conditions
- Seamless integration with customer infrastructure

Our systems are assembled, tested, and validated before dispatch to minimize site risks and ensure smooth commissioning.

Installation, Commissioning & Project Execution : We understand that **execution defines success**. NIHVA's trained operational teams ensure:

- Safe and structured site execution
- Compliance with project schedules
- Minimal disruption to ongoing operations
- Thorough testing, commissioning, and documentation

Our commitment is simple: **deliver what we promise—on time and without compromise**.

Quality as a Core Commitment : Quality at NIHVA is not a department—it is a **shared responsibility across the organization**.

Quality Policy

NIHVA is committed to understanding and meeting the **current and future needs of our customers** through:

- Continual improvement of the Quality Management System
- Employee involvement at all levels
- Focus on customer service, reliability, and innovation

We set measurable objectives, review performance regularly, and continually enhance our systems and processes.

Management Systems & Process Discipline : NIHVA operates with structured management systems that support sustainable growth and consistent delivery:

- **Policy Deployment** for alignment of goals and actions
- **Training & Development** for continuous skill enhancement
- **CRM, ERP, and HRM systems** for operational transparency and control

These systems ensure that our commitments are backed by robust internal processes.

Human Capital – Our Greatest Asset : Our success is driven by a dedicated team across:

- Design & engineering
- Operations & project execution
- Sales & application support
- Service & maintenance

Our culture emphasizes **ownership, accountability, continuous improvement, and teamwork**, empowering employees to deliver excellence.

Service & Lifecycle Support : NIHVA provides **strong after-sales service and support**, ensuring long-term system reliability. Our service capabilities include:

- 24×7 support availability
- Preventive and corrective maintenance
- Rapid response by trained service personnel

We believe in standing by our customers well beyond project completion.

Our Strengths :

- Strong support from **global automation technology leaders**
- Qualified sales and application engineering team
- Reliable after-sales service network
- Customized solutions aligned to customer operations
- Wide product range with consistent quality
- Professional, dependable, and transparent execution

Why NIHVA : Clients choose NIHVA because we offer more than products—we deliver **confidence and commitment**.

- Execution within committed timelines
- Engineering solutions designed for real-world performance
- 24×7 service capability
- Long-term partnership approach
- **“Commitment Beyond Contract”**

At NIHVA Technologies, we believe that every project is a partnership built on **trust, engineering excellence, and shared success**. We look forward to the opportunity to understand your requirements and contribute to your operational goals through intelligent automation solutions.

We would be pleased to engage further and explore how NIHVA can support your current and future automation needs.

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

Door Automation Solutions -

Indian / Imported doors are available according to the application and site requirements. We are associated with MNC's, construction companies, Contractors, Consultants, Architect & Builders. Wide experience in this field of Door automation around the world with strong technical, Installation & service back up.









Sliding-Folding Doors

Sectional Doors



High speed Doors



Fire rated Sliding Doors / Rolling Shutters

-

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.



Special (Customised) doors







Boom Barriers / Turnstiles / Bollards

Thank you very much for your opportunity and trust. We assure you our best services all time.
If you need any further information/assistance, pl. revert back to us.

NIHVA TECHNOLOGIES PVT LTD.

Address NIHVA Technologies Pvt Ltd :

Corporate Office Address –

NIHVA Technologies Pvt. Ltd.

187, G-Block, Thermax Chowk, MIDC

Chinchwad, Pune – 411019.

Mfg facility Address –

NIHVA Technologies Pvt Ltd.

Behind Jyotiba temple

Gat no-199, near JK automation pvt Ltd

Jyotiba Nagar Talwade, Pune, Maharashtra 411062


आयकर विभाग
INCOME TAX DEPARTMENT
भारत सरकार
GOVT. OF INDIA
NIHVA TECHNOLOGIES PRIVATE LIMITED
05/07/2012
Permanent Account Number
AAECN0437H
17072012

सत्यमेव जयते

Government of India

Form GST REG-06

[See Rule 10(1)]

Registration Certificate

Registration Number : 27AAECN0437H1ZM

1.	**Legal Name**	NIHVA TECHNOLOGIES PRIVATE LIMITED			
2.	**Trade Name, if any**	NIHVA TECHNOLOGIES PRIVATE LIMITED			
3.	**Constitution of Business**	Private Limited Company			
4.	**Address of Principal Place of Business**	FIRST FLOOR ABOVE RENAULT SHOWROOM, PLOT NO-187, G-BLOCK, THERMAX CHOWK MIDC, CHINCHWAD, Pune, Maharashtra, 411019			
5.	**Date of Liability**	01/07/2017			
6.	**Period of Validity**	From	01/07/2017	To	NA
7.	**Type of Registration**	Regular			
8.	**Particulars of Approving Authority**				
Signature					

Name	
Designation	
Jurisdictional Office	
9. Date of issue of Certificate	28/07/2018
Note: The registration certificate is required to be prominently displayed at all places of business in the State.	

This is a system generated digitally signed Registration Certificate issued based on the deemed approval of application on 01/07/2017 .



Annexure A

GSTIN	27AAECN0437H1ZM
Legal Name	NIHVA TECHNOLOGIES PRIVATE LIMITED
Trade Name, if any	NIHVA TECHNOLOGIES PRIVATE LIMITED

Details of Additional Places of Business

Total Number of Additional Places of Business in the State	0

सत्यमेव जयते

Annexure B

GSTIN	27AAECN0437H1ZM
Legal Name	NIHVA TECHNOLOGIES PRIVATE LIMITED
Trade Name, if any	NIHVA TECHNOLOGIES PRIVATE LIMITED

Details of Managing / Whole-time Directors and Key Managerial Persons

1		Name	VIJAY MAHADEO TARAK
		Designation/Status	DIRECTOR
		Resident of State	Maharashtra

NIHVA
We Make Possible

Our services:

Consultation Service for Complete Door Opening Solution

NIHVA is the emerging brand in door opening solutions in INDIA, dedicated to satisfying end-user needs for security, safety and convenience. NIHVA is represented in all major regions, on both mature and emerging markets.

Specification

All of our schedules are computer generated to ensure clarity in the materials specified and the materials to be ordered. The information presented will directly correlate with the individual door locations as found on supplied drawings. We follow CSI format for specifications and can also adapt to client's format as well. We have GAI qualified Specification writers with immense Ironmongery and Entrance Door experience in this region.

Technical Support

We have a team of experts based in Pune who are available **24×7** to provide technical assistance about our products at any level of the project.

Project Co-ordination

We will undertake to ensure that the materials specified will be fit for purpose across the various trades and where necessary meet the standards as stipulated by the local governing authority.

As an international company we are also capable of integrating products, which comply with different national standards.

After Sales Service

All projects are provided with full maintenance manuals where required. These will include full adjustment and service details as provided by the manufacturer of each specific product.

Warranty certificate will be provided for all the products supplied and/or installed. Packing and marking will be made in accordance with the project requirements. Please visit our website http://www.nihva.com for further information.

QUALITY ASSURANCE PLAN

NIHVA
NIHVA TECHNOLOGIES PVT. LTD.

CUSTOMER : All
DRAWING NO : As per the product part nos

SR. NO.	COMPONENTS/ OPERATION	CHARACTERISTICS CHECKS	CATEGORY	TYPE/METHOD OF CHECK	EXTENT OF CHECK	REFERENCE DOCUMENTS	ACCEPTANCE NORMS	FORMAT OF RECORD	AGENCY 1	2	3	4	REMARKS
A)	RAW MATERIAL												
1	Raw material inspection as per inspection plan	Chemical and Physical Properties	MAJOR	Metallurgical and physical testing	As per inspection plan	AS PER COMPONENT DRAWING	RAW MATERIAL GRADE AS PER NIHVA COMPONENT DRAWINGS	------	P	P	------	-----	
B)	RECEIVING INSPECTION												
1	Receiving ispection of parts as per Quality plan	DIMENSIONAL & VISUAL and material	MAJOR	MEASUREMENT	As per Sampling plan	AS PER COMPONENT DRAWING	NIHVA COMPONENT DRAWING	SUPPLIER INSPECTION REPORT	P	P	-----	----------	
C)	IN PROCESS INSPECTION												
1	First piece and Stage inspection	DIMENSIONAL & VISUAL	MAJOR	MEASUREMENT	As per control plan	INSPECTION PLAN	NIHVA ASSEMBLY DRAWING AND CONTROL PLAN	INSPECTION REPORT	P	----	-----	----------	
1	ASSEMBLY	DIMENSIONS & VISUAL	MAJOR	MEASUREMENT	As per control plan	INSPECTION PLAN	ASSEMBLY CONTROL PLAN		P	----	-----	----------	
2	PERFORMANCE TESTING	MANUAL	MAJOR	TESTING	100%	AS PER TEST PROCEDURE AND WORK INSTRUCTION	AS PER TEST PROCEDURE NO AND CONTROL PLAN	TEST REPORT / RECORD	P	----	-----	----------	
3	PAINTING / PLATING / SURFACE TREATMENT	VISUAL	MAJOR	VISUAL, ADHESION TEST	100%	AS PER DRAWING	DRAWING / STANDARD	INSPECTION REPORT / RECORD	P	----	-----	----------	
D)	FINAL INSPECTION	PRE DISPATCH INSPECTION	MAJOR	VISUAL / DIMESIONAL	100%	CHECKLIST	NIHVA ASSEMBLY DRAWING	PDI REPORT	P	----	-----	----------	

FINAL INSPECTION - 100% INSPECTION / TEST BY NIHVA. NECESSARY DOCUMENTS WILL BE SUBMITTED AS PER CUSTOMER REQUIREMENT.

AGENCY :-
1 - NIHVA
2 - SUB SUPPLIER
3 - CUSTOMER
4 - 3RD PARTY INSPECTION AGENCY

P - PERFORM
W - WITNESS
V - VERIFY / REVIEW

FOR NIHVA Technologies Pvt. Ltd.

Authorized Signatory

NIHVA TECHNOLOGIES PVT. LTD. PUNE

UltraLite®UV2 3.0 mm Solid Polycarbonate Sheet Clear

UltraLite® UV2, 3.0 mm clear sheets are made from clear-transparent Makrolon polycarbonate Resin with UV protection on both sides. They are the perfect choice for a long service life owing to their good weathering resistance. These attributes are backed up by our 10 year limited manufacturing guarantee on weathering resistance and a 10-year guarantee on retaining their mechanical properties.

Color:- Clear

Thickness: 3.00 mm

UV absorbant layer thickness:- 50µ

Light Transmission:- 88±3%

Available Sizes are: UltraLite® UV2 According to thickness available sizes are as following.

1220X2440 MM , 2050X 3050 MM
1220X30500MM,2050X30500 MM

(Other sizes are available on request and also according to transportation facility.)

Application: UltraLite® UV2 is ideal for outdoor and indoor applications:

- covered walk ways and bus shelters, signboards
- barrel vaults and skylights

Product data sheet 2021

UltraLite® UV2 solid sheets
3.0 mm SOLID POLYCARBONATE SHEET CLEAR
Silent, Safe, Sustainable
PC Sheets – Make in India

Advantages:


Extreme Impact strength
Virtually unbreakable
Good fire rating
Thermoformable
Good Light transmission
ISI approved
Both side UV Coated

Recyclable



Technical data

Property	Test condition	Typical Values	Unit	Test Method
Physical				
Density		1.2	g/cm3	ASTMD792
Moisture absorption	23°C/50%RH	0.15	%	ASTMD570
Refractive Index		1.58	-	ASTMD542
Mechanical				
Tensile stress at yield		>60	MPa	ASTMD638
Tensile Strength		>60	MPa	ASTMD638
Elongation at break		110	%	ASTMD638
Elastic Modulus		2400	MPa	ASTMD638
Limiting Flexural stress		93.1	MPa	ASTMD790
Impact Strength Izod	Un notched @3.17	NB	J/cm	ASTMD256
Impact Strength Izod	Notched @3.17	8.54	J/cm	ASTMD256
Rockwell Hardness		118	R	ASTMD785
Thermal				
Thermal conductivity		0.2	W/mK	ASTMDC177
Coeff, of liner thermal expansion		0.065	Mm/m °C	DIN 53752-A
HDT under load	1.80 Mpa	132	°C	ASTMD648
	0.45 Mpa	142	°C	ASTMD648
Electrical				
At 3.0 mm thickness Dielectric Strength		15	kV/mm	ASTMD149
Volume resistivity		10^{16}	Ohm ·cm	ASTMD257
Surface resistivity		10^{14}	Ohm	IEC 60093
Dielectric constant	At10Hz	3		ASTMD150
	At60Hz	3.17		ASTMD150
Dissipation factor	At60Hz	0.0009		ASTMD150
At 3.0 mm thickness Fire rating≤	Based on resin test	V2		UL 94



*The mechanical properties were measured on sheets of 4mm or 3mm thickness.

Product Liability Clause: This information and our technical advice whether verbal, in writing or by way of trials are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided especially that contained in our safety data and technical information sheets–and to test products as to their suitability for the intended processes and uses. The application, use and process in go for products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery

UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER — **UDYAM-MH-26-0122417**

NAME OF ENTERPRISE — **M/S NIHVA TECHNOLOGIES PRIVATE LIMITED**

TYPE OF ENTERPRISE *

SNo.	Classification Year	Enterprise Type	Classification Date
1	2025-26	Small	01/04/2025
2	2024-25	Small	27/04/2024
3	2023-24	Small	09/05/2023
4	2022-23	Small	26/06/2022

MAJOR ACTIVITY — **MANUFACTURING**

SOCIAL CATEGORY OF ENTREPRENEUR — **GENERAL**

NAME OF UNIT(S)

S.No.	Udyog Aadhaar Memorandum	Unit(s) Name
1	MH26A0007385	M/S NIHVA TECHNOLOGIES PVT. LTD.

OFFICAL ADDRESS OF ENTERPRISE

Flat/Door/Block No.	187	Name of Premises/ Building	Renault showroom
Village/Town	Thermax Chowk	Block	G Block MIDC
Road/Street/Lane	chinchwad	City	pune
State	MAHARASHTRA	District	PUNE , Pin 411019
Mobile	8551093333	Email:	account@nihva.com

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE — **05/07/2012**

DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS — **05/07/2012**

NATIONAL INDUSTRY CLASSIFICATION CODE(S)

SNo.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	25 - Manufacture of fabricated metal products, except machinery and equipment	2511 - Manufacture of structural metal products	25119 - Manufacture of other structural metal products	Manufacturing
2	28 - Manufacture of machinery and equipment n.e.c.	2816 - Manufacture of lifting and handling equipment	28162 - Manufacture of other lifting and handling equipment and parts thereof	Manufacturing
3	74 - Other professional,	7410 - Specialized design activities	74109 - Other specialized design activities n.e.c.	Services

	scientific and technical activities			
4	**74 - Other professional, scientific and technical activities**	**7490 - Other professional, scientific and technical activities n.e.c.**	**74909 - Other professional, scientific and technical activities n.e.c.**	**Services**
5	**33 - Repair and installation of machinery and equipment**	**3320 - Installation of industrial machinery and equipment**	**33200 - Installation of industrial machinery and equipment**	**Manufacturing**
6	**28 - Manufacture of machinery and equipment n.e.c.**	**2829 - Manufacture of other special-purpose machinery**	**28299 - Manufacture of other special-purpose machinery n.e.c.**	**Manufacturing**

DATE OF UDYAM REGISTRATION **25/06/2021**

* **In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.**

Disclaimer: This is computer generated statement, no signature required. Printed from https://udyamregistration.gov.in & Date of printing:- 21/06/2025

For any assistance, you may contact:

1. District Industries Centre: **PUNE (MAHARASHTRA)**

2. MSME-DFO: **MUMBAI (MAHARASHTRA)**

CLIENT	**:**	**OBEROI REALTIY**
SITE	**:**	**?, MUMBAI**
LOCATION	**:**	**MUMBAI, MHARASHTRA**
NO.	**:**	**-**
DOCUMENT NO.	**:**	**DBR-R00**

R00	28-06-2025	Design report	R.H.B	H.A.B	H.A.B
Rev No.	**Date**	**Description**	**Prepared By**	**Checked By**	**Approved By**


TABLE OF CONTENTS

Sr. No	Contents	Page No.
1	Design Philosophy	3
2	Design Codes and Standards	4
3	Material Specifications Construction	4
4	Load Calculations	5
4.1	Dead Load	5
4.2	Live Load	6
4.3	Wind Load Calculations	7
5	Deflection Check	8
6	Primary Loads and Load Combinations	8

1. Design Philosophy

This document pertains to structural design of **retractable roof**, Mumbai, Maharashtra at 215m from ground level. The overall size of the frame is 4.638x 3.4 x 0.7m high. The main sliding frame is of mild steel material. The wind load is worked out from IS 875 Part III. The various DL and LL acting at different points on frame are transferred to the nearest columns through the grid of beams.

The complete frame is modelled as 3D frame and analysed/designed for worst combination of loads through STAAD.pro. Input and output files are enclosed which are self-explanatory. From the STAAD output, the support reactions for various primary load cases are tabulated and the base plate, shear keys and foundation bolts are designed accordingly. Foundation design shall be done using appropriate load combinations for reactions given in this document.



2. DESIGN CODES AND STANDARDS

Code / Standard	Applicability	Remark
IS800-2007	Design of steel structures	--
IS 875-Part III	For wind load calculation	--
IS 875-Part I	For dead load calculation	--

3. MATERIAL SPECIFICATION FOR CONSTRUCTION

Sr.no	Material	Specification	Minimum Strength
1	Mild steel	IS2062	Fy = 210 N/mm^2


4. LOAD CALCULATIONS

4.1 DEAD LOAD

SELFWEIGHT FACTOR = 1

Dead load for glass/sheet assumed = 5 Kg/m^2 i.e. 0.05 kN/m^2


Member c/c spacing of 0.83m = 0.83x0.05 = 0.0415kN/m



4.2 LIVE LOAD

Live load assumed = 0.75 kN/m^2

Member c/c spacing of 0.83m = 0.83x0.75 = 0.6225kN/m




4.3 WIND LOAD


For wind load calculation, following IS code is referred: - "IS 875 Part III"

DESIGN WIND PRESSURE CALCULATION				
Sr no:	**Description**	**Value**	**Unit**	**Remarks**
1	V_b Basic Wind Speed	44	m/s	As per Apendix A (IS-875 Part 3)
2	K1 (risk coefficient)	1		For Design life span of 50 yrs. As per IS 875 Part III (table-1)
3	K2 (Terrain roughness and height factor) select terrain cat.	Catagory1		
	K2 for height 10m	10	1.05	As per IS 875 Part III (table-2), Cat-2, As per Ht
	K2 for height 15m	15	1.09	
	K2 for height 20m	20	1.12	
	K2 for height 30m	30	1.15	
	K2 for height 50m	50	1.2	
	K2 for height 100m	100	1.26	
	K2 for height 150m	150	1.32	
	K2 for height 200m	200	1.33	
	K2 for height 250m	250	1.34	
4	K3 (topography factor)	1		Clause 6.3.3 IS 875 part III
5	K4 (Importance factor for Cyclonic region.)	1.15		Clause 6.3.4 IS 875 part III
6	K_a (Area Averaging factor)	0.91		As per IS 875 Part III (table-4)
7	K_d (Wind Directionality Factor)	0.9		Clause 7.2.1 IS 875 part III
8	K_c (Combination Factor)	0.9		Clause 7.3.3.13 IS 875 part III
	Vz=	Vb*K1*K2*K3*K4		
	Vz (For 10m ht)	53.13	**m/s**	Vz= Vb*K1*K2*K3*K4
	Vz (For 15m ht)	55.154	**m/s**	
	Vz (For 20m ht)	56.672	**m/s**	
	Vz (For 30m ht)	58.19	**m/s**	
	Vz (For 50m ht)	60.72	**m/s**	
	Vz (For 100m ht)	63.756	**m/s**	
	Vz (For 150m ht)	66.792	**m/s**	
	Vz (For 200m ht)	67.298	**m/s**	
	Vz (For 250m ht)	67.804	**m/s**	
	Pz (For 10m ht)	1.69	kN/m2	$Pz = 0.6(Vz)^2$
	Pz (For 15m ht)	1.83	kN/m2	
	Pz (For 20m ht)	1.93	kN/m2	
	Pz (For 30m ht)	2.03	kN/m2	
	Pz (For 50m ht)	2.21	kN/m2	
	Pz (For 100m ht)	2.44	kN/m2	
	Pz (For 150m ht)	2.68	kN/m2	
	Pz (For 200m ht)	2.72	kN/m2	
	Pz (For 250m ht)	2.76	kN/m2	
	Ka*Kd*Kc =	0.74		**Use this value**
	Hence Use pd (For 10m Ht)	1.25	kN/m2	
	Hence Use pd (For 15m Ht)	1.35	kN/m2	
	Hence Use pd (For 20m Ht)	1.42	kN/m2	
	Hence Use pd (For 30m Ht)	1.50	kN/m2	
	Hence Use pd (For 50m Ht)	1.63	kN/m2	
	Hence Use pd (For 100m Ht)	1.80	kN/m2	
	Hence Use pd (For 150m Ht)	1.98	kN/m2	
	Hence Use pd (For 200m Ht)	2.01	kN/m2	
	Hence Use pd (For 250m Ht)	2.04	kN/m2	

Assuming roof of elevated structure,



L =	4.6
H =	0.7
H/l =	0.15
C=	-0.852
C2 =	0.055
Assuming center to center spacing of 0.83m	
Wind load in area	
C (kN/m)=	-1.44
C2(kN/m)=	0.09
Cpe =	-0.7
Assuming center to center spacing of 0.83m	
Wind load in area	
Cpe(kN/m)=	-1.18



5. Deflection check at building top in Z direction

Refer node no. –30 of staad file for load combination 202

Max. Deflection in Y dir. = 1.94 mm < L/250 = (IS 800-2007 table 6)

.... Hence ok.

6. PRIMARY LOADS & LOAD COMBINATIONS

6.1 PRIMARY LOADS

Load 1 Dead Load (DL)

Load 2 Live Load (LL)

Load 3 Wind Load Pressure (WLX)

Load 4 Wind Load Suction (WLZ)

Load 5 Wind Load Suction (WL-X)

Load 6 Wind Load Suction (WL-Z)

6.2 LOAD COMBINATIONS

Load Combination for strength:-

1.5 DL + 1.5 LL
1.5 DL + 1.5 WLX
1.5 DL + 1.5 WLZ
1.5 DL + 1.5 WL-X
1.5 DL + 1.5 WL-Z

Load Combination for serviceability:-

DL + LL
DL + WLX
DL + WLZ
DL + WL-X
DL + WL-Z
DL + 0.8 WLX
DL + 0.8 WLZ
DL + 0.8 WL-X
DL + 0.8 WL-Z

TÜVINDIA

Certificate

TÜVINDIA
TUV INDIA PVT. LTD.
ISO 9001:2015
www.tuv-nord.com/in QM 002

Management system as per

ISO 9001:2015

The Certification Body TUV INDIA PVT. LTD. hereby confirms as a result of the audit, assessment and certification decision according to ISO/IEC 17021-1:2015, that the organization

NIHVA TECHNOLOGIES PVT. LTD.
Head Office: Dream House, 187, G- Block, First floor, Thermax Chowk, MIDC, Chinchwad, Pune - 411019
Works – Gat No.199, Jyotiba Nagar, Talawade, Pune – 411062, Maharashtra, India

, Pune - 411019

operates a management system in accordance with the requirements of ISO 9001 : 2015 and will be assessed for conformity within the 3 year term of validity of the certificate.

Scope

A]. Design, Manufacture, Supply, Installation, Commissioning and Service of Cus-tomized Material Handling Equipment's for Industrial Applications.
B]. Development, Assembly, Supply, Installation, Commissioning and Service of Door Automation and Automation Solutions.

TUV INDIA PVT. LTD.
801, Raheja Plaza 1, L.B.S Marg,
Ghatkopar (W) Mumbai – 400 086,
India
www.tuv-nord.com/in

NABCB
QM 002

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT IAF

TÜV ®

TÜVNORDGROUP

TÜVINDIA

Certificate Registration No. **QM 03 02138**
Audit Report No. **Q 8451/2017**

Valid from **13.02.2024**
Valid until **28.01.2027**
Initial certification **29.01.2018**

Visit our database to verify the validity of this certificate.

Mumbai, **13.02.2024**

Certification Body at TUV INDIA PVT. LTD.

TUV INDIA PVT. LTD.
801, Raheja Plaza 1, L.B.S Marg,
Ghatkopar (W) Mumbai – 400 086,
India
www.tuv-nord.com/in

NABCB
QM 002

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT
IAF

TÜV ®

TÜVNORDGROUP

Hanger Door - Installed in India

Sr	Client Name	Project Name	Location	Door Size = (w) x (h)	Qty	Type
1	GMR Aero Technic Limited	GMR MRO	Hyderabad Airport	99m x 14.7m	1 no	VFLD
2	GMR Aero Technic Limited	GMR MRO	Hyderabad Airport	84.m x 14.7m / 23m	1 no	VFLD
3	CIAL	MRO	Cochin airport	48.5 X 13.4m	1 no	VFLD
4	Boeing	AFS - C17	Hindan - MRO	58m x 10.3 / 18.9m	2 nos	VFLD
5	AAR Indamer Technics Pvt Ltd	Indamer - MRO	Nagpur Airport	80m X 13.5m	1 no	VFLD
6	AAR Indamer Technics Pvt Ltd	Indamer - MRO	Nagpur Airport	40m X 10/13.5m	1 no	VFLD
7	GMR Aerotechniq	Paint Hanger	Hyderabad Airport	47m X 14m	1 no	VFLD
8	Integrated solutions (ISP)	Nvidia	Pune – Building	40m x 5.5m	3 nos	VFLD
10	Futura Travels	Essar - MRO	Mumbai airport	40m 13.5m	1 no	VFLD
11	Serum Institute	Serum - MRO	Pune	20m x 7m	1 no	VFLD
12	L&T (WIP)	Project sea bird - Indian Navy	Karwar – shipbuilding doors	28m x 47.5m	3 nos	VFLD
13	Suroj Buildcon	Air India - Hangers	Amravati	15m x 5m	4 nos	THSD
14	Malyali Builders	ISRO	Cochin - Kerla	14m x 5m	2 nos	THSD
15	Shree Prefab	Adani Defence	Hyderabad Airport	20m x 5m	1 no	THSD
16	Bestall Machin	Bestall	Vadodara	10m x 8m	1 no	THSD
17	Lastech Engg	Posco Steel	Mangaon	w 8m x 5m	20nos	THSD
18	Shapoorji	Bharat Forge Alstom	Ahmadabad	W20m x h 10m	02nos	VFLD

NIHVA

NIHVA TECHNOLOGIES PVT. LTD.

Head Office: 187, G-Block, 1st Floor, Thermax Chowk,
MIDC, Above Kotak and Saraswat Bank, Chinchwad, Pune - 411019

+91 85510 93333
+91 7410 1693 33

sales@nihva.com

www.nihva.com
www.shivaah.com

PROFORMA INVOICE

NIHVA TECHNOLOGIES PVT. LTD.

Address:Regd.Off.:8/1. CoromantHsg.Society,Sector27,
Pradhikaran,Nigdi,Pune- 411044.

Works Add : 187/G-Block, 1st Floor, Thermax Chowk, MIDC Above Renault Shwroom, Chinchwad, Pune - 411 019.

CIN No.	U72900PN2012PTC143948
PAN NO :	AAECN0437H
GSTIN NO.	27AAECN0437H1ZM
REGISTRATION UNDER NSIC NO - NSIC/GP/PUN 2016/44721	
REGISTRATION UNDER MSME ACT 2006 No- MH26A0007385	

P.INVOICE NO.:	NIHVA/24-25/16
P.INVOICE DATE:	20-07-2024
Order NO.:	RBG/CDPL/24-25/0121
Order Date:	12-07-2024

Details Of Receiver(Billed to)		Details Of Consignee (Shipped to)	
NAME:	CONTINENTAL DEVELOPERS	NAME:	CONTINENTAL DEVELOPERS
Address:	Mohaddipur, Chowk, Mohaddipur, Gorakhpur, Uttar Pradesh- 273001,India	Address:	Mohaddipur, Chowk, Mohaddipur, Gorakhpur, Uttar Pradesh- 273001,India
CIN No.			
State Code:	Uttar Pradesh 09	State Code:	27-MAHARASHTRA
PAN NO:	AAIFC9163C	PAN NO:	AAIFC9163C
GSTIN NO:	09AAIFC9163C1ZE	GSTIN:	09AAIFC9163C1ZE

SR. NO.	Description of Goods	HSN/SAC	Qty	Unit	Amount
1	**AUTOMATIC RETACTABLE ROOF** 5.1M (W) × 31.8M (L) 10 Panels Centre Opening				
2	**AUTOMATIC RETACTABLE ROOF** 5.5M (W) × 29.1M (L) 10 Panels Centre Opening				

Payment terms

40% advance against security chque		
25%against delivery of materials at site		
15% after start work at site		
20% after completion of work		

Total Taxable Value	
P & F Charges 3%	-
Transportations charges	-
Total	
IGST	-
CGST	
SGST	
R.O	-
Grand Total	
40% advance against security chque	

Due Amount

1. Please make all Payment by A/c payee cheque/RTGS/NEFT drawn in favour of NIHVA TECHNOLOGIES PVT. LTD.

2. Bank Details-A/c No-41810217860,Bank Name-State Bank Of India, IFSC No-SBIN0004523

I/We certify that registration certificate under GST Act. 2017 is in force on the date on which the supply of goods specified in this add our Tax Invoice is made by me/us & it should be shall be accounted for in the turnover of supplies while filing of return &the due tax if any payable on the supplies had been paid or shall be paid.
Further certified that the particulars given above are true and correct & the amount indicated represents the prices actually charged.

For NIHVA TECHNOLOGIES PVT. LTD.

Authorised Signatory

भारत सरकार
अंतरिक्ष विभाग (अं.वि.)
विक्रम साराभाई अंतरिक्ष केंद्र
तिरुवनंतपुरम 695022
क्रय यूनिट-III, आरएफएफ क्षेत्र

इसरो ISRO

GOVERNMENT OF INDIA
DEPARTMENT OF SPACE (DOS)
VIKRAM SARABHAI SPACE CENTRE
THIRUVANANTHAPURAM 695022
PURCHASE UNIT-III,SPRE,RFF AREA

फोन नं Ph No. 0471-2563775,3609,3617 / Fax. 0471-2562105 / ईमेल e-mail: spso_prso@vssc.gov.in

क्रय आदेश
PURCHASE ORDER

क्रयादेश सं / **Purchase Order No. A663 2024P026290101 | LO** दिनांक / **Dated: 24/10/2025**

सेवा में / **To**

मैसर्स / **M/s.** NIHVA TECHNOLOGIES PVT LTD
FIRST FLOOR,ABOVE RENAULT
SHOWROOM,PLOT NO-187,G
BLOCK,THERMAX CHOWK,MIDC,PUNE,
MAHARASHTRA, 411019, INDIA Fx
Ph 8551093333

विक्रेता कोड / Vendor Code : N01012

महोदय / Dear Sirs,

संदर्भ आपकी निविदा सं
Ref : Your tender No. VS202400262901

हमारी निविदा पूछताछ सं. 2024P0262901 दिनांक 23/01/2025 के उत्तर में उपर्युक्त संदर्भित निविदा के अनुसार आपके एजेंट द्वारा प्रस्तावित दरों पर, यहाँ पर उद्धृत एवं अनुलग्न फॉर्मःसंलग्न में उद्धृत निबंधन एवं शर्तों के अधीन निम्नलिखित की आपूर्ति की व्यवस्था करें।
Please arrange to supply the following at the rates offered by you / your agent vide tender as referred above in response to our Tender Enquiry No: 2024P0262901 Dated: 23/01/2025 subject to the terms and conditions set out here under and those mentioned in Annexure Form:

क्र.सं. S.No	विवरण Description	मात्रा Quantity	इकाई Unit	दर Rate(₹)	राशि Amount(₹)
1	Automatic Retractable Roof (with 1mm Aluminum Sheet and SS 304 Structure) as per Annexure I & II.	1			0

----------Terms and Conditions----------

1. Taxes and other costs, - GST extra as applicable rates.

Our GST Regn. No.: 32AAAGV0026J1ZL. Your tax invoice shall include HSN code and invariably bear your GST Registration No (GSTIN) and the applicable GST rates, in the absence of which, the invoice shall not be processed for payment.

2. Delivery Schedule - Items shall be supplied within 6 weeks from the date of receipt of PO. Installation, Commissioning & training shall be completed within 3 weeks from the date of receipt of intimation from VSSC on site readiness.

3. Liquidated Damages - The delivery schedule stipulated in the Purchase Order is the essence of the Contract. LD shall be levied beyond the delivery schedule mentioned above @ 0.5% of the order value per week or 0.5%

of the value of the stores for which the delivery/Installation is delayed for each week of delay, as the case may be, subject to a maximum of 5% of the order value.

In case of inordinate delay of more than one-fourth in completion period this maximum deduction shall be 10% of the total contract value.

इस फार्म के साथ प्रेषित रसीद की तत्काल पावती भेजें। यदि आपके द्वारा इस क्रय आदेश की प्राप्ति से सात दिनों के अंदर कोई उत्तर नहीं मिलता है तो यह माना जाएगा कि यह क्रय आदेश आपके द्वारा स्वीकार किया गया है।
Please acknowledge receipt immediately in the form sent herewith. If no reply is received within seven days from the date of receipt of this order by you, it will be deemed that this order has been accepted by you.

भवदीय / Yours faithfully,

PRASAD K
SR. HEAD PURCHASE & STORES
भारत के राष्ट्रपति के लिए एवं उनकी ओर से
For and on behalf of the President of India
(क्रेता The Purchaser)

[R] ORIGINAL COPY

Aria Investments

Address:
No.4/44,
Bheemanna Garden Streat,
Alwarpet,
Chennai – 600018.

Purchase Order

Dated As: 31-07-2025

About Vendor:

Company Name: NIHVA Technologies Pvt. Ltd.

Address: 187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk, MIDC, Chinchwad.

Phone: 7410169333

Ship To:

Name: Aria Investments
Contact Person – Ajit Kumar
Address: No.4/44, Bheemanna Garden Street, Alwarpet, Chennai – 600018.

Phone: 9080588033

Details	Quantity	Net Price	Total
Non-Comprehensive one time visit charges	1		
A. Mechanical: Check Points 1. Assembly checking, 2. Alignment, 3. Oiling/ greasing, 4. Other alignment & interlocking checking, 5. All Nuts-Bolts tightening. B. Electrical: Check Points 1. Main electric connections with motor & control panel connections, 2. Limit Switch Setting, 3. Control Box: Connectors, relay, overhead protection, switches, 4. And other Misc.			
		Amount	

Additional Notes:

Payment: 100% Advance.

ARIA INVESTMENTS ★ No. 4/44, Bheemanna Garden Road ★ Alwarpet, Chennai-18 ★

[Signature of Authorized Person]
[**Aria Investments**]

Purchase Order

Invoice To Address Transformers & Rectifiers (I) Ltd. Survey No. 427 P/3-4, & 431 P/1-2, Sarkhej-Bavla Highway,Moraiya, Ahmedabad Gujarat - 382213 (India)

Supplier Address
OTHS04790NIHVA TECHNOLOGIES PRIVATE LIMITED
FIRST FLOOR ABOVE RENAULT SHOWROOM
PLOT NO- 187, G-BLOCK, THERMAX CHOWK MIDC
CHINCHWAD,Pune, Maharashtra, 411019

Ship to Address Transformers & Rectifiers (I) Ltd. Survey No. 427 P/3-4, & 431 P/1-2, Sarkhej-Bavla Highway,Moraiya, Ahmedabad Gujarat - 382213 (India)

GST No:24AACCT8243P1ZV
CIN No:L33121GJ1994PLC022460
Fax No. :+91 2717 661716

Phone No. :
E-Mail : shemal.jethwa@transformerindia.com
Website : **www.transformerindia.com**

Design & install of Enclosers
Order No :**MPROJ0177Date :** 26-7-2024

Dear Sir / Madam , We are pleased to place our PO as per the following terms and conditions:

Pos.	Project No	Item Description	Del. Dt.	Unit	Ordered Qty	Price(INR)	Disc	Amount
10	MRQ003137	FA66DESNENCL Design and Installation Of Enclosers customized Design & Installation Of enclosers Area -vertical & Horizontal Winding, Assly, Tanking . Specification -As per Offer Attached Qty-1 Set (combined Set for All 3 Area) For Moraiya Unit. 1. Customized Design, Manufacturing and Installation of RR for Vertical machine winding shop (W)14m X (L)34m X (H)5m Set .01 2. Customized Design, Manufacturing Process and Installation of Horizontal Machine winding shop (W)14m X (L)40m X (H)5m Set.01 3. Customized Design, Manufacturing Process and Installation of Assembly Shop (Motorised) (W)7.5m X (L)12m X (H)6.5 m at Center X 6 panel (One side opening and stacking) Set.01 4. Customized Design, Manufacturing Process and Installation of Tanking Pit (Operation- Manual) (W)8.7m X (L)23.4m X (H)3.5 m at center X 8 Panel (Centre opening and stack at both end) Set.01 More Details as per Quotation No.RR_23.24.0213R5 Dt: 23.07.2024	26-7-2024	SET				

Subtotal

Terms and details per Quotation No.RR_23.24.0213R5 Dt: : 23.07.2024

Exclusions
1 Supply of materials: The client will provide all necessary materials required for the RR enclosure.
2 Any additional works not explicitly mentioned in the Scope of Work.

T&R Scope:
1.Secured and fully covered Store area to keep the material.
2.Scaffolding/Hydra/Crane/Forklift/Scissor lift etc - Required for Installation at height on Site.
3.Any civil / masonry work required.
4.In Case of any changes in the layout as per site requirements after the shipment of material, the additional quantities and wastage.
5.Supply of materials: The client will provide all necessary materials required for the RR enclosure like All Raw Material,Polycarbonate sheet, EPDM Rubber seals, Hardware, Welding consumables,Paint, Powder coating, Motor, Bus Bar, Cables, conduits, Push Botton, Control Panel material etc
6.Kindly Reconfirm the above product (Roof) sizes as per your requirement and Provide exisiting layout drawings

---

Price : Ex Works Pune.
Delivery:22-25 weeks for all project from the date of receipt of confirmed Purchase Order, Advance Payment & Drawing Approval. (Please refer attached time line sheet).
Payment:15% Advance, Remaining amount should be divide in 9 part and will be release partwise upon despatch of the material form NIHVA factory at Pune.
Warranty: 12 months from the date of Installation.
Design Clause :NIHVA shall be deemed the authors of their respective concept and drawings with reserved rights, including copyrights. It shall not be used by the owner for future additions or alterations to this Project or for another project or should not copied at any other future project or should not transfer or copied by anyone.

Payment Terms: As per instructions **Terms of Delivery:** FOR-Site This is an electronically Generated PO, hence does not require a signature. The PO shall be considered as original for all purpose and is duly approved by authorised signatories.	Packinging & Forwarding : Freight Insurance SGST : CGST IGST : : : : **Total Amount** [**INR**] :

INR ONE CRORE EIGHTEEN LAC ONLY

Created by : shemal Jethwa **Checked by** :Wasi Mohammad **Approved by** :Wasi Mohammad

We are certified by BUREAU VERITAS for ISO 9001:2015 and ISO 45001:2018 quality systems.
DOC.NO : IMS804D002 ISSUE NO.02 DT:01-12-2019

RE:GEN:TA
SG'S GREENOTEL, LONAVALA
MANAGED BY ROYAL ORCHID HOTELS LTD.

Regenta SG'S GreenOtel (A venture of Chintamani Hotels Pvt Ltd)

Project Office: Old Mumbai Pune National Highway, Opp. LIC Office, Lonavala – 410 401.

PURCHASE ORDER

To, **NIHVA TECHNOLOGIES PVT LTD** 187,G-B 1ST FLOOR THERMAX CHOWK ,CHICHWAD PUNE - 411019, GSTIN: 27AAECN0437H1ZM	**PO No. RSGL- 3720** **Purchse Order Date : 25.04.2023**
The order is placed for and on behalf of our under mentioned principal.	Person to be contacted at site :- Rahul Shinde Mobile No. 7410001669
Invoice and Challan To : **Chintamani Hotels Pvt. Ltd.** Old Mumbai Pune National Highway, Opp. LIC Office, Lonavala – 410 401. **GST No. 27AACCC1562A1Z9**	**Delivery Address :** **Chintamani Hotels Pvt. Ltd.** Plot No. 46 Old Pune Bombay Highway Opposite LIC Office Lonavala - 410401

Sr. No.	PO NO	Material Description	Unit	Qty.	Rate	Amount
1	RSGL - 3720	Manual Retractable Enclosure (Width : 5100MM Inner &5576 Outer / Length : 38080MM Inner & 38200MM Outer/ Height : 4790MM) (**Size as discussed on site**)	Nos	1.00		
		GST 18%				
		P&F Charges @ 3% (Included				
		Grand Total : (In Words) .				

Payment Terms : 40% Advance along with Confirmed Purchase Order, 50% before material is ready for dispatch.10% Against completion of Installation, Testing and Commissioning

Tranportation : in Vendor Scope up to Lonavala Site

Delivery : 8-10 weeks from the date of receipt of confirmed Purchase Order, Advance Payment & Drawing Approval (REQUEST PROJECT BE COMPETED BY 15TH TO 20TH JUNE 2023)

Warranty : 15 year warranty on AL profile, 10 year Limited warranty on PC sheet and 1 year standard product warranty from the date of supply. It only covers damage caused due to mechanical system not due to natural calamity

Project Note :

1) The project time indicated does not take into account adverse weather conditions that may prevent safe and efficient working practice. We reserve the right to extend the period accordingly
2) Provision of 230 V power supply for hand tools
3) Installation will start after receiving Site Readiness Photographs or written Email communication
4) We will mobilize the Installation Team in 3 - 4 working days, after receipt of Site Readiness Confirmation
5) Dimension as approved on site should match drawing & design be given to freeze, approved & be signed by both parties before start of Work.
6) Once Full payment done , we are the Owners for all Addition, alteration,Shifting & reinstalling at or other place as required by us.It is our asset & property.
7) Both the team to work in coordination understanding hotel business is not hampered & guest not troubled.
8) Order Cancellation upto freezing of drawing be refunded fully, If cancelled before Freezing

Purchase Manager | Finance Manager | General manager

Pankaj Khanna Bhadouria

Address: A-7/6, Paper Mill Colony, Nishatganj, Lucknow
Contact: 9838885555
E Mail : info@pankajbhadouria.com
GSTIN/UIN : 09ACGPB9502N1ZE

PURCHASE ORDER

PO #: **PB/2026-26/001**
Date: 19-05-25
Credit Terms:

Purchase From	Deliver To
NIHVA TECHNOLOGIES PVT. LTD Plot No. 187, 1st Floor, G - Block, Thermax Chowk, Above Kotak Bank, MIDC, Chinchwad, Pimpri, Pune, Maharastra - 411019 GSTIN: 27AAECN0437H1ZM **Contact: 8551093333**	**Pankaj Khanna Bhadouria** H3-12, Emaar Gomti Greens, Saheedpath, Behind Police Head Quarter, Lucknow, Uttar Pradesh - 226002 Country **Contact: 9838885555**

HSN Code	Item	Qty	Unit Price	Total Price
76041020	One Panel Movement by Remote Operated and other panel are fixed (With Polycarbonate Sheet) * 2600W X 4600 L * 3 Panel * Installation Inclusive	1		
76041020	Fixed Walkable Glass Panel (16mm Laminated) * 2440W X 4000 L * Installation Inclusive.			
83026000	Motorised Telescopic Sliding Gate - One Side Opening - Three Panel * 7315 W X 1630 H * Installation Inclusive			
73089090	Motorised Sliding Folding Gate - One Side Opening - Four Panel * 2500W X 1670 H * Installation Inclusive			

Company's Pan : ACGPB9502N
Company's GSTIN : 09ACGPB9502N1ZE

Transpotation Charges

In Words:

Terms & Conditions

Delivery : 4 - 6 weeks from the date of Receipt of Purchase Order.
Payment : 50 % Advance
40% Before Dispatch
10% After Installation
Warranty : 12 months from the date of supply.

PANKAJ KHANNA BHADOURIA
AUTHORISED SIGNATORY
Authorised Signatory

Purchase Order

Pakka Ltd.
(Formerly Yash Pakka Limited)
Yash Nagar
Ayodhya-22 4135, INDIA
Ph: +915278-258777 Email: connect@pakka.com Web: www.pakka.com
Reg off:312, Plaza Kalpana Socity 24/147,B-49, Birhana Road,Kanpur,UP-208001,India

PAN : AAACY0482H
CIN : L24231UP1981PLC005294
GSTIN :09AAACY0482H1Z8
State Code : 09

M/S NIHVA Technologies Pvt. Ltd. (203209)
187, G-Block, Thermax chowk, , MIDC Chinchwad
Pune,
Uttar Pradesh, India, 411019
Ph. : 7758820333Mobile :
Fax :
GSTIN
State Code :27AAECN0437H1ZM
:

Your Ref No.:Quote NO : RR_24.25.0177R, Dated:

Our Order :4500057692 Date :31.03.2025
PR No. :3000004283
5 Why No. : : :INR
Proj. No.
Currency

Dear Sir,
With reference to above, please supply the following goods. Order will be governed by terms and condtions given at the bottom:

S NO.	ITEM CODE	HSN / SAC CODE	DESCRIPTION	UOM	QUANTITY	DISC %BASE VALUEDISPATCH DATE
1	2000018353	7318.00.00	Automatic Retractable Roof with Polycarbonate sheet Size: # 6900 W X 7800 L # 3 Panels # One side opening Technical Specification: 1. Polycarbonate Clear/Embossed compact 2. Profile : Powder coated MS+AL Frame 3. Guide : MS/SS 4. Interlocking 5. Motor Mechanism with control panel a) Remote operated b) Single Phase Bi-directional Motor c) Power- As per Roof Dimension d) Mechanical Limit Switch e) Rack and Pinion Arrangement 6. EPDM Gaskets and sealants 7. SS Fastners Installation: In Supplier scope Payment : a. 50% Advance along with Confirmed Purchase Order b. 40% before dispatch of material c. 10% After Installation	NOS		09.06.2025

Purpose : for PM3 rewinder roof closing for insect prevaintion

GST

Total PO Value

Terms &Conditions

Ref No	:Quote NO : RR_24.25.0177R, Dated: 22.03.2025
Pack.& Forward.	: Inclusive
Dispatch	:By suitable transport
Freight	:Extra as actual
Warrenties	:12 months from the date of installation or 18 months from the date ofinvoice, whichever is earlier.
GST	:Extra As Applicable
Insurence	:In buyer scope, to be arranged by supplier

Disputes : Court at Ayodhya will have exclusive jurisdication to settle any dispute.

Notes : 1. Bill to be submitted in Quardruplicate.
2. If the bill is not received with material, the payment shall be done after deduction of 10%.
3. Please always mentioned Purchase order no. in your invoice.
4. Please provide original bills/Taxable invoice along with material.
5. If the materials supplied are of different make/brand against order and without prior approval, 25% deduction is applicable.
6. Invoice must be in the format applicable under CGST Rule and for taking benefit of Input Tax Credit .
7. E-way bill will be provided at the time of dispatch against invoice detail and transporter detail.

Created By
Sunil Tiwari

Approved By
Narendra Agarwal

----*----

Note : This is system generated copy. No physical signature required.