
Spare Parts
RR Food

ALBANY
ASSA ABLOY



2013-05 Index00

Side frame right	RR Food
Seitenteil rechts	RR Food




8220RG318	Rev.: a	Sheet: 8 of 8

ALBANY
ASSA ABLOY

RR Food, Version 04

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right** **(see drawing frame complete)**								
	RH side frame complete			D8220RG318	G	C	m	1	
1	RH cover profile	with easy open		D4621RG195	G	C	m	1	
	RH cover profile, easy open			D4621RG205	G	C	m	1	
2	RH head plate, drive side	drive side right		D4621R0519		A	Stck./pc.	1	
	RH head plate, non drive side	drive side left		D4621R0520		A	Stck./pc.	1	
3	RH bottom plate	A2		D4621R0511		A	Stck./pc.	1	
4	Photocell transmitter without bracket - blue			D4904R0547		A	Stck./pc.	1	
	Cable photocell 13,5m 3x0,25			D4907R0035		A	Stck./pc.	1	
5	Cable chain safety edge 900mm	DH≤1500		D8520R0001		A	Stck./pc.	1	
	Cable chain safety edge 1400mm	1500<DH≤2500		D8520R0007		A	Stck./pc.	1	
	Cable chain safety edge 2160mm	DH>2500		D8520R0008		A	Stck./pc.	1	
	Cable chain prerunning photocell 900mm	DH≤1500		D8520R0011		A	Stck./pc.	1	
	Cable chain prerunning photocell 1400mm	1500<DH≤2500		D8520R0009		A	Stck./pc.	1	
	Cable chain prerunning photocell 2160mm	DH>2500		D8520R0010		A	Stck./pc.	1	
	Cable chain crash 900mm	DH≤1500		D8520R0017		A	Stck./pc.	1	
	Cable chain crash 1400mm	1500<DH≤2500		D8520R0015		A	Stck./pc.	1	
	Cable chain crash 2160mm	DH>2500		D8520R0016		A	Stck./pc.	1	
6	Weight Food 1 cpl. = 43,8 kg	with balancing system		D8220R0098		A	Stck./pc.	1	
	Weight Food 2 cpl. = 50,3 kg			D8220R0099		A	Stck./pc.	1	
	Weight Food 3 cpl. = 26 kg			D8220R0101		A	Stck./pc.	1	
	Weight Food 4 cpl. = 34,9 kg			D8220R0102		A	Stck./pc.	1	
	Rubber bumper			D4421R0054		A	Stck./pc.	1	
	Slider for weight			D4121R0500		A	Stck./pc.	1	
7	Deflection pulley	with balancing system		D5003R0013		A	Stck./pc.	1	x
8	Stiffening complete	without easy open		D4621R0510		A	Stck./pc.	max. 6	
	Stiffening	with easy open		D4621R0508		A	Stck./pc.	max. 6	
9	Level interlocking	with easy open		D4621R0536		A	Stck./pc.	1	
	Operating locking system			D4621R0534		A	Stck./pc.	1	
10	Slider right cpl.	with prerunning photocell and crash		D8120R0113		A	Stck./pc.	1	x
11	Rubber block	with prerunning photocell		D4402R0082		A	Stck./pc.	max. 2	x
12	Proximity switch without bracket	with easy open and monitoring		D4905R0082		A	Stck./pc.	max. 2	
13	Bell mouth	with TOP 1,3 curtain		D4121R0428		A	Stck./pc.	1	
14	Guide cable chain cpl.			D4621RG226		B	Stck./pc.	max. 1	

Side frame left	RR Food
Seitenteil links	RR Food



1:10


8220RG319	Rev.: a	Sheet: 7 of 7

ALBANY
ASSA ABLOY

RR Food, Version 04

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II	**Side frame left** **(see drawing frame complete)**								
	LH side frame complete			D8220RG319	G	C	m	1	
1	LH cover profile	with easy open		D4621RG196	G	C	m	1	
	LH cover profile, easy open			D4621RG206	G	C	m	1	
2	LH head plate, drive side	drive side right		D4621R0519		A	Stck./pc.	1	
	LH head plate, non drive side	drive side left		D4621R0520		A	Stck./pc.	1	
3	LH bottom plate	A2		D4621R0512		A	Stck./pc.	1	
4	Photocell receiver without bracket - black			D4904R0548		A	Stck./pc.	1	
	Cable photocell 13,5m 3x0,25			D4907R0035		A	Stck./pc.	1	
5	Cable chain safety edge 900mm	DH≤1500		D8520R0001		A	Stck./pc.	1	
	Cable chain safety edge 1400mm	1500<DH≤2500		D8520R0007		A	Stck./pc.	1	
	Cable chain safety edge 2160mm	DH>2500		D8520R0008		A	Stck./pc.	1	
	Cable chain prerunning photocell 900mm	DH≤1500		D8520R0011		A	Stck./pc.	1	
	Cable chain prerunning photocell 1400mm	1500<DH≤2500		D8520R0009		A	Stck./pc.	1	
	Cable chain prerunning photocell 2160mm	DH>2500		D8520R0010		A	Stck./pc.	1	
	Cable chain crash 900mm	DH≤1500		D8520R0017		A	Stck./pc.	1	
	Cable chain crash 1400mm	1500<DH≤2500		D8520R0015		A	Stck./pc.	1	
	Cable chain crash 2160mm	DH>2500		D8520R0016		A	Stck./pc.	1	
6	Weight Food 1 cpl. = 43,8 kg	with balancing system		D8220R0098		A	Stck./pc.	1	
	Weight Food 2 cpl. = 50,3 kg			D8220R0099		A	Stck./pc.	1	
	Weight Food 3 cpl. = 26 kg			D8220R0101		A	Stck./pc.	1	
	Weight Food 4 cpl. = 34,9 kg			D8220R0102		A	Stck./pc.	1	
	Rubber bumper			D4421R0054		A	Stck./pc.	1	
	Slider for weight			D4121R0500		A	Stck./pc.	1	
7	Deflection pulley	with balancing system		D5003R0013		A	Stck./pc.	1	x
8	Stiffening complete	without easy open		D4621R0510		A	Stck./pc.	max. 6	
	Stiffening	with easy open		D4621R0508		A	Stck./pc.	max. 6	
9	Level interlocking	with easy open		D4621R0536		A	Stck./pc.	1	
	Operating locking system			D4621R0534		A	Stck./pc.	1	
10	Slider left cpl.	with prerunning photocell and crash		D8120R0114		A	Stck./pc.	1	x
11	Rubber block	with prerunning photocell		D4402R0082		A	Stck./pc.	max. 2	x
12	Proximity switch without bracket	with easy open and monitoring		D4905R0082		A	Stck./pc.	max. 2	
13	Bell mouth	with TOP 1,3 curtain		D4121R0428		A	Stck./pc.	1	
14	Guide cable chain cpl.			D4621RG226		B	Stck./pc.	max. 1	

Top roll with door blade	RRFood
Wickelwelle mit Torbehang	RRFood




8240RG157	Rev.: 0	Sheet: 3 of 3

ALBANY
ASSA ABLOY

RR Food, Version 04

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
III	**Top roll with curtain**								
1	Door blade PVC with stripes	white		D8230RG422	G	B		1	
		Base price		D8230RG422			Stck./pc.		
	Reinforcement stripes blue or red	Upcharge		D8230RG422			m²		
	Reinforcement stripes in special colours			D8230RG422		C	m²		
	Door blade PVC with stripes, FDA	white		D8230RG422		D	m²	1	
	Door blade Travitop 1,3 without vision panel	blue, red or grey		D8230RG423	G	B	m²	1	
	Door blade Travitop 1,3 with vision panel			D8230RG423	G	B	m²	1	
2	Top roll alu with va shafts, with bearings			D8240RG158	G	C	m	1	
3	Top roll alu with va shafts, with bearings and door blade			D8240RG157	G	D		1	
4	Flange bearing D 30			D8140R0062		A	Stck./pc.	2	x
5	Windbreaktap (12 pcs.)			D8130R0009		A	Stck./pc.	1	x
6	Rope da=7 L=5100	with balancing system		D5105R0010		A	Stck./pc.	2	x
7	Rope pulley D=50			D4701R0224		A	Stck./pc.	2	
	Rope pulley D=42			D4721R0289		A	Stck./pc.	2	

Bottom profile	RR Food
Abschlussprofil	RR Food




ALBANY
ASSA ABLOY


RR Food, Version 04


Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear Verschleißteil part / Slitdetalje
IV	**Bottom profile**								
	Bottom profile complete	A2		D8550RG065	G	C	m	1	
1	Half profile for bottom profile	A2		D4621RG189	G	C	m	2	
2	Rubber profile with integrated safety edge	Safety edge, integrated sealing to sideframe		D8550RG073	G	B	m	1	
	Rubber profile elongated sealing-lilp			D8550RG074	G	C	m	1	
	Rubber profile for prerunning photocell	Prerunning photocell, integrated sealing to sideframe		D8550RG075	G	B	m	1	
	Rubber profile for prerunning photocell, elongated sealing-lip			D8550RG076	G	C	m	1	
3	Sliding part safety edge	safety edge		D4121R0483		A	Stck./pc.	2	x
4	RH sliding part prerunning photocell, without crash	prerunning photocell without crash		D4121R0466		A	Stck./pc.	1	x
	LH sliding part prerunning photocell, without crash			D4121R0467		A	Stck./pc.	1	x
5	Sliding part prerunning photocell with crash	prerunning photocell with crash		D4121R0494		A	Stck./pc.	2	x
6	Prenunning photocell ri./le. Without sliding part	prerunning photocell without crash		D8450R0007		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**) prerun. photocell RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0544		A	Stck./pc.	1	
	Safety photocell receiver - yellow			D4904R0545		A	Stck./pc.	1	
7	Weight			D8220R0100		A	Stck./pc.	2	

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.6)

Drive unit complete	RR Food
Antrieb komplett	RR Food








Pos.7 not displyed/ nicht dargestellt

ALBANY
ASSA ABLOY

RR Food, Version 04

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
VI	**Drive unit**								
	Gear motor cpl.	No E-Connection		D8410RG097	G	B	Stck./pc.	1	
1	Gear motor	without balance system and with ACS50 or without control		D6601R0139		A	Stck./pc.	1	
	Gear motor with MCC encoder	without balance system and with MCC		D8910R0092		B	Stck./pc.	1	
	Gear motor	with balance system and with ACS50 or without control		D6601R0138		A	Stck./pc.	1	
	Gear motor with MCC encoder	with balance system and with MCC		D8910R0101		B	Stck./pc.	1	
2	Break			D6622R0026		A	Stck./pc.	1	
3	Terminal box with cable 9x0,75			D8570RG001	G	B	Stck./pc.	1	
4	Limit switch section, 6 switches			D4905018		A	Stck./pc.	1	
5	Torque arm	A2		D8110R0087		A	Stck./pc.	1	
6	Cam			D4801240		D	Stck./pc.	1	
7	E-Connection ACS 50	ACS 50, without control		D8903RG144	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
	E-Connection MCC	MCC		D8903RG145	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
8	Encoder with bracket	MCC		D8410R0093		A	Stck./pc.	1	
9	Crank	without balancing, H≤2000		D4521R1081		A	Stck./pc.	1	
	Crank	without balancing, 2000< H< 3000		D4521R0968		A	Stck./pc.	1	
	Crank	without balancing, H≥3000		D4521R1425		A	Stck./pc.	1	
10	Emergency crank handle switch	without balancing		D4905R0228		A	Stck./pc.	1	

Options	RR Food
Optionen	RR Food



ALBANY
ASSA ABLOY

RR Food, Version 04

Pos. Item	Description	Bemerkung Note	gültig ab ▲ valid from ▲ gültig bis valid to	Art.-Nr. Item-No	1	Delivery time class	Preiseinheit Unit	Anzahl pro Tor Quantity per door	Wear part / Slitdetalje Verschleißteil
VIII	**Options**								
1	Top roll cover with cap, drive side RH	A2		D8260RG050	G	C	m	1	
	Top roll cover with cap, drive side LH	A2		D8260RG051	G	C	m	1	
	Cap for top roll cover, drive side RH	A2		D4621R0513		A	Stck./pc.	1	
	Cap for top roll cover, drive side LH	A2		D4621R0514		A	Stck./pc.	1	
2	Motor cover 6°, RH	A2		D4621R0558		A	Stck./pc.	1	
	Motor cover 6°, LH	A2		D4621R0559		A	Stck./pc.	1	
3	Wall plate motor cover RH	A2		D4621R0554		A	Stck./pc.	1	
	Wall plate motor cover LH	A2		D4621R0555		A	Stck./pc.	1	
4	Bowden cable compl. A2	with balancing system		D8110R0100		B	Stck./pc.	1	
	Emergency lever, opposite side A2			D8170R0346		B	Stck./pc.	1	
5	Cable entry frame with sleeve	with motor cover		D8160R0132		A	Stck./pc.	1	
6	Distance profile (lintel profile)	A2		D4621RG199	G	C	m	1	
7	Cable tray, L=3000	A2		D8100R0013		B	Stck./pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

