ASSA ABLOY Overhead sectional doors Industrial Doors

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions






1
2

One partner for all your needs





Smoothly functioning entrances are a prerequisite for any successful business. So are smoothly functioning relationships. The combined products, solutions and knowledge of ASSA ABLOY Entrance Systems create a strong partner for every aspect of entrance automation.

ASSA ABLOY Entrance Systems is the world's most complete supplier of entrance automation solutions. With a holistic approach to the flow of people, goods and vehicles, we create solutions with the best possible balance of cost, quality and lifetime performance.

Today we have gathered a strong portfolio of global product brands under a single roof, preserving the wealth of expertise of each.

Besam, Crawford, Megadoor and Albany are product brands that are market leaders in their fields since decades, and have a strong history of proven solutions and extraordinary service know-how.

Our solutions form a total offering for the front, back and interior of your building. Our combined approach means we understand the full range of challenges you face, and allows us to provide the best solution for your total entrance needs.

ASSA ABLOY Entrance Systems is a division within ASSA ABLOY, the global leader in door opening solutions.

Overhead sectional door
Crawford OH1042D

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



Overhead sectional door especially designed for docking applications

Modern, robust and flexible, the Crawford OH1042D from ASSA ABLOY Entrance Systems is designed to keep your business moving. Filled with innovation, and superbly well insulated, this rugged, attractive overhead sectional door gives you the lowest running cost.

The Crawford OH1042D is especially designed for docking bay applications where it forms a perfect combination with the dock leveler. The Crawford OH1042D is available in a Vertical lift and High lift version to meet all building specifications.

Each part of the Crawford OH1042D overhead sectional door is built to the highest standards. The combination of wind-resistant reinforced panels and a class 3 certification for water tightness, wind load and air permeability give you a door that looks better and performs longer. Small innovations that make a big difference to the buildings they protect.

CDMB operator
The main part of the systems is the CDMB operator, an electric motor that drives the door blade directly with a toothed belt.

Standard colours
The steel Crawford OH1042D overhead sectional door is available in 9 pre-coated outside colours. The inside colour is RAL 9002, Grey white. The aluminium Crawford OH1042D is available in 3 pre-coated outside colours with natural aluminium inside.

Technical Data

Standard size up to (W x H)	3500 x 3500 mm
Panel thickness	42 mm
Windows	optional
Pass-door	not available
Wind load, EN 12424	class 3
Thermal transmittance, EN 12428[1] Full panel steel door Full panel aluminium door	 1,10 W/(m²K) 1,14 W/(m²K)
Water penetration, EN 12425	class 3
Air permeability, EN 12426	class 3

1) Door size 5000 x 5000 mm

Dimensional specifications







Panel options



Windows
Several variations of windows in different materials with burglar resistant frames are available.

Options access and automation


Inside


Outside

Complete lock including handle and cylinder for both sides or inside only. Any door equipped with an electrical lock can be remotely locked by means of a switch or via a PC. Lock mode can be monitored.



Standard available outside colours

Steel

Yellow RAL 1021	Green RAL 6005	Grey white RAL 9002	White Aluminium RAL 9006	White RAL 9010	
Red RAL 3002	Anthracite grey RAL 7016	Jet black RAL 9005	Aluminium grey RAL 9007	On request	Other colours
Blue RAL 5010	Chocolate brown RAL 8017				

Aluminium

Blue RAL 5010	White RAL 9010	White Aluminium RAL 9006	On request	Other colours

© ASSA ABLOY Entrance Systems AB Technical data subject to change without notice.
Q2.0-2017

ASSA ABLOY, Besam, Crawford, Albany and Megadoor as words and logos, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies with in the ASSA ABLOY Group.

Overhead sectional door

Crawford OH1042F

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



The next generation of overhead sectional doors

Modern, robust and flexible, the new Crawford OH1042F from ASSA ABLOY Entrance Systems is designed to keep your business moving – for all duties and in all weathers. Filled with innovation, and superbly well insulated, this rugged, attractive overhead sectional door gives you the highest number of options at the lowest possible running cost. It's the perfect choice for warehouses, logistics centers and all kinds of business premises.

Each part of the Crawford OH1042F overhead sectional door is built to the highest standards. Wind-resistant reinforced panels, joints designed for better load distribution, and butyl sealing with unbroken corners for maximum tightness, all add up to a door that looks better and performs longer.

Choosing from nine standard outdoor colors, or your own factory painted color for both the inside and outside. Available with different sizes, panels, window configurations, locks, handles and pass doors, the Crawford OH1042F overhead sectional door is perfectly suited to every kind of industrial need.

Windows or sandwich panel
The modular design of the Crawford OH1042F gives the freedom to make a specific configuration suitable for every situation.

Pass-door option
The pass-door width is 900 mm, satisfying today's market demands. This low threshold pass-door is designed with a sturdy, wide aluminum profile of only 30 mm. The profile gives an unobstructed passage and is ribbed, minimizing the risk of slipping.


Standard colours
The inside and outside standard colour of the Crawford OH1042F overhead sectional door is anodised aluminium. Next to this there are 9 pre-coated outside colours available.

Technical Data

Standard size up to (W x H)[1]	7250 x 6050 mm
Frame thickness	44 mm
Filling thickness	27 mm
Bottom section thickness	42 mm
Windows	various options available
Pass-door	optional
Access and Automation	optional
Wind load, EN 12424[2]	class 3
Thermal transmittance, EN 12428[3]	3.6 W/m^{2}K
Water penetration, EN 12425[4]	class 3
Air permeability, EN 12426[4]	class 2

1) Other sizes on request 2) Without pass-door. Higher wind load classification on request 3) Door size 5000 x 5000 mm, double glazing without pass-door 4) Without pass-door

Dimensional specifications



Panel options



Low threshold pass-door
The 900 mm wide low threshold pass-door is designed with a sturdy and wide aluminium bottom profile of only 30 mm.



Windows
Different types of windows in single or double acrylic (frosted or tinted) or hardened glass are available.



Normal pass-door with 180 mm threshold
The pass-door is constructed with a Crawford OH1042P bottom section and bottom seal. A reinforcement truss ensures the door's sturdiness and resistance to wind load.



Frame door with pane fillings in bottom section.



Fully glazed frame door.


Options access and automation



Assisted manual operation
Two different types of chain hoist are available, depending on door weight.



All manual Crawford doors can be upgraded with electric operators and automation.





Cylinder locks
Complete lock including handle and cylinder for both sides or only inside.

Inside Outside

Standard available outside colours

Yellow RAL 1021	Green RAL 6005	Grey white RAL 9002	Light grey RAL 9006	White RAL 9010
Red RAL 3002	Anthracite grey RAL 7016	Jet Black RAL 9005	Aluminium grey RAL 9007	On request Other colours
Blue RAL 5010	Chocolate brown RAL 8017			

Technical data subject to change without notice. © ASSA ABLOY Entrance Systems AB Q2.0-2017

ASSA ABLOY, Besam, Crawford, Albany and Megadoor as words and logos, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies with in the ASSA ABLOY Group.

Overhead sectional door

Crawford OH1042FG

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



Fully glazed overhead sectional door for maximum visibility

The Crawford OH1042FG overhead sectional doors are fully glazed door, designed to be used when there is a need for maximum light, exposure, or vision.

Up to 3300 mm each aluminium frame is glazed with one single pane of single or double hardened glass. Larger doors up to 5500 mm only use two panes of hardened glass. This ensures a maximum of light and view, inside out and vice versa.

Especially showrooms, where maximum visibility is important, benefit from this design feature. The sleek design of the Crawford OH1042FG panels gives a high class presentation next to this high light admission. All in all a state of the art design that fits perfectly in modern buildings and showrooms.

Standard colours
The inside and outside standard colour of the Crawford OH1042FG overhead sectional door is anodised aluminium. Next to this there is factory painting in all RAL colours available.

Technical Data

Standard size up to (W x H)[1]	5500 x 4250 mm
Frame thickness	44 mm
Windows W ≤ 3300 mm W > 3300 mm	 1 pane 2 panes
Pass-door	not available
Access and Automation	optional
Wind load, EN 12424[2] Class 3 Class 2	 W ≤ 3300 W > 3300
Thermal transmittance, EN 12428	6 W/m²K
Water penetration, EN 12425	class 3
Air permeability, EN 12426	class 3

1) Other sizes on request 2) Higher wind load classification on request

Dimensional specifications













Panel options



Windows
In single or double hardened glass.


Options access and automation



Assisted manual operation
Two different types of chain hoist are available, depending on door weight.



All manual Crawford doors can be upgraded with operators and automation.




Inside


Outside

Cylinder locks
Complete lock including handle and cylinder for both sides or only inside.

Standard available outside colours

Aluminium

On request — Other colours

Q2.0-2017 © ASSA ABLOY Entrance Systems AB Technical data subject to change without notice.

ASSA ABLOY, Besam, Crawford, Albany and Megadoor as words and logos, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies with in the ASSA ABLOY Group.

Overhead sectional door

Crawford OH1042P

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



The next generation of overhead sectional doors

Modern, robust and flexible, the new Crawford OH1042P from ASSA ABLOY Entrance Systems is designed to keep your business moving – for all duties and in all weathers. Filled with innovation, and superbly well insulated, this rugged, attractive overhead sectional door gives you the highest number of options at the lowest possible running cost. This high quality door is the perfect choice for warehouses, logistics centers and all kinds of business premises.

Each part of the Crawford OH1042P overhead sectional door is built to the highest standards. The combination of wind-resistant reinforced panels and a class 3 certification for water tightness, wind load and air permeability give you a door that looks better and performs longer. Small innovations that make a big difference to the buildings they protect.

Choosing from nine standard outdoor colors, or your own factory painted color for both the inside and outside. Available with different sizes, panels, window configurations, locks, handles and pass doors, the Crawford OH1042P overhead sectional door is perfectly suited to every kind of industrial need.

Glazing
Glazing alternatives vary from full-vision panels to individual windows in a rectangular or oval shape. The windows are available in acrylic or hardened glass.

Pass-door option
The pass-door width is 900 mm, satisfying today's market demands. This low threshold pass-door is designed with a sturdy, wide aluminum profile of only 30 mm. The profile gives an unobstructed passage and is ribbed, minimizing the risk of slipping.


Standard colours
The steel Crawford OH1042P overhead sectional door is available in 9 pre-coated outside colours. The inside colour is RAL 9002, Grey white. The aluminium Crawford OH1042P is available in 3 pre-coated outside colours with natural aluminium inside.

Technical Data

Standard size up to (W x H)[1]	8000 x 6000 mm
Panel thickness	42 mm
Windows	optional
Pass-door	optional
Access and Automation	optional
Wind load, EN 12424[2]	class 3
Thermal transmittance, EN 12428[3]	
Full panel steel door	1,0 W/(m²K)
Full panel aluminium door	1,1 W/(m²K)
Water penetration, EN 12425[4]	class 3
Air permeability, EN 12426[4]	class 3

1) Other sizes on request 2) Without pass-door. Higher wind load classification on request 3) Door size 5000 x 5000 mm
4) Without pass-door

Dimensional specifications



Aluminium door leaf is available for extended lifetime in demanding environment.















Panel options



Low threshold pass-door
The 900 mm wide low threshold pass-door is designed with a sturdy and wide aluminium bottom profile of only 30 mm.



Normal pass-door with 180 mm threshold
This pass-door is constructed with the standard bottom section and bottom seal. A reinforcement truss ensures the door's sturdiness and resistance to wind load.



Full vision panels with windows
Several different types of windows in single or double acrylic (frosted or tinted) or hardened glass are available.



Windows
Several variations of windows in different materials with burglar resistant frames are available.

Options access and automation




Assisted manual operation
Two different types of chain hoist are available, depending on door weight.





All manual Crawford doors can be upgraded with electric operators and automation.





Inside



Outside

Complete lock including handle and cylinder for both sides or inside only. Any door equipped with an electrical lock can be remotely locked by means of a switch or via a PC. Lock mode can be monitored.

Standard available outside colours

Steel

Yellow RAL 1021	Green RAL 6005	Grey white RAL 9002	White Aluminium RAL 9006	White RAL 9010	
Red RAL 3002	Anthracite grey RAL 7016	Jet black RAL 9005	Aluminium grey RAL 9007	On request	Other colours
Blue RAL 5010	Chocolate brown RAL 8017				

Aluminium

Blue RAL 5010	White RAL 9010	White Aluminium RAL 9006	On request	Other colours

© ASSA ABLOY Entrance Systems AB Technical data subject to change without notice.
Q2.0-2017

ASSA ABLOY, Besam, Crawford, Albany and Megadoor as words and logos, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies with in the ASSA ABLOY Group.

Overhead sectional Speed door

ASSA ABLOY OH1042S

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



Engineered to let your business be busy

ASSA ABLOY OH1042S overhead sectional doors have been designed with a modified control system and reinforced construction to increase speed and benefit your business. Speed improves your working environment, increases safety, reduces energy expenses and more. The ASSA ABLOY OH1042S is engineered to let your business be busy.

The benefits of speed
For businesses with frequently used doors, vehicles of different height, concerns of temperature control, regular door-collisions or an interest in reducing noise and dust –speed provides an invaluable advantage. With an operating speed of one meter per second, the ASSA ABLOY OH1042S not only saves time but gives it back to you.

Energy and economy efficient
Speed gives you control over indoor climate with a faster closing time. It has tight seals for water tightness, wind load and air permeability. More regulation over temperature means less heat loss, less wasted energy, and lower CO_2 emissions.

Concerned with safety, comfort and convenience
When the door's photo-cell light grid detects an obstacle in the door opening, it stops the door immediately, reducing the risk of accidents and injury. Because the door is faster, the risk of collisions with vehicles and loading materials while opening is much lower. The quick operation time prevents unwanted drafts and lowers noise levels to create a better, healthier work environment for employees.

A door to fit your needs
You can customize the ASSA ABLOY OH1042S. Configure track systems, select the color of the door, and choose the shape, number and placement of windows. There are literally thousands of options so you can tailor your door to your unique operation.

Technical Data


Standard size up to (W x H)[1]	5000 x 5000 mm
Panel thickness	42 mm
Windows	optional
Pass-door	not possible
Opening speed	1,0 m/s
Wind load, EN 12424[2]	class 3
Thermal transmittance, EN 12428[3] Full panel steel door	1,0 W/(m^2K)
Water penetration, EN 12425[4]	class 3
Air permeability, EN 12426[4]	class 3

1) Other sizes on request 2) Higher wind load classification on request 3) Door size 5000 x 5000 mm

Dimensional specifications



Panel options




You can customize the OH1042S
Configure track systems, select the color of the door, and choose the shape, number and placement of windows. There are literally thousands of options so you can tailor your door to your unique operation.




Windows
Several variations of windows in different materials with burglar resistant frames are available.

Options access and automation







When the door's photo-cell light grid detects an obstacle in the door opening, it stops the door immediately, reducing the risk of accidents and injury.



Inside Outside

Complete lock including handle and cylinder for both sides or inside only.

Standard available outside colours

Steel

Yellow RAL 1021	Green RAL 6005	Grey white RAL 9002	White Aluminium RAL 9006	White RAL 9010	
Red RAL 3002	Anthracite grey RAL 7016	Jet black RAL 9005	Aluminium grey RAL 9007	On request	Other colours
Blue RAL 5010	Chocolate brown RAL 8017				

Technical data subject to change without notice. © ASSA ABLOY Entrance Systems AB Q2.0-2017

ASSA ABLOY, Besam, Crawford, Albany and Megadoor as words and logos, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies with in the ASSA ABLOY Group.

Looking at lifecycle costs

The initial cost of your doors and docking systems is one you're well aware of. However, it represents only a fraction of the total cost.





Usage costs, service costs and energy costs are also part of your investment over time, and these are the costs preventive maintenance can lower.

Apart from the costs of opening and closing, the largest "hidden" costs are lost energy and lost time. Energy and time are both money to your business, so anything that saves them has an impact on the lifecycle cost of your equipment.

Preventing the unexpected

An important consideration is the replacement of key components before they break. While this costs money, the cost is far lower than that of accidents or emergency repairs.


A door that breaks down may stand open needlessly – wasting more energy than poor insulation. If it cannot be locked, you may need to pay for additional security. And if it disrupts your logistics, it may mean a loss of your business.

In our maintenance checklists, we provide recommendations for proactive replacements. By following them, you give us the responsibility for the safe operation of your equipment, rather than taking it on yourself.

Lifecycle management with ASSA ABLOY Entrance Systems

A Pro-Active Care plan minimizes lost energy, lost time and unexpected hassle, thereby lowering the total cost of your investment. Preventive maintenance is one aspect, but so is having a dedicated partner who can service all your doors when problems arise.

We ensure the continuous performance, safety and convenience of your doors and docking systems, throughout their operating lifetime. And by combining Pro-Active Care with upgrades and modernization, we can extend the life of your equipment.



Effective lifecycle management enhances the performance of your automatic entrances.

Our maintenance makes your entrances more sustainable

Regular maintenance doesn't just ensure top equipment performance. It also extends the life of your doors and docking systems, and it reduces their impact on the environment.

Having fewer breakdowns contributes to a more stable interior climate, with energy losses kept to a minimum. And because our professional technicians service all types of doors, you can receive visits from one provider rather than several. That, along with the fact that we solve most problems on the first visit, means reduced emissions from service vehicles.

"If all suppliers provided service, statistics and follow-up like ASSA ABLOY Entrance Systems, my job would be much easier."


Site manager, Coor FM

"With carefully selected docking solutions and knowledge of how we avoid energy losses, we have been able to reduce our energy consumption while minimizing the risk of condensation. This, along with high quality, is more important than low investment costs for an installation."

SydGrönt AB

Automatically Green
For external entries to climate-controlled buildings, automatic doors are a greener option than manual doors. Only open when actually in use, they reduce the amount of energy needed to heat and/or cool the building.

Maintenance & Modernization
Regular maintenance and modernization ensures that your equipment operates reliably and efficiently for consistent, sustained energy savings.



Automatic Entrance Solutions
For external entries to climate-controlled buildings, automatic doors are a greener option than manual doors. Only open when actually in use, they reduce the amount of energy needed to heat and/or cool the building.

Green Upgrades
Automatic entrances can be made even more energy-efficient with Green Upgrades like sensors, air curtains and other equipment with adjustable functionality.

Pro-Active Care
Regular maintenance ensures that the automatic doors operate reliably and optimally for consistent, sustained energy savings.

ASSA ABLOY, Besam, Crawford, Albany and Megadoor as words and logos, are examples of trademarks owned by ASSA ABLOY Entrance Systems or companies with in the ASSA ABLOY Group.

ASSA ABLOY Entrance Systems is a leading supplier of entrance automation solutions for efficient flow of goods and people. With our globally recognized product brands Besam, Crawford, Megadoor and Albany, we offer products and services dedicated to satisfying end-user needs for safe, secure, convenient and sustainable operations.
ASSA ABLOY Entrance Systems is a division within ASSA ABLOY.

ASSA ABLOY

ASSA ABLOY Entrance Systems

assaabloyentrance.com

EM1706V4F