EVROPSKÁ UNIE

VÝVOZNÍ DOPROVODNÝ DOKLAD

Odesilatel/vývozce (2) č. DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt DE	DRUH PROHLÁŠENÍ (1): EX A; Kód DZO (S32) MRN: 19CZ6000002CB5UNG6 Tiskopisy (3): 1; Bezp.prohl. (S00): 1 Položky (5): 1; Nákl. kusy celkem (6): 4 Datum vydání: 21.10.2019 Celní úřad: CZ 600201
Příjemce (8) č. NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune,Nigdi Pradhikar IN	Referenční číslo (7): 2019GEREX26A005021 Kód způsobu platby přepravného (S29) Kód z. odesl./vývozu (15): CZ Kód země určení (17): IN Kódy země/zemí na trase (S13)
Deklarant/ Zástupce (14) č.DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt DE	Zástupce osoby podávající souhrnné prohl. (14b) č.CZ18626165 GERLACH spol. s r.o. K Vypichu 1086 252 19 Rudná u Prahy CZ
Pozn. zn a st. přísl. doprav. prostředku při odjezdu (18): IS35TMS ON95RD	Hrubá hmotnost (kg) (35): 459
Druh dopravy: 3; na hranici (25); Umístění zboží (30): 19CZ600201AP00100	Číslo závěry (S28)
Výstupní celní úřad (29): DE 004851	

Nákladové kusy a popis zboží (31)

Značky a čísla - Č. kontejneru - Počet a druh
Dveře, okna a jejich rámy, zárubně a prahy, z plastů
Rychloběžná vrata RP300 z plastových fólií - 2 ks

Auftrag: 30760905

LRN: 2019GEREX26A005021

CZ	Celní, Plzeň - CZ600201
19CZ6000002CB5UNG6	20191021
F1	18CZ600000LE00032

32 Č. pol.	Počet a druh nákladových kusů, počet kusů, značky a čísla nák. kusů	Popis zboží (31/2)			
Odesilatel/vývozce (2)		Příjemce (8)			
Pozn. zn. a st. přísl. dopravního prostředku při odjezdu (18)		Zbožový kód (33)			
Jedinečné referenční číslo zásilky (7)		Souhrnné prohlášení/Předchozí doklad (40)			
Předložené doklady/osvědčení (44/1)		Čísla kontejnerů (31/3)			Číslo závěry (S28)
Zvláštní záznamy (44/2)		Režim (37)	Země vývozu (15a)	Země určení (17a)	Hrubá hmotnost (kg) (35)
UNDG (44/4)	Kód zp. pl. přepr. (S29)	Druh prohlášení (1)	Statistická hodnota (46)	Fakt. cena	Čistá hmotnost (38)
1	Obal 4/PK				
IS35TMS ON95RD		39252000 380 90815405			
Y025 / CZAEOF080193 N380 / 90815405					
		1000	CZ	IN	459,000
			224154	222654	255,25

KONTROLA CELNÍM ÚŘADEM ODESLANÍ/ VÝVOZU

Výsledek: A3 Schválený vývozce

Přiložené závěry: Počet:

Označení: Osvobození

Lhůta (poslední den): 20191120

KONTROLA VÝSTUPNÍM CELNÍM ÚŘADEM (K)

Datum příchodu:

Kontrola celních závěr:

Poznámky:

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India		**ASSA ABLOY, Rechnung/Invoice** 90815405 **Datum/Date** 2019-10-21 **Lieferschein-Nr./delivery note** 80420587 **Auftrags-Nr./Order No.** 30760905 **Referenz/Reference** Mr. Marne	
Kunden-Nr./Customer No. 1059669	**Innendienst/Internal department** Olga Ziebart	**Versandart/Way of delivery** Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order** NVA 460	**Versandbedingungen/Terms of delivery** FCA Hemau, Germany	**Lieferdatum/Delivery date** 2019-10-21
Lieferadresse/Delivery address	**Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**	**Fälligkeit/Due date**
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 90	2020-01-19

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

customer pick-upLCL shipment**

AD_RP300	**ASSA ABLOY RP300**		**1.000**	**ST**	**3,900.00**	**3,900.00**
Serien-Nr. 2620003602						
Door type	High-speed roller door RapidProtect 300					
Daylight width	1.200 mm					
Daylight height	2.150 mm					
Side frame extension X-Level	0 mm					
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit					
Max. Opening Speed	2,3 m/s					
Max. Closing Speed	1,7 m/s					
Control box position	Mounted next to the drive unit					
Control system position	Right					
Motor Position	Right					
Wind class	1					
Side frame version	Aluminium					
Bottom plate	Delivered without bottom plates					
Bottom profile	Aluminium					
Safety contact edge	Pre running photocell at the bottom profile					
Photocell	With photocell					
Crank	With crank for manual operation					
Top roll material	Aluminum					
Door curtain	RollTex Plus					

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Door curtain colour	Orange, similar to RAL 2009
Silicone free	Silicone free
Window type	Window 500X700 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1.200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3.000 mm
Mains connection cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	2750X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**2710x540x450**
Dimension packing 2 LxWxH	**880x680x810**
Net Weight	**127,627 KG**
Gross Weight	**221,000 KG**

AD_RP300 ASSA ABLOY RP300 1.000 ST 3,900.00 3,900.00

Serien-Nr. 2620003603

Door type	High-speed roller door RapidProtect 300
Daylight width	1.200 mm
Daylight height	2.150 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,3 m/s
Max. Closing Speed	1,7 m/s
Control box position	Mounted next to the drive unit
Control system position	Left
Motor Position	Left
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Pre running photocell at the bottom profile

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Orange, similar to RAL 2009
Silicone free	Silicone free
Window type	Window 500X700 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1.200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
MCC type	Standard version
MCC display type	Display delivered separately, not mounted
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Interface cable length	3.000 mm
Mains connection cable length	3.000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Interface card	Interface card delivered separately, installation on site in the customer control box
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	2750X580X470
Dimension packing 2 LxWxH	1000X800X770

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**2710x540x460**
Dimension packing 2 LxWxH	**880x680x810**
Net Weight	**127,627 KG**
Gross Weight	**238,000 KG**

Warenwert/Value of goods		**7,800.00**
Export packing		**800.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**8,600.00**

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

ASSA ABLOY
ASSA ABLOY Entrance Systems
High Performance Door Solutions
Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
Tel.: 02941 / 766-0
www.albanydoors.com

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

80420587

SENDER:

ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
D-59557 LIPPSTADT

Delivery Note *80420587*

Order No.
30760905

Ship Date
2019-10-21

Your reference
Ashish Marne

Your Order No.
NVA 460

Our reference
Mrs. Olga Ziebart

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper
Spedition (W)
Seefracht

Line	Item No	Description	Storage Location	Quantity	Unit

customer pick-upLCL shipment**

10	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2620003602			

Daylight width	1.200 mm
Daylight height	2.150 mm
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Orange, similar to RAL 2009
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

Pallet - 2710x540x450
Pallet - 880x680x810

20	AD_RP300	ASSA ABLOY RP300	6000 -	1.00 ST
	Serien-Nr. 2620003603			

Daylight width	1.200 mm
Daylight height	2.150 mm
Side frame version	Aluminium

80420587

SENDER:

ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
D-59557 LIPPSTADT

Delivery Note *80420587*

Order No.
30760905

Ship Date
2019-10-21

Your reference
Ashish Marne

Your Order No.
NVA 460

Our reference
Mrs. Olga Ziebart

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper
Spedition (W)
Seefracht

Door curtain	RollTex Plus
Door curtain colour	Orange, similar to RAL 2009
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

Pallet - 2710x540x460
Pallet - 880x680x810

Order Line	Volume	Net Weight	Gross Weight
10	0.00	127.63	221.00
20	0.00	127.63	238.00
Total	**0.00**	**255.25**	**459.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

The goods were accepted in full:

_____
Date/Signature