
Anfrage

First and last name	ASHISH DILIP MARNE	E-Mail:	purchase@nihva.com
Company:	NIHVA Technologies Pvt Ltd		
Street and no.:	187 G block MIDC Chinchwad Thermax Chowk Telco Road above Kotak Mahindra Bank		
Postal code/ ZIP and city:	Chinchwad Pune 411019	Country:	India
Phone no.:	02066304033	Mobil no.:	9730020333



all dimensions in mm

Length and Quantity

Length: 2.500 mm*	Qty.: 8

* max. length: 6000 mm

Ambient conditions

At which type of machine will the bumper be mounted?		
Scissor Lift size 2000 x 2500 mm , qty 02		
Is there a medium present? If yes, which one (for instance acids, lyes, oils)?		
No		
Where is the application site?	☑ indoor	☐ outdoor
What is the mounting orientation?	☑ horizontal	☐ vertical
What is the stopping travel?	1.200,00 mm	













HAAKE®

Haake Technik GmbH
Master Esch 72
48691 Vreden
GERMANY

info@haake-technik.com
www.haake-technik.com
T: +49 2564 39650
F: +49 2564 396590

HSC-40-20-01-T-Rev.01-ENG ©

Type and position of cable exit

Top (only available with threaded bolts, see also **Mounting possibilities**)		
☐  Top left, x = 50 mm	☐  Top right, x = 50 mm	☐  Top left and right, x = 50 mm
At side		
☑  Front left, x = 50 mm	☑  Front right, x = 50 mm	☐  Front left and right, x = 50 mm
☑  Rear left, x = 50 mm	☑  Rear right, x = 50 mm	☐  Rear left and right, x = 50 mm
Frontal		
☐  Frontal left	☐  Frontal right	☐  Frontal left and right

Cable length

☑ 1.000 mm (standard)	☐ _____ mm (Upon request, surcharge)

*max. length: 50.000 mm (possible in 500 mm steps)

Mounting possibilities


☑ No mounting possibilities (made by client)		
☐ Threaded bolts M6 ×	☐ 14	☐ 23 (effective length)
☐ Threaded bolts M8 ×	☐ 18	☐ 28 (effective length)
☐ Boreholes ø = 6 mm		
☐ Oblong holes 7.5 × 21 mm		

Dimensions

Mounting dimensions are specified by variables a and b.

a is for first and last distances (symmetrical design) and
b is for intermediate distances.

☑ Selected by manufacturer	☐ Own distances a = ___ b = ___ mm



Haake Technik GmbH
Master Esch 72
48691 Vreden
GERMANY

info@haake-technik.com
www.haake-technik.com
T: +49 2564 39650
F: +49 2564 396590

HSC-40-20-01-T-Rev.01-ENG ©

Additional information

Please describe your safety application. Additional specifications can be named here.

Please note, the following links will only work with the Adobe Acrobat Reader:

Save as

Send Request for Quotation

If you don't have an Acrobat Reader, you can send us the filled formular as an attachement to the following

E-Mail address: info@haake-technik.com

HAAKE®

Haake Technik GmbH
Master Esch 72
48691 Vreden

info@haake-technik.com
www.haake-technik.com