Spare part list

Roller door L, SL, SL-Z

ALBANY
ASSA ABLOY



2013-05 Index 00

ALBANY
ASSA ABLOY

Rolltor L, SL, SL- Z, Version 13

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame RH/LH L, SL, SL-Z**								
1	RH sideframe cpl.	RH		D5634124	G	E	m	1	
2	LH sideframe cpl.	LH		D5634126	G	E	m	1	
3	2-pc. guide profile with built-in sealing brush and bell mouth, RH	RH		D5634115	G	B	m	1	
4	2-pc. guide profile with built-in sealing brush and bell mouth, LH	LH		D5634330	G	B	m	1	
5	Bell-Mouth, RH	RH		D5634003		A	Stck./pc.	1	
6	Bell-Mouth, LH	LH		D5634004		A	Stck./pc.	1	
7	1-pc. guide profile with built-in sealing brush			D5634132	G	B	m	4	
8	sealing brush 1000 mm long			D5006R0009		A	Stck./pc.	max.24	x
9	1-pc. guide profile, raw, L = 4000 mm			D4507072		A	Stck./pc.	max. 4	
10	Upper Buffer			D5634337		A	Stck./pc.	2	
11	Buffer			D5634107		A	Stck./pc.	2	
12	Elements for the flexible cable-duct,without bracket	2L = DH + 1000		D5634125	G	B	m	1	
13	Bracket for flexible cable-duct compl.			D5634339		A	Stck./pc.	2	
	Bracket for flexible cable-duct			D4604153		A	Stck./pc.	2	
14	Cable for flexible cable duct: 2 * 0,75 mm²			D4803066		A	mm	1	
15	Bowden Cable & Lever complete			D5632051		A	Stck./pc.	1	x
19	Proximity switch	MPS		D4905R0082		A	Stck/pc	1	
	Side frame RH/LH only SL-Z								
18	Tension spring with bracket	on request			G	E		1	

ALBANY
ASSA ABLOY

Rolltor L, SL, SL- Z, Version 13

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
II	**Curtain L, SL, SL-Z**								
1	PVC-Curtain "traviplast" with windbrake tabs			D5634326	G	C		1	
	and reinforcement stripes blue or red								
	without bottom profile								
	Base price						Stck/pc.		
	Curtain 3 mm						m²		
	Curtain 4 mm	SL, SL- Z					m²		
2	Windbrake tabs 3 mm blue			D5632035		A	Stck/pc.	max.24	x
	Windbrake tabs 3 mm red			D5632036		A	Stck/pc.	max.24	x
	Windbrake tabs 4 mm blue	SL, SL- Z		D5632040		A	Stck/pc.	max.24	x
	Windbrake tabs 4 mm red	SL, SL- Z		D5632041		A	Stck/pc.	max.24	x
	Windbreak tab, extended			D8270RG039		A	Stck/pc.	max.24	x
3	**Torsion spring only L, SL**								
	RH or LH torsion spring cut--to-size			D8040RG003	G	B/D*		1	
	diameter / wire 95-70 mm								
	65 - 65 mm	L					Stck./pc.		
	65 - 70 mm	L					Stck./pc.		
	65 - 75 mm	L					Stck./pc.		
	65 - 80 mm	L					Stck/pc.		
	95 - 70 mm	SL					Stck/pc.		
	95 - 75 mm	SL					Stck/pc.		
	95 - 80 mm	SL					Stck/pc.		
	95 - 85 mm	SL					Stck/pc.		
	95 - 90 mm	SL					Stck/pc.		
	95 - 95 mm	SL					Stck/pc.		
	95 - 100 mm	SL					Stck/pc.		
	95 - 105 mm	SL				E	Stck/pc.		
	95 - 120 mm	SL				E	Stck/pc.		
	B/D*: L<1800 ==> B , L>1800 ==> D								
	RH or LH torsion spring raw L = 1800 mm							1	
	65 - 75 mm	RH		D4610104		B	Stck/pc.		
		LH		D4610105		B	Stck/pc.		
	65 - 80 mm	RH		D4610116		B	Stck/pc.		
		LH		D4610117		B	Stck/pc.		
	95 - 70 mm	RH		D4610118		B	Stck/pc.		
		LH		D4610119		B	Stck/pc.		
	95 - 75 mm	RH		D4610122		B	Stck/pc.		
		LH		D4610123		B	Stck/pc.		
	95 - 80 mm	RH		D4610126		B	Stck/pc.		
		LH		D4610127		B	Stck/pc.		
	95 - 85 mm	RH		D4610130		B	Stck/pc.		
		LH		D4610131		B	Stck/pc.		
	95 - 90 mm	RH		D4610134		B	Stck/pc.		
		LH		D4610135		B	Stck/pc.		
	95 - 95 mm	RH		D4610138		B	Stck/pc.		
		LH		D4610139		B	Stck/pc.		
	95 - 100 mm	RH		D4610140		B	Stck/pc.		
		LH		D4610141		B	Stck/pc.		
4	grease for springs			D5906099		A	Stck/pc.	1	
5	**Bearing, only L**								
	Pedestal bearing D = 30	L		D5103R0032		A	Stck/pc.	2	
	Bearing, only SL, SL-Z								
	Pedestal bearing d = 40	SL, SL- Z		D5103R0001		A	Stck/pc.	2	

ALBANY
ASSA ABLOY

Rolltor L, SL, SL- Z, Version 13

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
III	**Bottom profile L, SL, SL-Z**								
1	Bottom Rail incl. End Guide Plates "Schwert", with rollers and rubber profile with contact edge T			D5634103	G	B		1	
							Stck/pc.		
							m/dw		
2	Rubber Profile with Contact Edge T			D5634001	G	B	m	1	
3	Rubber Profile without Contact Edge cut to size			D5634310	G	B	m	1	
4	Contact edge T, cut to size			D5630002	G	B	m	1	
5	Rubber Profile G with plugs, cut-to-size			D5634208	G	B	m	1	
6	Plug with gland			D4904287		A	Stck/pc.	1	
7	Plug with diode			D4904286		A	Stck/pc.	1	
8	End guide plate "Schwert" with rollers			D5634317		A	Stck/pc.	2	x
9	Rolle for end guide plate "Schwert"			D5634106		A	Stck/pc.	4	x
10	Evaluating unit of contact edge T, 230 V			D4904065		A	Stck/pc.	1	
11	Evaluating unit of contact edge T, 24 V			D4904125		A	Stck/pc.	1	
12	Evaluating unit of contact edge diode			D4904372		A	Stck/pc.	1	
13	Evaluating unit of contact edge 8.2 kohm			D4904R0514		A	Stck/pc.	1	

ALBANY
ASSA ABLOY

Rolltor L, SL, SL- Z, Version 13

Pos. Item	Description	Bemerkung Note	gültig ab ► gültig bis valid from ► valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Drive unit L, SL, SL-Z**								
1	Gear motor 400 V, PLS-T, vertically, type I			D6601026		A	Stck/pc.	1	
	Gear motor 400 V, MPS, with encoder	MPS		D4901216		A	Stck./pc.	1	
2	Brake with rectifier oneway for motor type I (196V)		► 1991-12	D5632283		A	Stck/pc.	1	
	Brake for motor type I (96V)		1992-01 ►	D6622R0025		A	Stck./pc.	1	
3	Torque Arrester with square (PLS u. PLS-T)	PLS, PLS-T		D5634119		A	Stck/pc.	1	x
	Torque Arrester with square (PLS-G a. MPS)	PLS, PLS-T		D5634302		A	Stck./pc.	1	x
4	Spindle- limit-switch with chain			D8410R0075		B	Stck./pc.	1	
17	Double Proximity switch	MPS		D4905R0019		A	Stck./pc.	1	
	Drive unit only L								
5	Gear motor 400 V, 0,55 kw, PLS-G	PLS-G		D4901139		A	Stck./pc.	1	
6	Brake	for 4901139		D6622R0008		A	Stck/pc.	1	
7	Motor bracket RH			D4602406		A	Stck./pc.	1	
8	Motor bracket LH			D4602409		A	Stck/pc.	1	
9	Tensioning Pulley Retainer			D4602408		A	Stck./pc.	1	
10	Motor cover blue, RH			D4399325		A	Stck./pc.	1	
11	Motor cover blue, LH			D4399326		A	Stck./pc.	1	
	Drive unit only SL, SL-Z								
12	Gear motor 400V, 0,37 kw, PLS_T, horizontally, type I	PLS-T		D6601025		E	Stck./pc.	1	
	Gear Motor 400 V, 0,37/0,55 KW, PLS-T, vertically, type II	PLS-T		D6601027		A	Stck./pc.	1	
	Gear motor 400V, 0,45 /0,70kw, PLS_T, horizontally type II	PLS-T		D6601024		E	Stck./pc.	1	
	Gear motor 400V, 0,55kw, PLS-G	PLS-G		D4901138		A	Stck./pc.	1	
13	Brake	for 6601025		D4902044		A	Stck/pc.	1	
	Brake with rectifier oneway		► 1991-12	D5632284		A	Stck/pc.	1	
	Brake for motor type II (96V) and 4901054		1992-01 ►	D6622R0023		A	Stck./pc.	1	
	brake	for 4901138		D6622R0008		A	Stck/pc.	1	
14	Motor bracket RH			D4602445		A	Stck./pc.	1	
15	Motor bracket LH			D4602446		A	Stck/pc.	1	
16	Tensioning pulley retainer			D4602444		A	Stck./pc.	1	

ALBANY
ASSA ABLOY

Rolltor L, SL, SL- Z, Version 13

Pos. Item	Description	Bemerkung Note	gültig ab ▶ gültig bis valid from ▶ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Control L, SL, SL-Z**								
1	Function card PLS, eprom 2.8	L, SL, SL- Z		D4903081		A	Stck/pc.	1	
2	Mother Board PLS-T, 2 contactors 400 V with function card	L		D4903098		A	Stck/pc.	1	
	Mother Board PLS-T, 3 contactors 400 V with function card	SL, SL- Z		D4903099		A	Stck/pc.	1	
3	Contactor-Replacement-Set (EURO-control)	L		D4810078		A	Stck/pc.	1	
	Contactor-Replacement-Set (EURO-control)	SL, SL- Z		D4810077		D	Stck/pc.	1	
4	F. card for Euro controls - soldered contactor	SL, SL- Z		D4903052		A	Stck/pc.	1	
5	Control unit MPS	SL, SL- Z		D4903109		A	Stck/pc.	1	

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
E	
	Wear parts
	x = Standard wear with time/use

