Spare part list


RR 3000 XXL, -ISO

ALBANY
ASSA ABLOY



2013-05 Index 00

Side frame right	
Seitenteil rechts	




8220RG295	Rev.: e	Sheet: 7 of 7

ALBANY
ASSA ABLOY

RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
I	**Side frame right Side frame left (mirror image)**								
1	Side frame rh XXL complete		Base price	D8220RG295	G	C	Stck./pc.	1	
			Upcharge				m	1	
	Side frame lh XXL complete		Base price	D8220RG296	G	C	Stck./pc.	1	
			Upcharge				m	1	
2	Guide cover top rh XXL			D8220RG299	G	C	Stck./pc.	1	
	Guide cover top lh XXL			D8220RG300	G	C	Stck./pc.	1	
3	Guide cover bottom rh XXL			D8120R0085		C	Stck./pc.	2	
	Guide cover bottom lh XXL			D8120R0086		C	Stck./pc.	2	
4	Gusset top cover rh XXL			D4521RG301	G	C	Stck./pc.	1	
	Gusset top cover lh XXL			D4521RG302	G	C	Stck./pc.	1	
5a	Gusset bottom cover rh XXL			D4521R1708		C	Stck./pc.	2	
5b	Gusset bottom cover lh XXL			D4521R1709		C	Stck./pc.	2	
6	Spring cover top XXL			D4521R1671		C	Stck./pc.	2	
7	Spring cover middle 2	non drive side, drive side without hand lever		D4521RG275	G	C	Stck./pc.	2	
	Spring cover middle 2 RH	drive side RH, H ≤ 3000		D4521RG276	G	C	Stck./pc.	2	
	Spring cover middle 2 LH	drive side LH, H ≤ 3000		D4521RG277	G	C	Stck./pc.	2	
8a	Spring cover bottom RH XXL (side of unit)	H > 3000, RH		D4521T0207		C	Stck./pc.	1	
	Spring cover bottom LH XXL (side of unit)	H > 3000, LH		D4521T0208		C	Stck./pc.	1	
8b	Spring cover bottom XXL (side of bearing)	H > 3000		D4521T0206		C	Stck./pc.	max 3	
9	Tension spring short L=976mm	H < 3000		D4802R0009		A	Stck./pc.	max 20	X
	Tension spring middle L=1397mm	3000<=H<4000		D4802R0007		A	Stck./pc.	max 20	X
	Tension spring long L=2193mm	H>=4000		D4802R0008		A	Stck./pc.	max 20	X
10	Spring suspension top complete 3-hole			D8220R0050		A	Stck./pc.	4	
	Spring suspension top complete 3-hole			D8220R0058		A	Stck./pc.	4	
	Spring suspension top complete 4-hole			D8220R0051		A	Stck./pc.	4	
11	Belt (blue), L=6000			D5105R0081		A	Stck./pc.	4	X
12	Emergency lever			D8220TG010	G	A	Stck./pc.	1	
16	Bottomplate RH XXL			D4521R1622		A	Stck./pc.	1	
	Bottomplate LH XXL			D4521R1623		A	Stck./pc.	1	
17	Cable chain complete (side of unit)	(*)		D8520RG013	G	B	Stck./pc.	1	
	Cable chain complete (side of bearing)	(*)		D8520RG014	G	B	Stck./pc.	1	
18	Connecting cable 4m	drive side H<=2500		D4907R0024		A	Stck./pc.	1	
	Connecting cable 6m	drive side 2500<H<=4500 non drive side (H+W)<=4500		D4907R0029		A	Stck./pc.	1	
	Connecting cable 8m	drive side H>4500 non drive side 4500<(H+W)<=6500		D4907R0030		A	Stck./pc.	1	
	Connecting cable 10m	non drive side 6500<(H+W)<=8500		D4907R0032		A	Stck./pc.	1	
	Connecting cable 12m	non drive side 8500<(H+W)<=10500		D4907R0023		A	Stck./pc.	1	
	Connecting cable 14m	non drive side 10500<(H+W)<=12500		D4907R0031		A	Stck./pc.	1	

Side frame right	
Seitenteil rechts	



8220RG295	Rev.: e	Sheet: 7 of 7


ALBANY
ASSA ABLOY

RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
19	Belt receptacle			D8120R0047		A	Stck./pc.	2	
20	Proxmity switch M8 10E Plugconnector			D4905R0082		A	Stck./pc.	1	
	Connecting cable 2m with 2 M8 plugs	Drive side		D4907R0044		A	Stck./pc.	1	
21	Photocell transmitter without bracket - blue	RH		D4904R0547		A	Stck./pc.	1	
	Photocell receiver without bracket - black	LH		D4904R0548		A	Stck./pc.	1	
22	Cable Duct complete	L=2000		D8120R0049		A	Stck./pc.	6	
23	Spring Suspension			D4521R1090		A	Stck./pc.	max 8	
	Spring Suspension XL	only if more than 14 springs		D4521T0256		A	Stck./pc.	max 2	
24	Sliding rail 3000 mm long	L=3000		D4121R0335		A	Stck./pc.	10	X
25	Choise label emergancy lever			D6403R0009		A	Stck./pc.	1	
26	Door label			D6403RG002	G	A	Stck./pc.	1	

(*) Data of W, H and drive side is necessary

Panel Door Blade XXL	
Paneelbehang XXL	




8230RG357	Rev.: a	Sheet: 4 of 4

ALBANY
ASSA ABLOY

RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIa	**Panel Door Blade XXL**								
1	Top lamella XXL, with intel sealing (*)		Base price	D8230RG348	G	B	Stck./pc.	1	
	without isolation		Upcharge				m	1	
	isolation with Polystyrol		Upcharge				m	1	
2	Lamella 1 XXL with extension piece 1 (*)	n=13	Base price	D8230RG349	G	B	Stck./pc.	max 12	
	without isolation		Upcharge				m	max 12	
	isolation with Polystyrol		Upcharge				m	max 12	
3	Lamella 2 XXL with extension piece 2 (*)	n=15	Base price	D8230RG350	G	B	Stck./pc.	max 15	
	without isolation		Upcharge				m	max 15	
	isolation with Polystyrol		Upcharge				m	max 15	
4.1	Lamella 3 XXL with extension piece 3 (*)		Base price	D8230RG351	G	B	Stck./pc.	max 19	
	without isolation		Upcharge				m	max 19	
	isolation with Polystyrol		Upcharge				m	max 19	
4.2	Lamella type 4c (*)	W > 6000 (pre running photo cell)	Base price	D8230RG439	G	B	Stck./pc.	1	
	without isolation		Upcharge				m	1	
	isolation with Polystyrol		Upcharge				m	1	
5	Windowlamella 1 XXL with extension piece 1 (*)			D8230RG352	G	B	m	max 8	
6	Windowlamella 2 XXL with extension piece 2 (*)			D8230RG353	G	B	m	max8	
7	Windowlamella 3 XXL with extension piece 3 (*)			D8230RG354	G	B	m	max 10	
8.1	Bottom lamella with rubber profile without extension piece 4	W <= 5000 (pre running photo cell)		D8230RG355	G	B	m	1	
8.2	Lamella bottom type 4a with rubber profile, without extension piece 4	W > 5000 (pre running photo cell)		D8230RG437	G	B	m	1	
8.3	Lamella bottom with electr. safety edge without extension piece 5	electr. safety edge		D8230RG392	G	B	m	1	
8.4	Lamella bottom with electr. safety edge and ext. seal without extension piece 5	electr. safety edge		D8230RG393	G	B	m	1	
9	Extension piece 1 ISO	top lamella		D4521R1805		A	Stck./pc.	2	
	Extension piece 1 XXL			D4521R1653		A	Stck./pc.	max 26	
10	Extension piece 2 XXL			D4521R1654		A	Stck./pc.	max 30	
11	Extension piece 3 XXL			D4521R1655		A	Stck./pc.	max 34	
12	Extension piece 5 rh, for bottom lamella	el. safety edge, RH		D8150R0110		A	Stck./pc.	1	
	Extension piece 4a rh, for bottom lamella	pre running photocell RH (**)	►2011-08 See Pos.19 2011-09 ► also single	D8150R0116		A	Stck./pc.	1	
13	Extension piece 4a lh, for bottom lamella	pre running photocell LH (**)		D8150R0117		A	Stck./pc.	1	
	Extension piece 5s lh, for bottom lamella	el. safety edge, LH		D8150R0111		A	Stck./pc.	1	
14a	Clamping lug standard			D4521R1652		A	Stck./pc.	max 78	
14b	Wind shackle			D4521R1651		A	Stck./pc.	max 94	
15	Lamella sealing			D4402RG005	G	B	m	max 47	
16	Sealing top lamella			D4421RG011	G	B	m	1	

Panel Door Blade XXL	
Paneelbehang XXL	



8230RG357	Rev.: a	Sheet: 4 of 4

ALBANY
ASSA ABLOY


RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
17	Bottom rubber profile	pre running photocell		D4402RG006	G	B	m	1	
	Rubber profile extended sealing lip cut-to-size			D4421RG016	G	C	m	1	
	Rubber profile with integrated safety edge	el. safety edge		D4421RG043	G	B	m	1	
	Rubber profile elongated sealing-lilp			D4421RG044	G	C	m	1	
18	Flat belt-set 3000XXL, -ISO cpl.			D8240R0028		B	m	2	X
19	Safety photocell receiver - grey	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0546		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
20	Bracket pre-running photocell RH			D4521R0943		A	Stck./pc.	1	
	Bracket pre-running photocell LH			D4521R1023		A	Stck./pc.	1	
21	Activator proximity switch RH			D4521R0981		A	Stck./pc.	1	
	Activator proximity switch LH			D4521R0982		A	Stck./pc.	1	
22	Flat belt repair-kit	2 belts (1000mm) with clamping parts		D8130R0011		A	Stck./pc.		

(*) Inclusive lamella seal (pos. 15), clamping plate (pos. 14a) and wind shackle (pos. 14b)

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)

Panel Door Blade ISO	
Paneelbehang ISO	



8230RG383	Rev.: a	Sheet: 2 of 2

ALBANY
ASSA ABLOY


RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIb	**Panel Door Blade ISO**								
1	Top lamella ISO, with intel sealing (*)			D8230RG372	G	B	m	1	
2	Lamella 1 ISO with extension piece 1 (*)			D8230RG369	G	B	m	max 10	
3	Lamella 2 ISO with extension piece 2 (*)			D8230RG370	G	B	m	max 14	
4	Lamella 3 ISO with extension piece 3 (*)			D8230RG371	G	B	m	max 14	
5	Windowlamella 1ISO with extension piece 1 (*)			D8230RG361	G	B	m		
6	Windowlamella 2 ISO with extension piece 2 (*)			D8230RG362	G	B	m		
7	Windowlamella 3 ISO with extension piece 3 (*)			D8230RG363	G	B	m		
8.1	Bottom lamella ISO with rubber profile without extension piece 4b	W <= 5000 (pre running photo cell)		D8230RG373	G	B	m	1	
8.2	Lamella bottom type 4b (with rubber profile, without extension piece 4b)	W > 5000 (pre running photo cell)		D8230RG438	G	B	m	1	
8.3	Lamella bottom with electr. safety edge (without extension piece 5)	el. safety edge		D8230RG435	G	B	m	1	
8.4	Lamella bottom with electr. safety edge and ext. seal (without extension piece 5)	el. safety edge		D8230RG436	G	B	m	1	
9	Extension piece 1 ISO	top lamella		D4521R1805		A	Stck./pc.	2	
	Extension piece 1 XXL			D4521R1653		A	Stck./pc.	max 20	
10	Extension piece 2 XXL			D4521R1654		A	Stck./pc.	max 28	
11	Extension piece 3 XXL			D4521R1655		A	Stck./pc.	max 28	
12	Extension piece 5 rh, for bottom lamella	el. safety edge, RH		D8150R0110		A	Stck./pc.	1	
	Extension piece 4b rh, for bottom lamella	pre running photocell RH (**)	►2011-08 See Pos.19 2011-09 ► also single	D8150R0118		A	Stck./pc.	1	
13	Extension piece 4b lh, for bottom lamella	pre running photocell LH (**)		D8150R0119		A	Stck./pc.	1	
	Extension piece 5 lh, for bottom lamella	el. safety edge, LH		D8150R0111		A	Stck./pc.	1	
14a	Clamping lug standard			D4521R1652		A	Stck./pc.	max 56	
14b	Wind shackle			D4521R1651		A	Stck./pc.	max 78	
15	Lamella sealing ISO			D4402RG012	G	B	m	max 39	
16	Sealing top lamella			D4421RG011	G	B	m	1	
17	Bottom rubber profile			D4402RG006	G	B	m	1	
	Rubber profile extended sealing lip cut-to-size			D4421RG016	G	C	m	1	
18	Flat belt-set 3000XXL, -ISO cpl.			D8240R0028		B	m	2	X
19	Safety photocell receiver - grey	RH (**)	►2011-08 just in pair 2011-09 ► also single	D4904R0546		A	Stck./pc.	1	
	Safety photocell transmitter - red	LH (**)		D4904R0544		A	Stck./pc.	1	
20	Bracket pre running photocell RH	RH		D4521R1658		A	Stck./pc.	1	
	Bracket pre running photocell LH	LH		D4521R1690		A	Stck./pc.	1	
21	Activator Proximity switch RH	RH		D4521R0981		A	Stck./pc.	1	
	Activator Proximity switch LH	LH		D4521R0982		A	Stck./pc.	1	
22	PVC cover profile	L=W+45		D4121RG034	G	A	Stck./pc.	max 40	
23	Isolation	L=1000		D4121R0398		A	Stck./pc.	m. 240	
24	End cap lamella ISO	2x per Lamella		D4721R0281		A	Stck./pc.	max 80	
25	Flat belt repair-kit	2 belts (1000mm) with clamping parts		D8130R0011		A	Stck./pc.		

(*) Inclusive lamella seal (pos. 15), clamping plate (pos. 14a) and wind shackle (pos. 14b)

(**) Doors ordered before end of 2011/08 needs a pair of Transmitter/Receiver (Pos.19)

Barrel 2 complete	
Wickelwelle 2 komplett	




ALBANY
ASSA ABLOY

RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IIIa	**Barrel XXL complete with Door blade**								
	Top roll with door blade RR3000 XXL complete (*)	Transport pallet cpl. included		D8240RG173	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Barrel complete	H<=5000		D8240RG133	G	D	Stck./pc.	1	
	Barrel complete	H > 5000		D8240RG137	G	D	Stck./pc.	1	
1	Spiral disk 1a	H<=5000		D4521R1801		A	Stck./pc.	2	
	Spiral disk XXL 1a	H > 5000		D4521R1606		A	Stck./pc.	2	
	Spiral disk 1b	H<=5000		D4521R1802		A	Stck./pc.	1	
	Spiral disk XXL 1b	H > 5000		D4521R1609		A	Stck./pc.	2	
2	Spiral disk 2	H<=5000		D4521R1803		A	Stck./pc.	2	
	Spiral disk XXL 2	H > 5000		D4521R1607		A	Stck./pc.	2	
3	Spiral disk 3	H<=5000		D4521R1804		A	Stck./pc.	2	
	Spiral disk XXL 3	H > 5000		D4521R1608		A	Stck./pc.	2	
4	Dampener disks	L=2000		D8140R0072		A	Stck./pc.	8	X
5	Bearing d 35			D8140R0060		A	Stck./pc.	2	X
6	Bracket belt			D4521R0953		A	Stck./pc.	2	
7	Winding plate	H > 5000		D4521R1610		A	Stck./pc.	2	
	Winding plate	H<=5000		D4521R1611		A	Stck./pc.	2	
8	Distance tube			D4521R1612		A	Stck./pc.	2	
10	Asynchronus spring system	W > 5500		D8140R0076		A	Stck./pc.	2	
IIIb	**Barrel ISO complete with Door blade**								
	Top roll with door blade RR3000 ISO complete (*)	Transport pallet cpl. included		D8240RG174	G	D		1	
		Base price					Stck./pc.		
		Upcharge					m^2		
	Barrel 2 complete ISO (*)			D8240RG138	G	D	Stck./pc.	1	
	Barrel 2c complete ISO (*)	only chain drive		D8240RG162	G	D	Stck./pc.	1	
1	Spiral disk ISO 1a			D4521R1601		A	Stck./pc.	2	
	Spiral disk ISO 1b			D4521R1604		A	Stck./pc.	2	
2	Spiral disk ISO 2			D4521R1602		A	Stck./pc.	2	
3	Spiral disk ISO 3			D4521R1603		A	Stck./pc.	2	
4	Dampener disks	L=2000		D8140R0072		A	Stck./pc.	8	X
5	Bearing d 35			D8140R0060		A	Stck./pc.	2	X
6	Bracket belt			D4521R0953		A	Stck./pc.	2	
7	Winding plate			D4521R1611		A	Stck./pc.	2	
7	Distance tube			D4521R1611		A	Stck./pc.	2	
8	Locking element for pinion	only chain drive		D5103R0082		A	Stck./pc.	1	
9	Roller chain	only Chain drive		D8120R0072		A	Stck./pc	1	X

(*) Data of W, H and drive side is necessary

Drive unit complete	RR3000, 3000L,
Antrieb komplett	3000XL, 3000XXL, 3000ISO




ALBANY
ASSA ABLOY

RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
IV	**Drive unit complete**								
1	Gear motor	3000 XXL		D8910R0088		B	Stck./pc.	1	
	220-230 / 400-415 V, MCC	H > 5000							
	Gear motor	3000XXL: H<=5000		D8910R0079		B	Stck./pc.	1	
	220-230 / 400-415 V, MCC	3000 ISO							
2	Brake 15Nm 196V DC HL			D6622R0018		A	Stck./pc.	1	X
3	Encoder 50 pulses, only electronic part			D4904R0450		A	Stck./pc.	1	
	Encoder 50 pulses cpl			D8410R0066		A	Stck./pc.	1	
4	Torque Arm			D4521R1490		A	Stck./pc.	1	
5	Motor plate	not with chain drive		D4521R1096		A	Stck./pc.	1	
6	Vibration absorber	not with chain drive		D5004R0041		A	Stck./pc.	2	
7	Microswitch			D6621R0002		A	Stck./pc.	1	
8	Spring 2,2x11x48			D4802R0004		A	Stck./pc.	1	
9	Cable 4x0,25 6,5m GY	SL<=5m		D4907R0110		A	Stck./pc.	1	
	Cable 4x0,25 11,5m GY	5m<SL<=10m		D4907R0111		A	Stck./pc.	1	
	Cable 4x0,25 21,5m GY	10m<SL<=20m		D4907R0112		A	Stck./pc.	1	
	Cable 4x0,25 31,5m GY	20m<SL<=30m		D4907R0113		A	Stck./pc.	1	
10	Junctionbox 9plug 11,5m cable	5m<SL<=10m		D4906R0028		A	Stck./pc.	1	
	Junctionbox 9plug 21,5m cable	10m<SL<=20m		D4906R0029		A	Stck./pc.	1	
	Junctionbox 9plug 31,5m cable	20m<SL<=30m		D4906R0030		D	Stck./pc.	1	
	Junctionbox 9plug 6,5m cable	SL<=5m		D4906R0027		A	Stck./pc.	1	
11	Control cable	MCC		D8903RG145	G	B		1	
		Base Price					Stck./pc.		
		Upcharge					m		
12	Drive shaft with pinion	only Chain drive		D4521R1360		A	Stck./pc	1	
13	Roller chain	only Chain drive		D8120R0072		A	Stck./pc	1	X

RR3000 XXL	
RR3000 XXL	



8300RG200	Rev.: 0	Sheet: 3 of 3

ALBANY
ASSA ABLOY

RR 3000XXL,- ISO, Version 16

Pos. Item	Description	Bemerkung Note	gültig ab ▲ gültig bis ▲ valid from ▲ valid to	Art.-Nr. Item-No	1	Delivery time class	Einheit Unit	Anzahl pro Tor Quantity per door	Verschleißteil Wear part / Slitdetalje
V	**Options**								
1	Top roll cover 1	DW <= 2500		D8260RG035	G	C	m	1	
	Top roll cover 2	2500<DW<=5000		D8260RG036	G	C	m	1	
	Top roll cover 3	DW > 5000		D8260RG034	G	C	m	1	
2	Motor cover RH complete	Alu		D8160R0123		A	Stck./pc.	1	
	Motor cover LH complete			D8160R0124		A	Stck./pc.	1	
3	2. emergency lever (option)			D8170RG022	G	B	Stck./pc.	1	
4	Lintel profile			D4521RG297	G	C	Stck./pc.	1	
	Transport pallet	for transport and dismountling top roll		D8270RG031	G	C	Stck./pc.	1	

SL= control line

H, L => [mm]

	Legend
	1
G	Generic Item
	Delivery time
A	Within 24 hours
B	2-3 Workdays
C	5-8 Workdays
D	10-14 Workdays
	Wear parts
	x = Standard wear with time/use

