




Scanned with ACE Scanner

① Possibility




2) Height opening
3) Dust cleaning solution
4) Both side stacking.

Scanned with ACE Scanner




Scanned with ACE Scanner



This drawing & design is the property of NIHVA TECHNOLOGIES. Not to be sold or copied to any other concern.


TITLE - ASSEMBLY LINE ROOF ENCLOSURE			NIHVA TECHNOLOGIES PVT. LTD.
QTY - 6 NOS			
NAME	SIGN	DATE	
DRAWN	B.B.	31/07/24	CLIENT - NTPL - 202407-T & R
CHECK	B.B.	31/07/24	LOCATION -
APPRD.	V. T.	31/07/24	PRODUCT - ASSEMBLY LINE ROOF ENCLOSURE
			DWG NO - NTPL-202407-T & R REV-
ALL DIMENSION ARE IN mm			SCALE: SHEET:

Scanned with ACE Scanner




Scanned with ACE Scanner

Scanned with ACE Scanner



Scanned with ACE Scanner



Scanned with ACE Scanner

purpose	Solution.
1) Dust proof	→ ① by useing EPDM rubber to overcome this problem
2) No Ac loss	→ ① If any part from out side insert in this area at that time dust is inside area ② close the panel by automation so speed of that panel is 6m/minute at that time dust and air is inside.
3) maintance easily	→
4) If slide panel then do not enter air or dust. [settle dust in panel do not enter inner]	→
5) cleaning accesses.	→
6) air leakge due to overlap distance is very low.	→

Scanned with ACE Scanner