TAX INVOICE

NIHVA TECHNOLOGIES PVT. LTD.

NIHVA TECHNOLOGIES PVT. LTD.

Address: Regd. Off. : 8/1. Coromant Hsg. Society, Sector 27,
Pradhikaran, Nigdi,Pune- 411044
Works Add : 187/G-Block, 1st Floor, Thermax Chowk, Chinchwad, Pune - 411 019.
CIN No.U72900PN2012PTC143948
PAN NO : AAECN0437H
GSTIN NO.: 27AAECN0437H1ZM

INVOICE NO.:	NIHVA/17-18/227
INVOICE DATE:	03-01-2018
Order NO.:	7008009989
Order Date:	16-10-2017

Details Of Receiver(Billed to)		Details Of Consignee (Shipped to)	
NAME:	Ferrero India Pvt Ltd	NAME:	Ferrero India Pvt Ltd
Address:	F-13 , MIDC, Baramati -413133 Dist Pune	Address:	Plot No.F-13 & G10/1 , MIDC, Baramati -413133 Dist Pune.
State Code:	Maharashtra	State Code:	Maharashtra
GSTIN:	27AAACF8110B1Z8	GSTIN:	27AAACF8110B1Z8

SR. NO.	Description of Goods	HSN/SAC	Qty	Unit	Rate	Amount
1	**High Speed Roller Door RR300 + Al** Item No:00010 Size:- (W) 3000 X (H) 3500 mm	73083000	3	ST	467,204.00	1,401,612.00
2	**High Speed Roller Door RR300 + Al** Item No:00020 Size:- (W) 3000 X (H) 3000 mm	73083000	1	ST	463,113.00	463,113.00
3	**High Speed Roller Door RR300 + Al** Item No:00030 Size:- (W) 2000 X (H) 3000 mm	73083000	1	ST	445,930.00	445,930.00
4	**High Speed Roller Door RR300 + Al** Item No:00040 Size:- (W) 2450 X (H) 3500 mm	73083000	1	ST	463,113.00	463,113.00
5	**High Speed Roller Door RR300 + Al** Item No:00050 Size:- (W) 2500 X (H) 3500 mm	73083000	1	ST	463,113.00	463,113.00
6	**High Speed Roller Door RR3000ISO** Item No:00060 Size:- (W) 3000 X (H) 3500 mm	73083000	2	ST	863,222.00	1,726,444.00
	High Sea Sales					

IGST In Words:Nil
CGST In Words:Nil.
SGST In Words:Nil.
Total Invoice Value (In Words): **Forty Nine Lac Sixty Three Thousand Three Hundred Twenty Five Rupees Only.**

Total Taxable Value		4,963,325.00
Freight/Packing		-
Total		4,963,325.00
IGST	Nil	Nil
CGST	Nil	Nil
SGST	Nil	Nil
CGST	Nil	Nil
SGST	Nil	Nil
Grand Total		**4,963,325.00**

Bank Details -
The Cosmos Co op Bank Ltd
Branch Name :- Bhosari Pune 411026
A/c No 90360010134
IFSC NO:- COSB0000903

I/We certify that registration certificate under GST Act. 2017 is in force on the date on which the supply of goods specified in this Tax Invoice is made by me/us & it shall be accounted for in the turnover of supplies while filing of return &the due tax if any payable on the supplies has been paid or shall be paid. Further certified that the particulars given above are true and correct & the amount indicated represents the prices actually charged and there is on flow if additional consideration directly or indirectly from the buyer.

For NIHVA TECHNOLOGIES PVT. LTD.

NIHVA TECHNOLOGIES PVT. LTD. PUNE

Authorised Signatory

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 Pune, Nigdi Pradhikar
India

Rechnung/Invoice	90660020
Datum/Date	2017-12-20
Lieferschein-Nr./delivery note	80367791
Auftrags-Nr./Order No.	30644613
Referenz/Reference	Mr. Dange

Kunden-Nr./Customer No.	Innendienst/Internal department	Versandart/Way of delivery	
1059669	Tatjana Rerich	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA- 335		2017-12-12

Lieferadresse/Delivery address	Nr. Lieferadresse/Delivery address No.	Zahlungsbedingungen/Terms of payment	Fälligkeit/Due date
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 60	2018-02-18

Pos. Item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

FCL Container deliveryCFR Nhava Sheva**

AD_RR300_PLUS	Albany RR300_plus	1.000	ST	5.235.00	5.235.00

Serien-Nr. 1300009933

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	3 000 mm
Daylight height	3 500 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

54 330 006 1512 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	4 500 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4000X480X400
Dimension packing 2 LxWxH	800X600X580
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**4000x530x430**
Dimension packing 2 LxWxH	**800x600x580**
Net Weight	**246,000 KG**
Gross Weight	**246,000 KG**

AD_RR300_PLUS **Albany RR300_plus** **1.000** **ST** **5,235.00** **5,235.00**

Serien-Nr. 1300009934

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	3 000 mm
Daylight height	3 500 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

84-180001 15012 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

	75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	4 500 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4000X460X400
Dimension packing 2 LxWxH	800X600X580
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**4000x530x430**
Dimension packing 2 LxWxH	**800x600x580**
Net Weight	**248,000 KG**
Gross Weight	**248,000 KG**

AD_RR300_PLUS **Albany RR300_plus** **1.000** **ST** **5,235.00** **5,235.00**

Serien-Nr. 1300009935

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	3 000 mm
Daylight height	3 500 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 15/17 rit

Pos. Item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	4 500 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4000X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**4000x530x430**
Dimension packing 2 LxWxH	**800x600x580**
Net Weight	**244,000 KG**
Gross Weight	**244,000 KG**

AD_RR300_PLUS **Albany RR300_plus** 1.000 ST 5,150.00 5,150.00

Serien-Nr. 1300009936

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	3 000 mm
Daylight height	3 000 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Left
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/765-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 1312 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	3 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	3500X480X400
Dimension packing 2 LxWxH	800X600X580
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**3500x530x430**
Dimension packing 2 LxWxH	**800x600x580**
Net Weight	**206,000 KG**
Gross Weight	**206,000 KG**

AD_RR300_PLUS **Albany RR300_plus** **1.000** **ST** 4,880.00 4,880.00

Serien-Nr. 1300009937

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	2 000 mm
Daylight height	3 000 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

90660020 15172 20180104

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	3 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	3500X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**3500x530x430**
Dimension packing 2 LxWxH	**800x600x580**
Net Weight	**229,000 KG**
Gross Weight	**229,000 KG**

AD_RR300_PLUS **Albany RR300_plus** 1.000 ST 5,090.00 5,090.00

Serien-Nr. 1300009938

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	2 450 mm
Daylight height	3 500 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 15/12 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	4 500 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4000X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**4000x530x430**
Dimension packing 2 LxWxH	**800x600x300**
Net Weight	**218,000 KG**
Gross Weight	**218,000 KG**

AD_RR300_PLUS **Albany RR300_plus** **1.000** **ST** **5,090.00** **5,090.00**

Serien-Nr. 1300009939

Door type	High speed roller door RapidRoll 300 Plus
Daylight width	2 500 mm
Daylight height	3 500 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,2 m/s
Max. Closing Speed	0,9 m/s
Control box position	Mounted next to the drive unit
Motor Position	Left
Wind class	1
Side frame version	Aluminium
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With cable chain, integrated in side frame
Photocell	With photocell
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Brake type	Door equipped with fail safe brake. When the brake is released by the door opens partially supported by the balancing system.
Egress height	When the brake is released doors up to daylight height of 2300mm open up to 75% of the daylight height. Doors with daylight height > 2300mm open approx. 2m
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 518
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 035 1512 DE

Pos. / Item	Produkt / Product	Beschreibung / Description	Anzahl / QTY	Einheit / Unit	Preis/Einh. / Price/Unit	Preis / Price

Main switch	With main switch
Mains connection cable length	4 500 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year
Dimension packing 1 LxWxH	4000X480X400
Dimension packing 2 LxWxH	800X600X580

Commodity code: 39252000
Country of origin: CZ

Dimension packing 1 LxWxH	**4000x530x430**
Dimension packing 2 LxWxH	**800x600x580**
Net Weight	**192,000 KG**
Gross Weight	**192,000 KG**

AD_RR5000 **Albany RR3000 ISO** 1.000 ST 11,170.00 11,170.00

Serien-Nr. 2701001511

Door type	RapidRoll 3000 ISO_
Daylight width	3 000 mm
Daylight height	3 500 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,1 m/s
Max. Closing Speed	0,7 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	3
Side frame version	Galvanised steel
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Top roll material	Top roll made of steel
Door curtain	Lamella type AI
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	4 500 mm
Light curtain	With light curtain integrated in the side frames
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
Qty. window lamella	4
Window level	1 335 mm
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Year

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 806 11/17 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Dimension packing 1 LxWxH 3880X800X1150
Dimension packing 2 LxWxH 4500X800X600
Commodity code: 73083000
Country of origin: CZ

Dimension packing 1 LxWxH 4000x920x1160
Dimension packing 2 LxWxH 4500x750x750
Net Weight 830,000 KG
Gross Weight 830,000 KG

AD_RR5000 Albany RR3000 ISO 1.000 ST 11,170.00 11,170.00
Serien-Nr. 2701001512

Door type	RapidRoll 3000 ISO_
Daylight width	3 000 mm
Daylight height	3 500 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,1 m/s
Max. Closing Speed	0,7 m/s
Control box position	Mounted next to the drive unit
Motor Position	Right
Wind class	3
Side frame version	Galvanised steel
Manual egress (brake release)	Release handle with encapsulated cable on the front side
Top roll material	Top roll made of steel
Door curtain	Lamella type AI
MCC type	Standard version
MCC-display position	Mounted on the side frame, drive side
MCC display type	Standard display with push buttons
Power supply	400 V, 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	4 500 mm
Light curtain	With light curtain integrated in the side frames
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
Qty. window lamella	4
Window level	1 335 mm
CE - Sign	Yes
Packing	Heat treated pallet
Warranty	1 Yeer
Dimension packing 1 LxWxH	3880X800X1150
Dimension packing 2 LxWxH	4500X800X600
Commodity code: 73083000	
Country of origin: CZ	

Dimension packing 1 LxWxH 4000x870x1110
Dimension packing 2 LxWxH 4500x750x750
Net Weight 812,000 KG
Gross Weight 812,000 KG

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

84 100105 15/12 DE

Warenwert/Value of goods		58,255.00
Freight costs		2,000.00
Mwst/VAT	0.00 %	0.00
Summe/Total	EUR	60,255.00

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 1512 DE

Consignor
ASSA ABLOY ENTRANCE SYSTEMS
ALBANY DOOR SYSTEMS GMBH
AM MONDSCHEIN 25
59557 LIPPSTADT

DSLV

COPY

FBL EXSNH317120041 DE

NEGOTIABLE FIATA MULTIMODAL TRANSPORT BILL OF LADING
Issued subject to UNCTAD/ICC Rules for Multimodal Transport Documents (ICC Publication 481).

Consigned to order of
NIHVA TECHNOLOGIES PVT. LTD.
27 8/1 COROMANT HOUSING SOCIETY
411044 PUNE, NIGDI PRADHIKAR
INDIA

Notify address
- SAME AS CONSIGNEE -

Hermes

Hermes Germany GmbH
Essener Straße 89
22419 Hamburg, Germany
Tel.: +49 40 5375 7188
Fax: +49 40 5375 7192

Place of receipt

Ocean vessel
MSC FRANCESCA

Port of loading
HAMBURG

Port of discharge
NHAVA SHEVA

Place of delivery

Marks and numbers	Number and kind of packages	Description of goods	Gross weight	Measurement
MSCU 848 908-6 SEAL-NO.: TSK4088316	1 40' CONTAINEF S.T.C 18 PACKAGES	HIGH SPEED DOORS & ACCESSORIES HS-CODE: 39252000, 84834023, 85044084	3.225,000 KG	46,000 CBM
SHIPPED ON BOARD ON MSC FRANCESCA ETS 02.01.2018		EXPRESS B/L FREIGHT PREPAID		

according to the declaration of the consignor

Declaration of interest of the consignor in timely delivery (Clause 6.2.)

Declared value for ad valorem rate according to the declaration of the consignor (Clauses 7 and 8).

The goods and instructions are accepted and dealt with subject to the Standard Conditions printed overleaf.

Taken in charge in apparent good order and condition, unless otherwise noted herein, at the place of receipt for transport and delivery as mentioned above.

One of these Multimodal Transport Bills of Lading must be surrendered duly endorsed in exchange for the goods. In Witness whereof the original Multimodal Transport Bills of Lading all of this tenor and date have been signed in the number stated below, one of which being accomplished the other(s) to be void.

Freight amount	Freight payable at	Place and date of issue
	HAMBURG	HAMBURG 02.01.2018
Cargo insurance through the undersigned ☒ not covered ☐ Covered according to attached Policy	Number of Original FBL's 0/ZERO	Stamp and signature
For delivery of goods please apply to.		Hermes Germany GmbH Essener Straße 89 D-22419 Hamburg

Text authorized by FIATA. Copyright reserved © FIATA / Zurich - Switzerland 6.98
Exclusive selling rights for the Federal Republic of Germany by Verein Hamburger Spediteure e.V.
Willi-Brandt-Str. 69, 20457 Hamburg, Phone +49 (0) 40 / 37 64 - 0, Fax +49 (0) 40 / 37 67 80 74
E-Mail: info@vhs.de, Internet: www.vhs.de

PACKLISTE

Kundenauftrag : 30644613 Lieferschein : Seite: 1
Versand Datum: 2017-11-09 Druck Datum: 2017-12-12

Kunden Addresse:
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
IN - 411044 Pune, Nigdi Pradhikar

Versandadresse:
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
IN - 411044 Pune, Nigdi Pradhikar

Lagerplatz	Position	Paket Nr.	Artikel Nr	Bezeichnung	Gewicht (KG)	Lange (MM)	Breite (MM)	Hohe (MM)	Beme
3371	000010	01	AD_RR300_PLUS	Albany RR300_plus	190.000	4000	530	430	
4163	000010	02	AD_RR300_PLUS	Albany RR300_plus	56.000	800	600	580	
				Position gesamt:	246.000	Typ:	Palette, warmebehandelt		
3371	000020	01	AD_RR300_PLUS	Albany RR300_plus	200.000	4000	530	430	
4163	000020	02	AD_RR300_PLUS	Albany RR300_plus	48.000	800	600	580	
				Position gesamt:	248.000	Typ:	Palette, warmebehandelt		
3371	000030	01	AD_RR300_PLUS	Albany RR300_plus	196.000	4000	530	430	
4173	000030	02	AD_RR300_PLUS	Albany RR300_plus	48.000	800	600	580	
				Position gesamt:	244.000	Typ:	Palette, warmebehandelt		
3371	000040	01	AD_RR300_PLUS	Albany RR300_plus	158.000	3500	530	430	
4173	000040	02	AD_RR300_PLUS	Albany RR300_plus	48.000	800	600	580	
				Position gesamt:	206.000	Typ:	Palette, warmebehandelt		
2273	000050	01	AD_RR300_PLUS	Albany RR300_plus	180.000	3500	530	430	
4163	000050	02	AD_RR300_PLUS	Albany RR300_plus	49.000	800	600	580	
				Position gesamt:	229.000	Typ:	Palette, warmebehandelt		
2172	000060	01	AD_RR300_PLUS	Albany RR300_plus	178.000	4000	530	430	
4162	000060	02	AD_RR300_PLUS	Albany RR300_plus	40.000	800	600	300	

8030779?

				Position gesamt:	218.000	Typ:	Palette, wärmebehandelt		
2425	000070	01	AD_RR300_PLUS	Albany RR300 plus	156.000	4000	530	430	
4171	000070	02	AD_RR300_PLUS	Albany RR300 plus	36.000	800	600	580	
				Position gesamt:	192.000	Typ:	Palette, wärmebehandelt		
BLOCK4	000080	01	AD_RR5000	Albany RR3000 ISO	330.000	4000	920	1160	
BLOCK3	000080	02	AD_RR5000	Albany RR3000 ISO	500.000	4500	750	750	
				Position gesamt:	830.000	Typ:	Palette, wärmebehandelt		
BLOCK4	000090	01	AD_RR5000	Albany RR3000 ISO	332.000	4000	870	1110	
BLOCK3	000090	02	AD_RR5000	Albany RR3000 ISO	480.000	4500	750	750	
				Position gesamt:	812.000	Typ:	Palette, wärmebehandelt		

Packstücke gesamt: 18 Gewicht gesamt: 3,225.000

Unterschrift: _____

ASSA ABLOY



80367791

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Plivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80367791*

Order No.
30644613

Ship Date
2017-12-12

Your reference
Rajan Dange

Your Order No.
NVA- 335

Our reference
Fr. Tatjana Rerich

Delivery Terms
FCA Lippstadt

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit
10	AD_RR300_PLUS	Albany RR300_plus	6000 -	1.00	ST
	Serien-Nr. 1300009933				
Daylight width		3,000 mm			
Daylight height		3,500 mm			
Side frame version		Aluminium			
Door curtain		PVC material - transparent with vertical coloured stripes			
Door curtain colour		Red, similar to RAL 3002			
Actuator 3		Excluded			
Actuator 4		Excluded			
Packing		Heat treated pallet			
Pallet - 4000x530x430					
Pallet - 800x600x580					
20	AD_RR300_PLUS	Albany RR300_plus	6000 -	1.00	ST
	Serien-Nr. 1300009934				
Daylight width		3,000 mm			
Daylight height		3,500 mm			
Side frame version		Aluminium			
Door curtain		PVC material - transparent with vertical coloured stripes			
Door curtain colour		Red, similar to RAL 3002			

ASSA ABLOY

80367791

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80367791*

Order No.
30644613

Ship Date
2017-12-12

Your reference
Rajan Dange

Your Order No.
NVA- 335

Our reference
Fr. Tatjana Rerich

Delivery Terms
FCA Lippstadt

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet
Pallet - 4000x530x430	
Pallet - 800x600x580	

30 AD_RR300_PLUS Albany RR300_plus 6000 - 1.00 ST
Serien-Nr. 1300009935

Daylight width	3,000 mm
Daylight height	3,500 mm
Side frame version	Aluminium
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet
Pallet - 4000x530x430	
Pallet - 800x600x580	

40 AD_RR300_PLUS Albany RR300_plus 6000 - 1.00 ST
Serien-Nr. 1300009936

Daylight width	3,000 mm
Daylight height	3,000 mm
Side frame version	Aluminium
Door curtain	PVC material - transparent with vertical coloured stripes

ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com
Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service Hotline: 01806 / 22 37 33
verkauf.de.albany@assaabloy.com
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00
VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No.: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106
Management
Jean Vargues
Per Hansson
David Pinion



80367791

ASSA ABLOY

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Rivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80367791*

Order No.
30644613

Ship Date
2017-12-12

Your reference
Rajan Dange

Your Order No.
NVA- 335

Our reference
Fr. Tatjana Rerich

Delivery Terms
FCA Lippstadt

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Door curtain colour	Red, similar to RAL 3002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 3500x530x430
Pallet - 800x600x580

50	AD_RR300_PLUS	Albany RR300_plus	6000 -	1.00 ST
	Serien-Nr. 1300009937			

Daylight width	2,000 mm
Daylight height	3,000 mm
Side frame version	Aluminium
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 3500x530x430
Pallet - 800x600x580

60	AD_RR300_PLUS	Albany RR300_plus	6000 -	1.00 ST
	Serien-Nr. 1300009938			

Daylight width	2,450 mm
Daylight height	3,500 mm
Side frame version	Aluminium

ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com
Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service Hotline: 01805 / 22 37 33
verkauf.de.albany@assaabloy.com
Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00
VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6196
Management
Juan Vargues
Per Hansson
David Pinion

ASSA ABLOY



80367791

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Pivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80367791*

Order No.
30644613

Ship Date
2017-12-12

Your reference
Rajan Dange

Your Order No.
NVA- 335

Our reference
Fr. Tatjana Rerich

Delivery Terms
FCA Lippstadt

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 4000x530x430
Pallet - 800x600x300

70	AD_RR300_PLUS	Albany RR300_plus	6000 -	1.00 ST
	Serien-Nr. 1300009939			

Daylight width	2,500 mm
Daylight height	3,500 mm
Side frame version	Aluminium
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Red, similar to RAL 3002
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 4000x530x430
Pallet - 800x600x580

80	AD_RR5000	Albany RR3000 ISO	6000 -	1.00 ST
	Serien-Nr. 2701001511			

Daylight width	3,000 mm
Daylight height	3,500 mm

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service Hotline: 01806 / 22 37 33
verkauf.de.albany@assaabloy.com

Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Juan Vargues
Per Hansson
David Pinion

ASSA ABLOY

80367791

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80367791*

Order No.
30644613

Ship Date
2017-12-12

Your reference
Rajan Dange

Your Order No.
NVA- 335

Our reference
Fr. Tatjana Rerich

Delivery Terms
FCA Lippstadt

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

Side frame version	Galvanised steel
Door curtain	Lamella type AI
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 4000x920x1160
Pallet - 4500x750x750

90 AD_RR5000 Albany RR3000 ISO 6000 - 1.00 ST
Serien-Nr. 2701001512

Daylight width	3,000 mm
Daylight height	3,500 mm
Side frame version	Galvanised steel
Door curtain	Lamella type AI
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Heat treated pallet

Pallet - 4000x870x1110
Pallet - 4500x750x750

Order Line	Volume	Net Weight	Gross Weight
10	0.00	246.00	246.00
20	0.00	248.00	248.00
30	0.00	244.00	244.00
40	0.00	206.00	206.00
50	0.00	229.00	229.00

ASSA ABLOY Entrance Systems
Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com
Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service Hotline: 01806 / 22 37 33
verkaufde.albany@assaabloy.com
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00
VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 89 2004 0000 0402 4014 00
Register court Paderborn: HR B 6105
Management
Juan Vargues
Per Hansson
David Pinion

ASSA ABLOY



80367791

Delivery Note 80367791

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Order No.
30644613

Ship Date
2017-12-12

Your reference
Rajan Dange

Your Order No.
NVA- 335

Our reference
Fr. Tatjana Rerich

Delivery Terms
FCA Lippstadt

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

60	0.00	218.00	218.00
70	0.00	192.00	192.00
80	0.00	830.00	830.00
90	0.00	812.00	812.00
Total	**0.00**	**3,225.00**	**3,225.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

The goods were accepted in full:

_____
Date/Signature