ASSA ABLOY

INVOICE MD2335

Invoice date
2023-03-06

Our order no.
134701-134702

Customer:
NIHVA TECHNOLOGIES PVT LTD
811 COROMANT HOUSING SOCIETY,
SEC.NO. 27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA

Consignee:
NIHVA TECHNOLOGIES PVT LTD
811 COROMANT HOUSING SOCIETY,
SEC.NO. 27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
Vijay Tarak + 91 855 109 3333

Your reference
Mr. Vijay Tarak

Your order
NVA 533

Remark
PROJ: 84704-84705 SEABIRD KARWAR

Our reference
Anders Svanborg

Terms of payment
30 days net

Terms of delivery
CIF Mumbai (Incoterms 2010)

Way of delivery
Sea Freight

Dispatch date:
2023-03-06

POS	Stock code/Description		Qty	Unit	Price	%	Amount
		4 pc Assa Abloy VL3190 single doors with clearance opening 28000 x 47500 mm (WxH) 4 pc Assa Abloy VL3190 single doors with clearance opening 12000 x 10000 mm (WxH) in accordance with quotation no 215-165. Voltage: 400/3/50 Differential pressure: 1,2 kPa					
010	D4	Door delivery	1	pc			1.866.692,00

TOTAL VALUE USD **1.866.692,00**

EORI NO. ASSA ABLOY Entr Syst Production Skellefteå AB: SE5560599523

HS-nomenclature: 7610 10 00
Country of origin: Sweden
Gross weight: 130550 kg
Net weight: 124763 kg
No of package: 135 pallets

We hereby certify that this invoice is true and correct and that the goods are of Swedish origin.

BLUE WORLD LINE

BILL OF LADING: - BOND #7990894 - ORGANIZATION # 027574

- COPY -

SHIPPER / EXPORTER	BILL OF LADING	CONSOL
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION SKELLEFTEÅ AB P.O.BOX 383 931 24 SKELLEFTEA SWEDEN	SFT306303108	C303719124
	EXPORT REFERENCES Seabird,84704-84705	
	Incoterm®: CIF FREIGHT PREPAID	

CONSIGNEE	FORWARDING AGENT
NIHVA TECHNOLOGIES PVT. LTD. 811 COROMANT HOUSING SOCIETY, SEC.NO.27. NIGDI PRADHIKARAN PUNE 411044 MAHARASHTRA, INDIA VIJAY TARAK + 91 855 109 3333	JAS WORLDWIDE SWEDEN AB VERKSTADSVÄGEN 1 SKELLEFTEA 931 61 Sweden Phone: +46 910 73 22 80 Fax:
NOTIFY PARTY	**FOR ARRIVAL INFO & RELEASE OF CARGO CONTACT**
NIHVA TECHNOLOGIES PVT. LTD. 811 COROMANT HOUSING SOCIETY, SEC.NO.27. NIGDI PRADHIKARAN PUNE 411044 MAHARASHTRA, INDIA VIJAY TARAK + 91 855 109 3333	JAS FORWARDING WORLDWIDE (PVT) LTD UNIT 1007-1009, B-WING, 10TH FLOOR, KANAKIA WALL STREET. CHAKALA, ANDHERI-KURLA RD, ANDHERI (E) MUMBAI MH 400093 INDIA Phone: +91 22 6480 0900 Fax:

PLACE OF RECEIPT	PORT OF LOADING	PORT OF DISCHARGE	FINAL DESTINATION
HELSINGBORG, SWEDEN	HELSINGBORG, SWEDEN	NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA	NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA
VESSEL / VOYAGE NO. NYK VESTA / 079E			

DETAILS OF CARGO AS DECLARED BY SHIPPER

MARKS AND NUMBERS	NO. OF PKGS	DESCRIPTION OF PACKAGES AND GOODS	GROSS WEIGHT	VOLUME
PROJ: 84704-84705 SEABIRD KARWAR	13 CONTAINER	STC 135 Package(s) 135 PACKAGES 130550 KG 8 PCS ASSA ABLOY VL3190 SINGLE DOORS WITH EQUIPMENT Importer - EMAIL# sales@nihva.com; IEC#3112013816;GSTIN#27AAECN0437H1ZM;PAN#:AAECN0437H;	130550 KG	536.3 M3

Container	Seal(s)	Type	Weight(KG)	Volume(M3)	Packages	Mode
HLBU8005528	1036223	40OT	8800	40.5	8	CY/CY*
HLXU5616449	1036202	40OT	15227	43.7	15	CY/CY*
HLXU5619514	1036215	40OT	13543	47.9	17	CY/CY*
HLXU5619690	1036242	40OT	11470	44.3	15	CY/CY*
[illegible]	[illegible]	[illegible]	7800	[illegible]	[illegible]	[illegible]

FREIGHT CHARGES PAYABLE AT
Origin

Shipper Load and Count

Continuation Page Follows...

PREPAID CHARGES	COLLECT CHARGES
AS AGREED	As Agreed

Received by the Carrier, the Goods as specified above in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorised or permitted herin and subject to all the terms and conditions appearing on the front and reverse of the Bill of Lading to which the Merchant agrees by accepting this Bill of Lading, any local privileges and customs notwithstanding.
The particulars given above as stated by the shipper and the weight, measure, quantity, condition, contents and value of the Goods are unknown to the Carrier.
In WITNESS, whereof three (3) original Bill of Lading has been signed if not otherwise stated below, the same being accomplished the other(s), if any, to be void, If required by the Carrier one (1) original Bill of Lading must be surrendered duly endorsed in exchange for the Goods or delivery order.
In witness of the contract herein contained, the below the stated number of original Bills of Lading have been issued, one of which to be accomplished, the other(s) being void.

****Original Bill Required at Destination****

NO. OF ORIGINAL B/L	SHIPPED ON BOARD
3 (THREE)	

JAS WORLDWIDE SWEDEN AB
as Agent for the carrier BLUE WORLD LINE

PLACE OF ISSUE	DATE OF ISSUE
HELSINGBORG, SWEDEN	

DRAFT

BILL OF LADING - SFT306303108

CONTINUATION PAGE

CONSIGNOR
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEA
SWEDEN

CONSIGNEE
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

SHIPPER / EXPORTER
NIHVA TECHNOLOGIES PVT. LTD.
811 COROMANT HOUSING SOCIETY,
SEC.NO.27. NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA
VIJAY TARAK + 91 855 109 3333

PLACE OF RECEIPT
HELSINGBORG, SWEDEN

FINAL DESTINATION
NHAVA SHEVA (JAWAHARLAL NEHRU), INDIA

GROSS WEIGHT
130550 KG

VOLUME
536.3 M3

PACKAGE QUANTITY
135 PKG (OUTER)

Container	SEAL(S)	TYPE	WEIGHT(KG)	VOLUME(M3)	PACKAGES	MODE
HLXU5633507	1036203	40OT	16370	45.1	17	CY/CY*
HLXU5644369	1036241	40OT	11840	47.8	15	CY/CY*
HLXU5645637	1036234	40OT	10350	42.7	11	CY/CY*
HLXU5651624	1036227	40OT	5250	28.3	4	CY/CY*
HLXU5657129	1036221	40OT	8700	50.5	8	CY/CY*
TEXU1583365	1036222	40OT	8000	39	7	CY/CY*
TRIU0535561	1036236	40OT	6900	24.9	8	CY/CY*

DRAFT

ASSA ABLOY

PACKING LIST

PROJ: 84704 Seabird Karwar

No	L	W	H	Vol	Gross Weight	Net Weight	Notes
1	1,2	0,8	0,57	0,5	475	435	Misc. components
2	4,6	0,9	0,35	1,4	550	540	Guide rails pos 4
3	3,75	0,9	0,6	2,0	600	590	Guide rails pos 1 & 2
4	6,1	0,6	0,6	2,2	700	600	Seal angle
5	6,1	0,6	0,6	2,2	700	600	Seal angle
6	6,1	0,6	0,6	2,2	700	600	Seal angle
7	6,1	0,6	0,6	2,2	700	600	Seal angle
8	1,2	0,8	0,75	0,7	540	500	Misc. components
9	9,4	1	1	9,4	1600	1500	Bottom beam Left # 1
10	9,4	1,2	1	11,3	1600	1500	Bottom beam Left # 2
11	9,3	1,2	1	11,2	1500	1400	Bottom beam Middle # 1
12	9,3	1	1	9,3	1500	1400	Bottom beam Middle # 2
13	9,4	1	1	9,4	1600	1500	Bottom beam Right # 1
14	9,4	1,2	1	11,3	1600	1500	Bottom beam Right # 2
15	1,2	0,8	0,92	0,9	525	500	Intermediate beam spacer
16	1,2	0,8	0,8	0,8	550	525	Intermediate beam spacer
17	6,1	0,6	0,44	1,6	650	600	Attachment profile lower
18	6,1	0,3	0,36	0,7	250	200	Attachment profile upper
19	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 1
20	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 2
21	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 3
22	1,2	0,8	0,76	0,7	465	430	Sheave unit Door # 4
23	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
24	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
25	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
26	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
27	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
28	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
29	6,1	0,7	0,35	1,5	800	790	Guide rails 8 pcs pos 3
30	6,1	0,8	0,6	2,9	1450	1275	Clamp strip
31	1,2	0,8	0,75	0,7	764	720	144 pcs Splice plate
32	1,2	0,8	0,75	0,7	922	880	176 pcs Splice plate
33	1,2	0,8	0,75	0,7	922	880	176 pcs Splice plate
34	1,2	0,8	0,75	0,7	922	880	176 pcs Splice plate
35	1,2	0,8	0,75	0,7	875	835	114 pcs Cross beam
36	1,2	0,8	0,75	0,7	875	835	114 pcs Cross beam
37	1,2	0,9	0,78	0,8	330	310	FXQ EASY 4G10 500 m
38	1,2	0,8	0,72	0,7	140	120	FXQ EASY 4G10 180 m
39	1,2	0,8	0,72	0,7	147	130	FQAR-PG 8x2x1 340 m

40	1,2	0,8	0,75	0,7	165	130	Cable
41	4,5	0,6	0,45	1,2	450	350	Clamp strip, Top limit breaker
42	1,2	0,8	0,6	0,6	1000	965	167 pcs Spacer beam
43	1,2	0,8	0,37	0,4	455	430	61 pcs Spacer beam
44	1,2	0,8	0,57	0,5	510	480	Screw m12 x 40
45	1,2	0,8	1,4	1,3	743	643	Rubber seal
46	9,4	1	1	9,4	1600	1500	Bottom beam Left # 3
47	9,4	1	1	9,4	1600	1500	Bottom beam Left # 4
48	9,3	1	1	9,3	1500	1400	Bottom beam Middle # 3
49	9,3	1,2	1	11,2	1500	1400	Bottom beam Middle # 4
50	9,4	1	1	9,4	1600	1500	Bottom beam Right # 3
51	9,4	1	1	9,4	1600	1500	Bottom beam Right # 4
52	1,2	0,8	0,25	0,2	265	240	Shime plate
53	1,2	0,8	0,57	0,5	615	580	4 pcs Safety arrester
54	1,2	0,8	0,57	0,5	615	580	4 pcs Safety arrester
55	1,2	0,8	0,75	0,7	630	590	Arm
56	1,2	0,8	0,95	0,9	795	745	Arm
57	1,2	0,8	1,18	1,1	225	170	Control panel
58	1,2	0,8	1,18	1,1	225	170	Control panel
59	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
60	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
61	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
62	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
63	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
64	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
65	1,2	0,8	0,8	0,8	400	360	20 pcs Frame
66	1,2	0,8	1,15	1,1	570	525	28 pcs Frame
67	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
68	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
69	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
70	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
71	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
72	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
73	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
74	2,55	1,7	1,1	4,8	1900	1850	Wire rope hoist
75	9,3	0,73	0,92	6,2	1200	1180	Top beam
76	9,3	0,73	0,92	6,2	1200	1180	Top beam
77	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
78	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
79	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
80	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
81	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
82	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
83	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
84	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
85	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
86	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
87	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
88	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam

89	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
90	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
91	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
92	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
93	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
94	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
95	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
96	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
97	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
98	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
99	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
100	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
101	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
102	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
103	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
104	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
105	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
106	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
107	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
108	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
109	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
110	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
111	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
112	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
113	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
114	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
115	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
116	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
117	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
118	9,3	0,73	0,92	6,2	1200	1180	Intermediate beam
TOTAL	**118**	**pallets**		**490**	**118610**	**113843**	**kg**

Gross weight: 118610 kg

Net weight: 113843 kg

Description: 4 pcs Assa Abloy VL3190 single doors with equipment.

Skellefteå 2023-03-06

ASSA ABLOY

PACKING LIST

PROJ: 84705 Seabird Karwar

No	L	W	H	Vol	Gross Weight	Net Weight	Notes
1	1,2	0,8	0,57	0,5	160	125	Misc. components
2	12	0,48	0,4	2,3	600	580	Intermediate beam
3	12	0,48	0,4	2,3	600	580	Intermediate beam
4	12	0,48	0,4	2,3	600	580	Intermediate beam
5	12	0,48	0,4	2,3	600	580	Intermediate beam
6	6,1	0,6	0,5	1,8	450	350	Seal angles
7	6,1	0,6	0,5	1,8	950	850	Guide rails
8	1,8	1,2	1,15	2,5	1000	900	Door fabric
9	1,2	0,8	0,8	0,8	770	715	Floor seal, Beam guide
10	7,3	1	1,04	7,6	1100	1000	Header box
11	7,3	1	1,04	7,6	1100	1000	Header box
12	6,1	0,6	0,25	0,9	350	260	Clamp strip
13	1,2	0,8	0,75	0,7	380	340	Drive unit
14	1,2	0,8	0,75	0,7	380	340	Drive unit, Cable
15	1,2	0,8	0,75	0,7	150	110	Control panel
16	12	1,2	0,75	10,8	2350	2250	Bottom beam
17	1,2	0,8	0,57	0,5	400	360	Safety arrester
TOTAL	**17**	**pallets**		**46,3**	**11940**	**10920**	**kg**

Gross weight: 11940 kg

Net weight: 10920 kg

Description: 4 pcs Assa Abloy VL3190 single doors with equipment.

Skellefteå 2023-03-06

1 Consignor *Avsändare*

ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION
SKELLEFTEÅ AB
P.O.BOX 383
931 24 SKELLEFTEÅ, SWEDEN

No. SEV-23-153889

COPY

235421222KN 84704-84705

EUROPEAN UNION
EUROPEISKA UNIONEN

CERTIFICATE OF ORIGIN
URSPRUNGSCERTIFIKAT

2 Consignee *Mottagare*

NIHVA TECHNOLOGIES PVT LTD
811 COROMANT HOUSING SOCIETY,
SEC.NO. 27 NIGDI PRADHIKARAN
PUNE 411044 MAHARASHTRA, INDIA

3 Country of origin *Ursprungsland*

European Union - SWEDEN

4 Transport details (optional)
Upplysningar om transporten (frivillig uppgift)

By Sea Freight

5 Remarks *Anmärkningar*

MANUFACTURER/PRODUCER:
ASSA ABLOY ENTRANCE SYSTEMS PRODUCTION
SKELLEFTEÅ AB
P.O.BOX 383
SE-931 24 SKELLEFTEÅ
SWEDEN

6 Item number, marks, numbers, number and kind of packages; description of goods
Löpnummer, kollimärkning, nummer, antal och slag; varubeskrivning

PROJ: 84704-84705 135 PACKAGES
SEABIRD KARWAR 8 PCS ASSA ABLOY VL3190 SINGLE DOORS WITH EQUIPMENT.

7 Quantity
Mängd

130550 KG

Draft

8 The undersigned authority certifies that the goods described above originate in the country shown in box 3.
Undertecknad myndighet/organisation bekräftar att ovan beskrivna varor har sitt ursprung i det land som anges i ruta 3.

SWEDEN

International Chamber of Commerce
ICC World Chambers Federation
Certificate of Origin
Accredited Chamber
SE1601001

Place and date of issue, signature and stamp of competent authority
Ort och datum för utfärdandet, den behöriga myndighetens/organisationens namn, underskrift och stämpel.