NIHVA TECHNOLOGIES PVT LTD

8/1 Coromant Housing Society, Sec. No. 27
Nigdi Pradhikaran , Pune- 411044, Maharashtra, India
Tel : +91 20 66304033 / 8551093333
Email : sales@nihva.com

PURCHASE ORDER

Supplier's Name and Address :	Purchase Order No.	Date
UZEL KAPI SİSTEMLERİ MÜHENDİSLİK İÇ VE DIŞ TİCARET LTD.ŞTİ. **100/1 Sok. No:33/A 35290 GÖZTEPE-KONAK İZMİR** **Tel : +90(0)232 231 11 44** **Fax : +90(0)232 231 11 65** E-mail : tolga@ardedoors.com / Info@Uzelkapi.com Web : http://www.ardedoors.com / www . Uzelkapi.com	**NVA-595**	**12-10-2022**
	Reference : Quotation : Project :	

We have pleasure to entrust you our order for the following Goods / Services to be rendered subject to the terms and conditions specified overleaf

Sr. No.	Material Description	UNIT	Unit In	Rate / CURRECY Unit	Euro	Total Value
1	**Vertical Rapid Roller Door for Machine Protection. (W)1800 mm X (H)2000 mm**	**2**	**No**	**2150.00**	**Euro**	**4300.00**
	Total	2				**4300.00**

Terms & Conditions :

Payment Term	**: 30 days from the date of Invoice**
Delivery Schedule	: Immidiate
Incoterms :	: Exworks By SEA
Transshipment: Allowed/ NOT Allowed	: NOT ALLOWED
Partial Shipment: Allowed/ NOT Allowed	: NOT ALLOWED
Final Destination	: NHAVA Sheva Port

GENERAL BUYER CONDITIONS OF NIHVA TECHNOLOGIES PVT. LTD. WILL BE APPLICABLE. REFFER THE ATTACHED SHEET FOR THE SAME.

Document Required: Following document to be send to us immediately & which are compulsary required after shipment
Original Bill of Lading,ORIGINAL INVOICE, ORIGINAL PACKING LIST, ORIGINAL PREFERENTIAL FORM A, Test Certificates,
Installation Manual, Service Manual, Product certification.


FOR NIHVA TECHNOLOGIES PVT LTD

AUTHORISED SIGNATORY

ALL the document should be address to the above address only.

Subject to Pune Jurisdiction

Sr. No	Description	Machine Protection Door
1	**Door version:**	Vertical Rapid Roller Door for machine protection.
2	**Side Frames:**	Aluminum anodized two parts, to have easy access to switches and service.
3	**Door blade:**	2mm thick Curtain with RAL Blue 5010
4	**Bottom beam**	Aluminum anodized.
5	**Drive unit:**	Drive unit IP 55, either RH or LH as an option, with control cable (standard length = height of door)
6	**Opening / closing speed:**	Approx. max. 2,0 / 1,5 m/s
7	**Control system:**	MR220 Controller with Inverter
8	**Power supply:**	3/(N)/PE 230/380/400/415 V, 50 Hz
9	**Safety features:**	Safety edge with cable chain integrated in side frames, pre running photocell.
9	**Photocell**	with Photocell
10	**Safety limit switch:**	1 Eichner safety limit switch.
11	**Window Qty**	1 No
12	**Window Size**	700(W)x500(H) Anti UV type
13	**Motor Cover**	Included
14	**Header Box cover**	Included



Note:-

1.All dimension are in MM

2. curtain RAL Blue 5010

This drawing & design is the property of NIHVA TECHNOLOGIES. Not to be sold or copied to any other concern.

TITLE:-MACHINE PROTECTION DOOR			
	NAME	DATE	SIGN
DRAWN	SUJATA	12/10/2022	
CHECK	A.K	12/10/2022	
APPRD.	V.T	12/10/2022	
If any queries contact : design1@nihva.com			
ALL DIMENSION ARE IN mm			

NIHVA TECHNOLOGIES PVT. LTD.
NIHVA TECHNOLOGIES PVT LTD PUNE
Tel : 020 66304033
Email - info@nihva.com
Website - www.nihva.com

CLIENT - Nihva Technologies Pvt Ltd.			
LOCATION - Pune			
PRODUCT - Machine Protection Door			QTY:02NOS
DWG NO:-NIHVA/22-23/VDR/0084			REV- 00
SCALE: NTS	SCALE -- 1:1	SHEET 01 OF 01	

Rev No.	Revision	Date	Revised By