SQT/19-20/1838 Dated :19.07.2019

Kind Attn:- Mr. Dinesh
Client Name:- **Carrier Media**
Address :-

Email Id:- dinesh.amrutkar@midea.co.in'
Contact Details:- 9423173188

Dear Sir,

This is with reference to your requirement of Access Cover , we are pleased to quote, competitive rates for ***NIHVA Technologies Pvt. Ltd*** *authorized associated partner of* ***ACO Systems & Solutions (Germany).*** *We hope you find our quotation in line with your requirement. Looking forward for offering better solutions in drainage system.*

Midea Project Ahmednagar-					
Article No	**Description of Products**	Qty Per Set	Total Qty in Sets	**Price Per Nos**	**Amount**
(A)	**ACO EG Flow Gully With Horizontal Outlet DN 110 - 150MM x 150MM - 1 to 35 Nos (Note : Qty can be vary as per the site Conditions)**				
97309	ACO gully EG150 tile W150 L150 D75 telescopic, horizontal for mesh grate without FAT, 1.4301 	1	35	12,174	4,26,090
O5965	ACO mesh grating W142 L142 mesh 25x25 bar 20x2, plain, 1.4301 	1			
97235	Sieve Plate 	1			
(B)	**For CH 01 /CH 12 / CH19 - Channel Dimension - 2000/2030 x 300/270 x 60/50**				
416618	ACO hygienic box channel W300/270 L2030/2000 H60 D142 standard edge, FHD, EN1253, 1.4301 	1	3	89,765	2,69,295
408079	ACO hygienic gully 157 telescopic D110 horizontal location flange with FAT, FHD, EN1253, 1.4301 	1			
416906	ACO silt basket for horizontal gully 157, EN1253, 1.4301 	1			
416866	ACO mesh grating W268 L499,5 H30 E20, mesh 25x25 bar 30x2, antislip, LC L15, EN1253, 1.4301 	4			
C)	**For CH 02 /CH 03 / CH13/ CH 14 / CH18 - Channel Dimension - 1000/1030 x 300/270 x 60/50**				
416616	ACO hygienic box channel W300/270 L1030/1000 H60 D142 standard edge, FHD, EN1253, 1.4301	1	5	55,745	2,78,727
408079	ACO hygienic gully 157 telescopic D110 horizontal location flange with FAT, FHD, EN1253, 1.4301	1			
416906	ACO silt basket for horizontal gully 157, EN1253, 1.4301	1			
416866	ACO mesh grating W268 L499,5 H30 E20, mesh 25x25 bar 30x2, antislip, LC L15, EN1253, 1.4301	2			

D)	**For CH 04 /CH 07 / CH08/ CH 16 / CH15 - Channel Dimension - 830/800 x 800/770 x 80/50**				
416672	ACO hygienic box channel W800/770 L830/800 H80 D200 standard edge, FHD, EN1253, 1.4301	1	5	1,04,808	5,24,040
408085	ACO hygienic gully 218 telescopic D110 horizontal location flange with FAT, FHD, EN1253, 1.4301	1			
416910	ACO silt basket for horizontal gully 218, EN1253, 1.4301	1			
416878	ACO mesh grating W768 L398 H30 E30, mesh 25x25 bar 30x3, antislip, LC L15, EN1253, 1.4301	2			
E)	**For CH 05 /CH 06 / CH11 - Channel Dimension - 1500/1530 x 300/270 x 60/50**				
416617	ACO hygienic box channel W300/270 L1530/1500 H60 D142 standard edge, FHD, EN1253, 1.4301	1	3	73,560	2,20,680
408079	ACO hygienic gully 157 telescopic D110 horizontal location flange with FAT, FHD, EN1253, 1.4301	1			
416906	ACO silt basket for horizontal gully 157, EN1253, 1.4301	1			
416866	ACO mesh grating W268 L499,5 H30 E20, mesh 25x25 bar 30x2, antislip, LC L15, EN1253, 1.4301	2			
F)	**For CH 09 /CH 10 - Channel Dimension - 1000/1030 x 800/770 x 100/80**				
ZA186941	ACO hygienic channel W800/770 L1030/1000 H100/70 E30.5, D142 F58, standard edge, EN1253, 1.4301	1	2	1,16,578	2,33,156
416878	ACO mesh grating W768 L398 H30 E30, mesh 25x25 bar 30x3, antislip, LC L15, EN1253, 1.4301	1			
ZA186942	ACO mesh grating W768 L299 E30, mesh 25x25 bar 30x3, LC L15, EN1253, 1.4301	2			
408079	ACO hygienic gully 157 telescopic D110 horizontal location flange with FAT, FHD, EN1253, 1.4301	1			
416906	ACO silt basket for horizontal gully 157, EN1253, 1.4301	1			
G)	**For CH 17 - Channel Dimension - 3000/3030 x 300/270 x 60/50**				
416619	ACO hygienic box channel W300/270 3030/3000 H60 D142 standard edge, FHD, EN1253, 1.4301	1	1	71,056	71,056
408079	ACO hygienic gully 157 telescopic D110 horizontal location flange with FAT, FHD, EN1253, 1.4301	1			
416906	ACO silt basket for horizontal gully 157, EN1253, 1.4301	1			
416866	ACO mesh grating W268 L499,5 H30 E20, mesh 25x25 bar 30x2, antislip, LC L15, EN1253, 1.4301	6			
(H)	**Below Groud Grease Separator - Kitchen Outlet Line - Design for 1500 Meals - For 12 Hours Working Kitchen**				
3210.81.00 3300.14.00	Supply & Installation of ACO Lipumax NS 10 Below Ground Grease separator plant as per DINEN 1825 and DIN 4040-100 ,Emptying and cleaning via shaft manhole cover Connections for inlet and outlet DN150 as per DIN 19534 and DIN 19537 Building Supervisory Authority approval Z-54.1-509 Total Capacity (in Litres) 2,170 With Sludge Trap - 1,005 Litres and Grease Trap 415 Litre Wi For underground installation Along with the Top Section for Grease Separator A 15 Load Class -Concrete frame with cast iron cover & odour Free when Closed. Inclusive of material, labour, transportation, leads, lift & shift etc. complete. 	1	1	3,34,965	3,34,965
				Total	23,58,009

Terms & Conditions :-

1) Transportation Extra as applicable
2) Delivery : 10 -12 Weeks from date of confirmed Purchase Order & advance payment.
3) Taxes : GST 18% Extra
4) Validity : 30 Days from Date of Quotation
5) Installation is in your scope. Our Technician will only guide the installation on site.
6) Unloading of Material at site is in client Scope.
7) Payment Term :- 100 % advance along with Purchase Order

For any further Query please Contact **Mr.Ravindra Kharat** on 7410169333.

With Best Regards
Ulka Auti
7219206333
For NIHVA Technologies Pvt Ltd