NIHVA Technologies Pvt. Ltd.
187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk, MIDC,
Chinchwad.
Pune – 411019

An ISO 9001:2015 Certified Company

GST Pune : 27AAECN0437H1ZM

NIHVA Sales Quotation

Ti Tensile
Noida

Project, Location :

Date : 11.08.2021
Quote NO :
Kind Attn : Ajay Khanna
Email Id : titensile@gmail.com
Contact No: 9818185152

Subject : Quotation for ASSA ABLOY Automatic Bi-Parting Sliding Glass Door

Dear Sir,

Thank you for your opportunity and trust shown on "NIHVA" your preferred partner for innovative solutions.
This has reference to your above mentioned requirement, please find below our Solutions.

Sr. No	Description	Pages
A.	Commercial Offer	1
B.	Technical Specification	2
C.	General Conditions	3
D.	Terms & Condtions	3

A) Commercial Offer

Sr No	Description	Size		Qty	Supply Charges in INR		Installation Charges in INR	
		Clear Width (mm)	Clear Height (mm)	(Nos)	Unit Price	Total Amount	Unit Price	Total Amount
1	**ASSA ABLOY Automatic Bi-Parting Sliding Glass Door**	6000	2500	1	350,000	350,000	25,000	25,000
2	**Toughen Glass**	3000	2500	1	40,000	40,000		
	Total			**1**		**390,000**		**25,000**
3	P&F Charges			3%		11,700		
	Total Without Taxes					401,700		25,000
	GST Extra @ 18%			18%		72,306		4,500
	Total With Taxes					**474,006**		**29,500**
4	Transportation Charges					Extra at atcual		
5	Unloading Charges @ Site					In Client Scope		

NIHVA Technologies Pvt. Ltd.
187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk, MIDC,
Chinchwad.
Pune – 411019

An ISO 9001:2015 Certified Company

GST Pune : 27AAECN0437H1ZM

B) Technical Specification

SL 500HP - 6.17 mtr operator for

Clear Opening	
Bi-Parting Clear Opening :	SL 500-2 : 1100 - 2000 mm
Single Sliding Clear Opening :	SL 500-R/L : 850 - 2000 mm
Clear Passage Height	2500 mm (Can increase depending on door panel weight)
Panel Weight Double Sliding	2 X 125 Kgs
Panel Weight Single Sliding	1 X 185 Kgs

SL 500 HP (A)
5 Position Programm Selector switch
Consisting of Operator Profiles, Mechanical Components, Electrical Components
Glass Clamping Rail - 3100 mm - 1 No
Distance set - 4 nos
Floor Guide for Glass Door - 2 Nos

NIHVA Technologies Pvt. Ltd.
187, G-Block, 1st Floor, Above Renault Showroom, Thermax chowk, MIDC,
Chinchwad.
Pune – 411019

An ISO 9001:2015 Certified Company

GST Pune : 27AAECN0437H1ZM

C) General Conditions

1 Installation will start after receiving of Site Readyness Photographs or written Email communication.

2 We will mobilize the Installation Team in 3 - 4 working days, after reciept of Site Readyness Confirmation

3 For any reason if we need to stop our Installation and demobilize the Team without completing the Work, then extra cost will be applicable for Remobilizing the Team.

Note: Please find below List which are in Client Scope

Sr. No	Description
1	Secured and fully covered Store area to keep the material
2	Scaffolding/Hydra/Crane/Forklift Etc - Required for Installation at Site
3	Electrical Supply on the site single phase/three phase points at different places.
4	Any civil / masonry/structural work required
5	All structure support required
6	In Case of any changes in the layout as per site requirements after the shipment of material , the additional quantities and the wastage.
7	Conduits, Cables required

D) Terms & Conditions

Price : Ex Works Pune
Delivery : 9 - 10 weeks from the date of receipt of confirmed purchase order, Advance Payment & Drawing approval.
Payment : 80% Advance along with Confirmed Purchase Order & Balance before dispatch.
Validity : Validity of Offer is 15 days from the date of quotation
Warranty : 12 months from the date of supply.

Please feel free to Contact **Mr. Gaurav Jain on 9766015333** For any further Clarification /Information in this Concern.

With Best Regards
Shailesh Bhoir
8551091333
For NIHVA Technologies Pvt Ltd