YASH METAL INDIA

An ISO 9001:2015 Certified Company

EXPLORING
NEW FRONTIERS
IN MANUFACTURING





MANUFACTURER'S

- PIPE FITTINGS
- FLANGES
- LR BEND
- TUBE FITTINGS

YASH METAL INDIA

An ISO 9001:2015 Certified Company

www.yashmetalindia.com

YASH METAL INDIA

An ISO 9001:2015 Certified Company

EXPLORING NEW FRONTIERS in CORPORATE GOVERNANCE





We would like to introduce ourselves as a manufacturer of Pipe Line Flanges and Fittings (ISO certified). Our products are manufactured as per JIS/ISS / BSS / DIN / ASTM / ASME and customer's drawings and specifications. Incase of forging flanges we can manufacture upto 2000 mm NB and incase of plate flanges we can manufacture upto 4000 mm NB. These are also supplied with third party inspection.

we utilizing high grade raw material and advanced technology to produce Pipe fittings which are available to our clients with manufacturers test certificate as per EN 10204 / 3.1 & 3.2 under third party inspection and with confirming to NACE MR-01-75.
We are an ISO "9001-2015" and IBR Approved manufacturer of Forged fittings, Pipe fittings,Butt weld pipe fittings, Socket weld fittings, Threaded Fittings & Various types of Pipe flanges
We have in house facilities for manufacturing of Fittings, Flanges & Branch connections, such as Cutting, Hot & Cold Forming, Pressing, Welding, Heat Treatment, Machining, pickling, Hydraulic Testing, Ball Passing and Passivation and anti rust coating for excellent protect & durable packaging.

COMPLETE PROJECT SUPPLY CAPABILITY ACROSS GLOBE

We manufacture flanges to meet your specifications. We will meet your engineering specs from DIN to ASTM A350 to JIS Standard B flanges. Dinesh Industries specializes in supplying specialty flanges to the world's most demanding industries – Oil and Gas Exploration and Production, Oil Refining and Processing, Petrochemical, Chemical, Plumbing and HVAC.

Vision

To continuously modernize, expand and technologically upgrade our products with a view to produce excellent and high quality goods in matching with the changing needs of the customers.



YASH METAL INDIA

An ISO 9001:2015 Certified Company

EXPLORING NEW FRONTIERS in FLANGE & FITTING MANUFACTURING



State Of The Art Manufacturing That Is At Par With The Best In Industry.

We have all the latest machines and technology to manufacture high quality butt-weld pipe fittings, forged steel flanges, elbow pipe fittings, coupling weldolets, sockelets, nippolets, thredolets, flanges, socket weld threaded and dimension tolerances.

Our production facilities employ best suitable technologies & processes to ensure production of high performance zero-defect products and components. From design and development to implementation, from testing to packaging, each and every stage of our production process is conducted using cutting edge machinery & trained personnel.

Our manufacturing process is well documented and is divided into various departments supervised by experienced industry experts. We use only quality raw materials that are procured from only established and reliable vendors. We have adopted rigorous quality control practices and procedures to ensure the production of only quality products matching industry standards and parameters.









The various machines available in our production facility

1) Mandrel Machine with LPG Furnace
2) Hydraulic Presses
3) CNC Machine
4) Lathe Machine
5) Heat Treatment Furnaces
6) Oil Fired Furnace
7) Plasma Cutting Machine
8) Dies & Tools
9) Cold Forming Press For Elbows.

Testing Equipment's

1) PMI Machine
2) Spectro Analyzer
3) Ultra sonic Testing Machine
4) Digital Hardness Tester
5) X-Ray Film Viewer
6) Universal Tensile Testing
7) Dye Penetrant Test Kit

Quality That Inspires Customer Confidence

Our design and manufacturing is supported by advance technology which enable us to meet not only the requirements of Internationally accepted manufacturing & Quality standards but also to cope up with growing demand for special fittings that meets safety.

Our Quality Assurance System is documented in an approved Quality Assurance Manual and covers all production processes. Severe control of dimensions and of mechanical properties starting from the raw material and following right through all production through all production steps to laboratory tests on the finished product is exercised in order to maintain the high quality of Yash Metal India



FORGED FITTINGS THAT CAN WITHSTAND HIGH PRESSURE





Stainless Steel & duplex Steel forged Fittings

Standard	: ANSI B16.11, MSS SP - 97, BS 3799
Size	: ½"NB to 4" NB, (Socketweld & Threaded)
Class	: 3000#, 6000#, 9000#
Stainless Steel	: ASTM A TP 304/304L/304H/316/316L/ 316H / 316Ti / 309 / 310 / 317L/321/347/904L
Duplex Steel	: ASTM A 815- UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Forged Fittings

Size	: ½"NB to 4" NB, (Socketweld & Threaded)
Class	: 3000#, 6000#, 9000#
Alloy Steel	: ASTM A 182-F5, F9, F11, F12, F22 & F91
Carbon Steel	: ASTM A 106 Gr. A/B/C
Low temp. CS	: A 350 Lf2

Copper & Nickel Alloys Fittings

Size	: ½"NB to 4" NB, ANSI B 16.11
Class	: 10S/40S/80S
CuproNickel	: C70600(90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810
Hastelloy	: UNS N10276, N06022, N10665, N06455

Types: **Elbow (45Deg., 90 Deg.) /Tee / Union / Cross / Swage Nipple / Coupling Weldolet / Sockolet / Threadolet etc.**

BUTTWELD FITTINGS THAT FITS EVERY NEED





Standards :
ASME B16.9, B16.28 & MSS SP-95 - 43

Stainless Steel & Duplex Steel Fittings

Size	: Upto 24'' NB / Welded Upto 64''
Schedule	: 10S/40S/80S/160S/XXS
Stainless Steel	: ASTM A 403 WP - TP 304/304L/304H/316/316L/ 316H / 316Ti / 309 / 310 / 317L / 321 / 347/904L
Duplex Steel	: ASTM A 815- UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Fittings

Size	: Upto 24'' NB / Welded Upto 64''
Schedule	: 10/40/60/XS/80/100/120/140/160/XXS
Alloy Steel	: ASTM A 234 WPB - WP5, WP9, WP11, WP12, WP22,WP91
Carbon Steel	: ASTM A234 WPB, A420 WPL3, A420 WPL6, MSS-SP-75 WPHY 42/46/52

Copper & Nickel Alloys Fittings

Size	: ½"NB to 8" NB Seamless & Welded upto 48" NB
Schedule	: 10S/40S/80S/160/XXS
CuproNickel	: C70600(90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810
Hastelloy	: UNS N10276, N06022, N10665, N06455

Types: Elbow (45Deg., 90 Deg., 180 Deg.)/Tee (Barred, Equal, reducing) /Reducer (Concentric & Eccentric) Coupling / Stubend /U bend /5D / 8D Bends / End Cap / Laterals

FLANGES THAT CONNECT EVRY PIPELINE





Stainless Steel & duplex Steel Flanges

Size	: ½"NB to 72" NB, ANSI B 16.5
Class	: 150#, 300#, 600#, 900#, 1500#, 2500#
Stainless Steel	: ASTM A TP 304/304L/304H/316/316L/ 316H / 316Ti / 309 / 310 / 317L / 321/347/904L
Duplex Steel	: ASTM A 815- UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Flanges

Size	: ½"NB to 72" NB, ANSI B 16.5
Class	: 150#, 300#, 600#, 900#, 1500#, 2500#
Alloy Steel	: ASTM A 182-F5, F9, F11, F12, F22 & F91
Carbon Steel	: ASTM A 105 ASTM A 694 F42, F46, F52, F60, F65, F70
Low temp. AS	: A 350 Lf2.

Copper & Nickel Alloys Flanges

Size	: ½"NB to 72" NB, ANSI B 16.5
Class	: 150#, 300#, 600#, 900#, 1500#, 2500#
CuproNickel	: C70600(90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810
Hastelloy	: UNS N10276, N06022, N10665, N06455
Titanium	: Gr. 2 & 5, DTH 3.7025, DTH 3.7055

Types: **Weldneck / Socketweld / Slip on / Blind / SORF / Screwed / Threaded / Long Weldneck Lap Joint / Spectacle blind / Orifice / Heavy Barrel Flange / Reinforced Nozzle Flanges / Heawy Barrel Flanges**

FASTENERS

That Fits Every Needs



Stainless & Duplex Steel ::..
Stainless & Duplex Steel FastenersGrades : Stainless Steel 202, 304,310, 304L, 316, 316L, 316TI, 317, 317L, 321, 904L
Size : M5 to M50

Types : Bolts Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts , T- Head Bolts , Wing Screw , Eye Bolt , Eye Bolt, Foundation Bolts, Structural Bolts.

Application :
Stainless steel fasteners can be used in racing industries such as racing motorcycles and cars, sailing boats and medical equipment, etc.

..:: Carbon & Alloy Steel ::..
Carbon & Alloy Steel Fasteners Specification :
We provide Fasteners as per DIN, ANSI, AISI, ASTM, JIS, BS, GOST, IS, Etc. as well as consumers specific requirements.
We are specialist in Manufacturing of Drawing Based Fasteners.

Types :
Bolts Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts ,
T- Head Bolts , Wing Screw , Eye Bolt , Eye Bolt, Foundation Bolts, Structural Bolts.

Application :
Stainless steel fasteners can be used in racing industries such as racing motorcycles and cars, sailing boats and medical equipment, etc.

..:: Nickel & Copper Alloy ::..
Nickel & Copper Alloy Fasteners Grades : Nickel 200 (UNS No.2200), Nickel 201 (UNS No.2201), Nickel 205 (UNS N0.2205)
Standard : ASTM / ASME SB 163 / 165 / 167 / 464/ 517 / 619 / 622 / 626 .

Types :
Industrial Bolts : Stud bolts, hex head bolts, socket hexagon head screw anchor bolts, u-bolts, j bolts, mushroom head square neck bolts, t- head bolts, wing screw bolts, eye bolts, eye bolts, foundation bolts, structural bolts. Industrial Nuts : Hexagon nuts, Hexagon coupling nuts, Hexagon thin nuts, Square nuts, Hexagon castle nuts, Self locking nut, Hexagon domed cap nuts. Industrial Washers : Plain washer, plain big & small washers, spring lock washers, spring washers heavy duty, tooth washers, star washers, tab washer with one & two tab. Industrial Screws : Pan head slotted screws, hexagon head screws, cheese head slotted screws, countersunk head slotted screws, countersunk raised head slotted screws, Pan Phillipse Head Screws, Countersunk Phillipse Raised Head Screws.

SHEETS & PLATES



we stock and supply all sizes of all grade materials of 200, 300, 400 series Grades.

We are Specialized in Magnetic Sheets in Grade of 409N, 410S, 410, 420, 430, 431

User Industries:
Chemicals, Fats, & Fertilizers, Sugar Mills & Distilleries, Cement Industries, Ship Builders, Paper Industries, Pumps, Petrochemicals, Oil & Natural Gas Organization in terms of the specific materials, Technology, Finance & Personal.

Product Range:
The following table represents size range, product standards and material grades of Sheet, Plates & Coils

Stainless & Duplex Steel

RANGE
1 MM TO 200 MM THK IN 1000 MM TO 3000 MM WIDTH x 2500 MM / 5000 MM / 10000 MM / COIL.

Stainless SteelDuplex Steel

Carbon & Alloy Steel Steel

RANGE
1 MM TO 200 MM THK IN 1000 MM TO 3000 MM WIDTH x 2500 MM / 5000 MM / 10000 MM / COIL.

Carbon Steel
ASTM / ASME A 516 / 517 GR. 60 / 70 , IS 2062 , IS 2002.

Alloy Steel
ASTM / ASME A 387 GR F 5, F 9 , F 11 , F 12 , F 22 , F 91.

Nickel, Copper Alloy & Titanium

RANGE
1 MM TO 200 MM THK IN 1000 MM TO 3000 MM WIDTH x 2500 MM / 5000 MM / 10000 MM / COIL.

COIL & STRIPS



Stainless & Duplex Steel

RANGE
1 MM TO 200 MM THK IN 1000 MM TO 3000 MM WIDTH x 2500 MM / 5000 MM / 10000 MM / COIL.

Stainless SteelDuplex Steel

ASTM / ASME SA 240 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

ASTM / ASME SA 240 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

Carbon & Alloy Steel Steel

RANGE
1 MM TO 200 MM THK IN 1000 MM TO 3000 MM WIDTH x 2500 MM / 5000 MM / 10000 MM / COIL.

Carbon Steel
ASTM / ASME A 516 / 517 GR. 60 / 70 , IS 2062 , IS 2002.

Alloy Steel
ASTM / ASME A 387 GR F 5, F 9 , F 11 , F 12 , F 22 , F 91.



PIPE & TUBES



RANGE
15 NB UP TO 1200 NB IN SCH 5S , 10S ,10, 20 , 40S , 40 , STD , 60 , 80S , 80 , XS , 100 , 120 , 140 , 160 & XXS

FORM
SEAMLESS / ERW / WELDED IN ROUND & SQUARE .

Stainless & Duplex Steel

RANGE
1 MM TO 200 MM THK IN 1000 MM TO 3000 MM WIDTH x 2500 MM / 5000 MM / 10000 MM .

Stainless Steel
ASTM / ASME SA 240 304 , 304L , 304H, 309S , 309H, 310S , 310H , 316 , 316H , 316L , 316 TI , 317 , 317L , 321 , 321H , 347 , 347 H , 409 , 410 , 410S , 430

Duplex Steel
ASTM / ASME SA 240 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.
Carbon & Alloy Steel Steel

Carbon Steel
ASTM / ASME A 53 GR. A & B , ASTM A 106 GR. A , B & C . API 5L GR. B , API 5L X 42 , X 46 , X 52 , X 60 ,X 65 & X 70 .
ASTM / ASME A 691 GRA , B & C

Alloy Steel
ASTM / ASME A 335 GRP 1 , P 5 , P 9 , P 11 , P 12 , P 22 , P 23 , P 91
ASTM / ASME A 691 GR 1 CR , 1 1/4 CR , 2 1/4 CR , 5 CR , 9CR , 91

ROD, BAR & WIRE



We also stock Bar, Hexagon, Square, Round products in various dimensions and grades.

We stock Stainless Steel, carbon and alloy specialty steels supplied in the as rolled, annealed and normalized conditions. We offer cut to size and heat treatment through our service center.

User Industries:
Chemicals, Fats, & Fertilizers, Sugar Mills & Distilleries, Cement Industries, Ship Builders, Paper Industries, Pumps, Petrochemicals, Oil & Natural Gas Organization in terms of the specific materials, Technology, Finance & Personal.

Product Range:
The following table represents size range, product standards and material grades of Rods & Bar.

Stainless & Duplex Steel

RANGE 3.17 MM TO 350 MM DIA

Stainless Steel


ASTM / ASME SA 276 TP 304 , 304L , 309S , 309H, 310S , 316 , 316L , 316 TI , 317 , 321 , 347 , 410 , 420 , 430 ,431 , 440A ,B & C. , 446
ASTM / ASME SA 479 TP 304 , 304L , 304H, 309S , 309H, 310S , 310H , 316 , 316H , 316L , 316 TI , 317 , 321 , 321H , 347 , 347 H , 410, 430 ,431 & 444.

Duplex Steel

ASTM / ASME SA 276 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

ANGLE & CHNNEL





316l SS Industrial Channels, Stainless Steel 316l U Channels, AISI 316l Stainless Steel 316l Channel, 316l Stainless Steel Angle Exporter, ASME SA 276 Stainless Steel 316l J Channel, SUS 316l Angle, 316l Stainless Steel Angle Bar, Stainless Steel 1.4435 Channels, 316l Stainless Steel Unequal Angles, 316l SS Angle Manufacturer in India.

UNICORN STEEL INDIA the leading manufacturer, supplier and exporter of Stainless Steel 316L Angle / Channels. We provide the high quality of products to our customers. We also make sure that every product which are manufactured in our organization is well tested and inspected. We also manufacture our products in various shapes and sizes. We focus on customer satisfaction and make our products according to the need and demand of our customers.

Our high-grade Stainless Steel 316L Angle/ Channels different from other products available in the market and contains lower levels of carbon. The less amount of carbon in this stainless steel 316L Angle/ Channels makes this grade immune from sensitization or grain boundary carbide precipitation. Because of this unique feature, our Stainless Steel 316L Angle/ Channels tends to be commonly used in heavy gauge welding situations. And because of the fewer carbon levels make our product more accessible to in various machine.

.

Stainless Steel 316l Angle / Channel Specification

Specifications : ASTM A276, ASTM A479 / ASME SA276, ASME SA479

Angle Size Range : 20 x 20 mm to 100 x 100 mm

Angles Thickness : 3 to 12 mm (depending on size)

Channel Size Range : Base: 80 to 150 mm; Side: 40 to 75 mm

Channel Thickness : 5 to 6 mm (depending on size)

Length : 3MTR, 4MTR, 5MTR, 6MTR, or Custom Cut Sizes

RING & CIRCLE





Stainless Steel Circle

Stainless steel circles are having varied characteristics such as smooth functioning, high strength, exclusive finish, unsurpassable performance, etc. Stainless steel circles are suitable for applications that require a robust, anti-oxidation quality product. Stainless steel circle is also nonmagnetic, has excellent formability, and is easy to fabricate, making it an excellent option for a broad range of light-duty and general-purpose applications. Stainless steel circles are manufactured using high quality stainless steel and available in different grades, shapes and sizes.

SIZE OF STAINLESS STEEL CIRCLE

Standard: ASTM A276

Condition: HRAP or SRE

Size Range: Width 12 to 150 mm

Sizes in Stock:10mm, 12mm, 100mm, 20mm , 25mm , ½ , 4mm, 40mm, 5mm, 50mm, 6mm, 75mm, 8mm

Thickness: 33 to 25 mm (depending on size)

Grades: 304, 316

Processing: Bar cutting

APPLICATION OF STAINLESS STEEL CIRCLE

Stainless steel circles are used in the following industries are Food Processing Equipment, Kitchen Benches, Sinks, troughs, Heavy machinery industries, Pressure Vessels, Fabrication Industries

DAIRY & PHARMA FITTINGS



Unicorn Steel India is a promising company that is serving as a Manufacturer and Exporter of Stainless Steel Fittings In SMS, Threaded, and T.C. End. In addition to these products, as a Trader, we are dealing with a variety of Stainless Steel Fittings, Stainless Steel Pipe Fittings, Industrial Fitting Tubes, Ball Valves, Pipe Fittings, Flanges. Our supplied products are of premium quality as they are manufactured by using quality assured materials.

We offer our stainless steel fitting in various wall thicknesses, grades, and sizes for multiple uses. Our manufactured fittings can be cut, polished and threaded as per clients' specifications. Our supplied products find their wide applications in various segments including homes, factories, underground roads, etc. for supplying water or gases from one place to another.

PRECISION COMPONENTS

We, are specializes in Providing Customized Precision Components as per the customer drawing and specification. Our products inlcudes

* Sms Unoin
* Sms Butterfly
* Ep Tee
* Ep Bend
* Ep Reducer
* Plug Valve
* Nrv
* Ball Valve
* Tc Set
* Tc Ball Valve
* Diaphragm Valve

The modern facilities of Unicorn Steel India are equipped with state-of-the-art, world class product with a wide range of international specifications.

FERRULE FITTINGS



310 STAINLESS STEEL SINGLE FERRULE FITTINGS, SS 310 FERRULE FITTINGS, STAINLESS STEEL 310 TUBE TO UNION, SS UNS S31000 TUBE FITTINGS, 310 SS INSTRUMENTATION FITTINGS, 310 STAINLESS STEEL TUBE FITTINGS, SS 310 DOUBLE FERRULE FITTINGS STOCKIST, SS S31008 HYDRAULIC TUBE FITTINGS, STAINLESS STEEL 310 COMPRESSION TUBE FITTINGS, STAINLESS STEEL 310 TUBE FITTINGS MANUFACTURER IN INDIA.

UNICORN STEEL INDIA is a recognized supplier of SS 310 / 310S Tube Fittings, which has exceptionally good dimensional stability. Stainless Steel 310 Tube Fittings is an age-hardenable alloy which combines the corrosion resistance with high strength corrosion fatigue and erosion resistance.

The increase in strength and hardness in Stainless Steel 310S Tube Fittings is a result of the precipitation hardening capability gained by the additions of titanium and aluminum. The thermal processing in Stainless Steel 310 Front Ferrule Fittings used to effect precipitation is commonly called age hardening or aging.

Typical applications for Stainless Steel 310S Back Ferrule Fittings are pump shafts and impellers; doctor blades and scrapers; oil-well drill collars and instruments; electronic components; springs; and valve trim.

The best machin ability for Stainless Steel 310 Male Connector Fittings is in the annealed condition. Stainless Steel 310S Female Connector Fittings is a nickel-copper alloy, precipitation hard enable through additions of aluminum and titanium. Stainless Steel 310 Male Adaptor Fittings is a precipitation-hardenable nickel-cop per alloy that combines high strength, corrosion resistance and non-magnetic properties.

SS 1.4845 UNION ELBOW, 310 SS RUN TEE, SS 310 BULKHEAD UNION EXPORTER, DIN 1.4841 TUBE TO MALE FITTINGS, 310 STAINLESS STEEL TUBE TO FEMALE FITTINGS, 310 SS MALE CONNECTOR, STAINLESS STEEL 310 UNION TEE, SS 310 FEMALE CONNECTOR DEALER, 310 SS MALE ELBOW, SS 310 MALE BULKHEAD CONNECTOR, SS 310 MALE BRANCH TEE, 310 FEMALE BULKHEAD CONNECTOR SUPPLIER IN MUMBAI, INDIA.

VALVES
FITTINGS



Valves regulate industrial processes by opening, closing or modulating the flow inside pipelines. Valves can also be used to control the flow direction of a medium. In doing so, valves help control industrial processes.

The opening and closing of pipelines can be done in a variaty of ways. Depending on nature of the application, the proces conditions and local requirements, a selection out of a variaty of valve designs is to be made.


We offers high quality valves for varying conditions and specializes in customized solutions. Our specialists will gladly help you with the selection of the right valve design for your application.

Different Types of valves uses in different sectors. In this article mentioned 19 types of valves

1. Globe valve,
2. Gate valve,
3. Ball valve,
4. Butterfly valve,
5. Diaphragm valve,
6. Plug valve,
7. Needle valve,
8. Angle valve,
9. Pinch valve,
10. Slide valve,
11. Flush bottom valve,
12. Solenoid valve,
13. Control Valve,
14. Flow regulating valve,
15. Back pressure regulating valve,
16. Y-type valve,
17. Piston valve,
18. Pressure regulating valve,
19. Check valve

Please contact us to discuss your needs.

PERFORATED SHEET



Specifications

Surface : 2B, BA, HL, Brush, NO.1, NO.4, 8K, SB, etc

Thickness : 0.3-15mm

Size (Feet X Feet) : 8 x 4 - 8 x 3

Width : 1000mm~2000mm or customized
Length : 1000mm~6000mm or customized

Application : Bridge, Shipbuilding, roofing, Car, etc
Surface Finish : Polished

Quality Control : 0.4 mm to 5.0 mm
Standard sheet sizes : 1000mm*2000mm, 1250mm*2500mm, 1219mm*2438mm, 1500mm*3000mm We can produce other standard as customized

FLEXIBLE HOSE PIPE



Stainless Steel Wire Braided Hoses are flexible and resistant tubes coated with Teflon which offers exceptional temperature features, that works sound in high ambient, fluid or gas medium temp as well in cryogenic applications.

Teflon has a wide-ranging chemical resistant to various acids, and other petroleum liquids and hydraulic fluids. Stainless Steel Wire Braided Hoses are non-contaminating and are super easy to sanitise for various pharmaceutical applications and as they are resistant to wear and tear these hoses have long shelf life as well.

UNICORN STEEL INDIA Stainless Steel Wire Braided Hoses are made of superior grade stainless steel which is resistant to corrosion, chemical abrasion and is designed to withstand high pressure and compression.

We are Stainless Steel Corrugated Bellow Hoses's well-designed look gives elegant and aesthetic feel which goes well in enhancing with different styles of interior settings.

We are Stainless Steel Wire Braided Hoses are 100% quality checked and tested since it is manufactured by the latest well-equipped CNC machinery and latest techniques like cutting and bending and for any other structural flaws by our highly qualified professional staff according to Indian and international industry standards guidelines.

popular searches for Sanipure Water Systems's Stainless Steel Wire Braided Hoses: ss braided hose pipe specification, wire braided rubber hose, pvc wire braided flexible hose pipe, stainless steel braided hose manufacturers, ss braided hose price, ss flexible hose pipe price list, high pressure ss braided hose, ss braided hose pipe hsn code

WIREMESH



Description

Stainless Steel Material: The net is made of high quality 304 stainless steel with a smooth surface, uniform thickness, not easy to rust and corrode, sturdy and durable, strong abrasion resistance, long service life, not easy to bend and break. Strong protection performance and safe to use in sewer or outdoors. Used to prevent rodents from entering the sewer.

Fine Mesh: The surface of the wire mesh is smooth and burr-free, and the mesh is fine and evenly distributed. Not only does it work very well as a ventilation grille, but it can also be used to protect air conditioning condensers, vents, drains, roof boxes, etc.

Stainless steel mesh can also be used as a screen to prevent leaves and stones from entering the external drain .

Easy Installation: You can cut the mesh into different shapes and sizes with metal shears or heavy-duty household scissors according to your needs. It is easy to use and maintain according to the size to be installed. The fine metal mesh is tightly woven so it is not in the cutting process. Easy to disperse.

Wide range of applications The biggest use of multi functional metal wire mesh is insulation and barrier. Can prevent leaves from entering external drains. The fine mesh can prevent pests such as rodents, mice, rabbits, moths, flies and various mosquitoes. In addition, the fine mesh can also be used to filter small items, which is ideal for repairing doors, windows, cars, etc.

6 Stainless Steel Meshes: The kit includes 6 metal meshes, the size is 20*30cm, the diameter of the hole is 1mm and 18 mesh, the surface is smooth and there is no burr, and the texture is even. A sufficient amount is convenient for you to replace and assemble in time. It is a little helper to solve life problems. You can use them as needed.


SSAB OXELÖSUND
HARDOX 500
6000X1500X20.00
Hardox Plate


Manganese Plate


Boiler Plate

YASH METAL INDIA

An ISO 9001:2015 Certified Company







YASH METAL INDIA

An ISO 9001:2015 Certified Company

Manufacturers and Exporters of:

Stainless Steel, Carbon Stee, Alloy Steel & High Nickel, Ferrous & Non Ferrous Metal in shape of Sheet, Plate Pipe, Tube, Round Bar,Pipe Fitting, Flanges, Fasteners, Anchor Fasteners and Structural Products Etc.

Office :

56 kika street Daya building (Jain building)
Office no-10,Ist floor Mumbai-400004

Contact Person :-
Mr. Mukesh Thakkar
+91 9930001108
+91 8080101108

+91 22 66595412
+91 22 49789556

Email :-

yashmetalindia@gmail.com