ASSA ABLOY

# RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

| | | | |
|---|---|---|---|
| NIHVA Technologies PVT LTD<br>27 8/1 Coromant Housing Society<br>411044 Pune, Nigdi Pradhikar<br>India | | Rechnung/Invoice | 90655179 |
| | | Datum/Date | 2017-11-29 |
| | | Lieferschein-Nr./delivery note | 80366561 |
| | | Auftrags-Nr./Order No. | 30639597 |
| | | Referenz/Reference | Mr. Dange |

| Kunden-Nr./Customer No. | Innendienst/internal department | Versandart/Way of delivery | |
|---|---|---|---|
| 1059669 | Tatjana Rerich | Forwarder (W) | Sea freight |
| **Ihre Ust-ID Nr./Your TAX No** | **Ihre Bestell-Nr./Your Order** | **Versandbedingungen/Terms of delivery** | **Lieferdatum/Delivery date** |
| | NVA-327 | FCA Lippstadt | 2017-11-28 |

| Lieferadresse/Delivery address | Nr. Lieferadresse/Delivery address No. | Zahlungsbedingungen/Terms of payment | Fälligkeit/Due date |
|---|---|---|---|
| NIHVA Technologies PVT LTD<br>27 8/1 Coromant Housing Society<br>411044 Pune, Nigdi Pradhikar<br>India | 1059669 | Due Net 60 | 2018-01-28 |

| Pos.<br>Item | Produkt<br>Product | Beschreibung<br>Description | Anzahl<br>QTY | Einheit<br>Unit | Preis/Einh.<br>Price/Unit | Preis<br>Price |
|---|---|---|---|---|---|---|
| AD_RR300 | Albany RR300 | | 1.000 | ST | 3,581.00 | 3,581.00 |

**Serien-Nr. 1100006924**

| | |
|---|---|
| Door type | High speed roller door RapidRoll 300-S |
| Daylight width | 3 000 mm |
| Daylight height | 2 000 mm |
| Side frame extension X-Level | 0 mm |
| Door control system | MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit |
| Max. Opening Speed | 2,0 m/s |
| Max. Closing Speed | 1,0 m/s |
| Control box position | Mounted next to the drive unit |
| Control system position | Left |
| Motor Position | Left |
| Wind class | 1 |
| Side frame version | Galvanised steel |
| Bottom plate | Bottom plates included |
| Bottom profile | Aluminium |
| Safety contact edge | Electrical safety edge at the bottom profile |
| Connection for safety edge | With coily cable |
| Photocell | With photocell |
| Crank | With crank for manual operation |
| Top roll material | Aluminum |
| Door curtain | PVC material - transparent with vertical coloured stripes |
| Door curtain colour | Blue, similar to RAL 5002 |
| Motor cover | Motor cover made of plastic, grey colour similar to RAL 7040 |
| Top roll cover | Top roll cover made of galvanised steel |



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 15/12 DE

| Pos.<br>Item | Produkt<br>Product | Beschreibung<br>Description | Anzahl<br>QTY | Einheit<br>Unit | Preis/Einh.<br>Price/Unit | Preis<br>Price |
|---|---|---|---|---|---|---|

| | |
|---|---|
| MCC type | Standard version |
| MCC-display position | Wall mounted |
| MCC display type | Standard display with push buttons |
| Power supply | 440 V. 3-phase |
| Frequency | 50 Hz |
| Main switch | With main switch |
| Mains connection cable length | 3 000 mm |
| Display cable length | 3 000 mm |
| Documentation language | English |
| Documenation door | English |
| Documentation control system | English |
| Wiring plan | English |
| MCC display language | English |
| Special door | Yes |
| CE - Sign | Yes |
| Reference no. special door 01 | 210138 |
| Packing | Box, heat treated |
| Warranty | 1 Year |
| Dimension packing 1 LxWxH | 3600X580X470 |
| Dimension packing 2 LxWxH | 1000X800X770 |

*
*
! Ref. 210138_ without motor and barrel cover.
Door doesn't correspond to CE - regulations norm.
Commodity code: 39252000
Country of origin: DE

| | |
|---|---|
| **Dimension packing 1 LxWxH** | **3600x580x470** |
| **Dimension packing 2 LxWxH** | **1000x800x770** |
| **Net Weight** | **280,000 KG** |
| **Gross Weight** | **280,000 KG** |

**AD_RR500 Albany RR500 1.000 ST 6,480.00 6,480.00**
**Serien-Nr. 4120000053**

| | |
|---|---|
| Daylight width | 4 500 mm |
| Daylight height | 4 500 mm |
| Door control system | MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit |
| Max. Opening Speed | 1,0 m/s |
| Max. Closing Speed | 0,5 m/s |
| Control box position | Mounted on the wall |
| Control system position | Left |
| Motor Position | Left |
| Side frame version | Side frames made of galvanised steel with aluminium cover profiles |
| Bottom profile | Flexible bottom profile with integrated electrical contact edge |
| Safety contact edge | Electrical safety edge at the bottom profile |
| Photocell | With photocell |
| Crank | With crank for manual operation |
| Top roll material | Top roll made of steel |
| Door curtain | PVC material - transparent with vertical coloured stripes |
| Door curtain colour | Blue, similar to RAL 5002 |
| MCC type | Standard version |
| MCC-display position | Wall mounted |
| MCC display type | Standard display with push buttons |
| Power supply | 440 V. 3-phase |



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64300906 - 15/12 OE

ASSA ABLOY

| Pos.<br>Item | Produkt<br>Product | Beschreibung<br>Description | Anzahl<br>QTY | Einheit<br>Unit | Preis/Einh.<br>Price/Unit | Preis<br>Price |
|---|---|---|---|---|---|---|

| | |
|---|---|
| Frequency | 50 Hz |
| Main switch | With main switch |
| Motor cable length | 3 000 mm |
| Mains connection cable length | 3 000 mm |
| Display cable length | 3 000 mm |
| Assembly frame | with assembly frame |
| Documentation language | English |
| Documenation door | English |
| Documentation control system | English |
| Wiring plan | English |
| MCC display language | English |
| CE - Sign | Yes |
| Packing | Box, heat treated |
| Warranty | 1 Year |

Commodity code: 39252000
Country of origin: DE

| | |
|---|---|
| **Net Weight** | **902,000 KG** |
| **Gross Weight** | **902,000 KG** |
| **Dimension packing 1 LxWxH** | **5400x850x1000** |
| **Dimension packing 2 LxWxH** | **1000x790x760** |

**D5701R0141** **Heat treated box** **1.000** **ST** **145.00** **145.00**

Commodity code: 44151010
Country of origin: DE

| | |
|---|---|
| **Net Weight** | **24,000 KG** |
| **Gross Weight** | **24,000 KG** |

| | | |
|---|---|---|
| **Warenwert/Value of goods** | | **10,206.00** |
| **Mwst/VAT** | **0.00 %** | **0.00** |
| **Summe/Total** | **EUR** | **10,206.00** |

**Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG**

ASSA ABLOY Entrance Systems
High Performance Door Solutions

Albany Door Systems GmbH
Am Mondscheln 25
DE - 59557 Lippstadt
Tel.: 02941 / 766-0
www.albanydoors.com



ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondscheln 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone: +49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64300006 15|12 DE