EUROPÄISCHE GEMEINSCHAFT

Ausfuhrbegleitdokument

VERFAHREN (1)	Bes. Umst. (S32)
EX | Z	

MRN 18DE880492430754E8

Vordrucke (3)	Anm. Sich.(S00)
1 | 2	S

Versender/Ausführer (2) Nr. DE4558987

Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

A Ausfuhrzollstelle — Ausstellungsdatum

DE008804 — 02.10.2018 15:38 Uhr
Hauptzollamt Regensburg
Zollamt
Regensburg-Furth im Wald
Junkersstr. 12

93055 Regensburg

Empfänger (8) Nr.

NIHVA TECHNOLOGIES PVT LTD
27 8/1 COROMANT HOUSING SOCIETY
411044 PUNE / NIGDI PRADHIKAR
IN

Positionen (5)	Packst. insgesamt (6)	Bezugsnummer (7)
1	4	#V88#-EXD-15306 / 30694003

Beförderungskosten. Code für die Zahlungshinweise (S29)	Vers./Ausf.L.Code (15)	Bestimm.L.Code (17)
H	a| DE	a| IN

Code für die zu durchfahrenden Länder (S13)
DE, IN

Anmelder/Vertreter (14) Nr. DE4558987, DE3448797

[1] Albany Door Systems GmbH
Am Mondschein 25
59557 Lippstadt
DE

[2] i.A. / i.V A-1 Internationale Spedition GmbH
Springbiel 4 a
48455 Bad Bentheim
DE

Vertreter der Person, die summ. Anm. abgibt (14b)

Kennzeichen des Beförderungsmittels beim Abgang (18)

Verkehrszweig an der Grenze (25)	Rohmasse (kg) (35)
1	638

Ausgangszollstelle (29)	Nummer des Zollverschlusses (S28) Anzahl: --
DE003302	--

Warenort (30)
Code für den Ort des Verladens bzw. des Verpackens:
RE01

Packstücke und Warenbezeichnung (31) — Zeichen und Nummern - Container Nr. - Anzahl und Art

Siehe Liste der Positionen

E PRÜFUNG DURCH DIE ZOLLSTELLE

Ergebnis:

Frist (letzter Tag):

K PRÜFUNG DURCH DIE AUSGANGSSTELLE

Ankunftsdatum:

Prüfung der Verschlüsse:

Bemerkungen:

EUROPÄISCHE GEMEINSCHAFT

LISTE DER WARENPOSITIONEN - AUSFUHR

Vordrucke (3): 2 | 2

MRN 18DE880492430754E8

Pos.- Nr. (32)	Anzahl und Art der Packstücke, Zeichen und Nummern der Packstücke (31.1)	Warenbezeichnung (31.4)			
Versender/Ausführer (2)		Empfänger (8)			
Kennzeichen des Beförderungsmittels beim Abgang (18)		Warennummer (33)			
Kennnummer der Sendung (Unique Consignment Ref. Nr.) (7)		Summarische Anmeldung/Vorpapier (40)			
Vorgelegte Unterlagen / Bescheinigungen (44.1)		Container-Nr. (31.3)			Nummer des Zollverschlusses (S28)
Besondere Vermerke (44.2)		Verfahren (37)	Ausfuhrland (15a)	Bestimmungsl. (17a)	Rohmasse (kg) (35)
UNDG (44.4)	Beförderungskosten, Code für die Zahlungsweise (S29)	Anmeldungsart (1)	Statistischer Wert (46)		Eigenmasse (kg) (38)
1	1. 4 SL, Kufenbrett .	Baubedarfsartikel aus Kunststoffen. Schnelllaufrolltore / High-speed roller door			
DE4558987 Albany Door Systems GmbH Am Mondschein 25 59557 Lippstadt (DE) Deutschland					
		39252000			
		ohne			
		1000	DE	IN	638
					597

ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	**Rechnung/Invoice** 90727185 **Datum/Date** 2018-10-02 **Lieferschein-Nr./delivery note** 80391113 **Auftrags-Nr./Order No.** 30694003 **Referenz/Reference** Mr. Kurhade

Kunden-Nr./Customer No.	**Innendienst/Internal department**	**Versandart/Way of delivery**	
1059669	Nadine Gundelach	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-380	FCA Hemau, Germany	2018-10-01

Lieferadresse/Delivery address	**Nr. Lieferadresse/Delivery address No.**	**Zahlungsbedingungen/Terms of payment**	**Fälligkeit/Due date**
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 60	2018-12-01

Pos. **item**	**Produkt** **Product**	**Beschreibung** **Description**	**Anzahl** **QTY**	**Einheit** **Unit**	**Preis/Einh.** **Price/Unit**	**Preis** **Price**

**Delivery LCL*

AD_RP300	**ASSA ABLOY RP300**		**1.000**	**ST**	**4,300.00**	**4,300.00**

Serien-Nr. 2610017149

Door type	High-speed roller door RapidProtect 300
Daylight width	4 000 mm
Daylight height	2 500 mm
Side frame extension X-Level	0 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Max. Opening Speed	1,0 m/s
Max. Closing Speed	1,0 m/s
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1
Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Control box material	Painted steel
Power supply	400 V, 3-phase
Frequency	50 Hz
Motor cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	4600X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**4560x540x470**
Dimension packing 2 LxWxH	**880x680x800**
Net Weight	**299,000 KG**
Gross Weight	**319,000 KG**

AD_RP300 **ASSA ABLOY RP300** **1.000** **ST** **4,300.00** **4,300.00**

Serien-Nr. 2610017150

Door type	High-speed roller door RapidProtect 300
Daylight width	4 000 mm
Daylight height	2 500 mm
Side frame extension X-Level	0 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Max. Opening Speed	1.0 m/s
Max. Closing Speed	1.0 m/s
Control system position	Right
Motor Position	Right
Wind class	1
Side frame version	Aluminium
Bottom plate	Delivered without bottom plates
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Silicone free	Silicone free
Window type	Window 700X500 mm, type anti UV
Window Quantity	1

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Height:bott.edge to bott.prof.	1 200 mm
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Control box material	Painted steel
Power supply	400 V, 3-phase
Frequency	50 Hz
Motor cable length	3 000 mm
Dry contact	Dry contacts for signal door open / closed and door in operation
Safety limit switch (MP)	Schmersal on 1 side with relay for cat. 4
Cable marking	Including cable and component marking
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	4600X580X470
Dimension packing 2 LxWxH	1000X800X770
Commodity code: 39252000	
Country of origin: CZ	

Dimension packing 1 LxWxH	**4560x540x470**
Dimension packing 2 LxWxH	**880x680x800**
Net Weight	**298,000 KG**
Gross Weight	**318,000 KG**

Warenwert/Value of goods		**8,600.00**
Export packing		**826.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**9,426.00**

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

Die gesetzlichen durch die DSGVO geforderten Informationen zum Umgang mit Ihren personenbezogenen Daten erhalten Sie unter dem folgenden Link: https://goo.gl/qGzSw5

Sollten Sie keinen Zugang zum Internet haben, senden wir Ihnen gerne die Informationen postalisch zu. Bitte sprechen Sie uns ggf. unter Telefon: 02941/766-622 darauf an.

ASSA ABLOY

ASSA ABLOY Entrance Systems
High Performance Door Solutions

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
Tel: 02941 / 766-0
www.albanydoors.com

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY



80391113

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80391113*

Order No.
30694003

Ship Date
2018-10-01

Your reference
Ameet Kurhade

Your Order No.
NVA-380

Our reference
Frau Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper
Forwarder (W)
Sea freight

Line	Item No	Description	Storage Location	Quantity	Unit

**Delivery LCL*

10	AD_RP300	ASSA ABLOY RP300	6000 -	1.00	ST
	Serien-Nr. 2610017149				

Daylight width	4,000 mm
Daylight height	2,500 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down mounted on the control box
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

20	AD_RP300	ASSA ABLOY RP300	6000 -	1.00	ST
	Serien-Nr. 2610017150				

Daylight width	4,000 mm
Daylight height	2,500 mm
Door control system	ACS50 electronic control system with push buttons up/stop/down

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye

ASSA ABLOY

80391113

SENDER:

ASSA ABLOY ES Production s.r.o.
VGP Park U Přivaděče 639, Budova A
CZ-326 01 PLZEŇ

Delivery Note *80391113*

Order No.
30694003

Ship Date
2018-10-01

Your reference
Ameet Kurhade

Your Order No.
NVA-380

Our reference
Frau Nadine Gundelach

Delivery Terms
FCA Hemau, Germany

SHIP TO
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Invoice address
NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 PUNE, NIGDI PRADHIKAR
INDIA

Shipper

Forwarder (W)
Sea freight

	mounted on the control box
Side frame version	Aluminium
Door curtain	RollTex Plus
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Motor cover powder coated standard
Top roll cover	Top roll cover made of aluminium
Actuator 3	Excluded
Actuator 4	Excluded
Packing	Box, heat treated

Order Line	Volume	Net Weight	Gross Weight
10	0.00	299.00	319.00
20	0.00	298.00	318.00
Total	**0.00**	**597.00**	**637.00**

Please contact our internal department for returns. We will tell you the return delivery number which you note down on your return delivery note.

The goods were accepted in full:

_____

Date/Signature

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
www.assaabloyentrance.com

Phone +49 (0) 2941 766 0
Fax +49 (0) 2941 766 294
Service +49 (0) 1806 22 37 33
E-Mail info.de.entrance@assaabloy.com

Bankdetails
Commerzbank AG, Hamburg
Bank code: 200 400 00
Account: 0402 4014 00

VAT-No.: DE 813 313 618
SWIFT: COBADEFFXXX
IBAN-No. DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 6106

Management
Mogens Jensen
Per Hansson
Christopher Norbye