Pricelist - FERRERO EUROPE 2018/ 06-2019
Albany RapidRoll 300 S - INTERIOR BASIC

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.



Height in mm													
4200	4,399	4,479	4,555	4,635	4,715	4,795	4,868	4,951	5,032	5,115	5,195	5,268	5,342
4000	4,386	4,464	4,539	4,618	4,698	4,775	4,849	4,930	5,010	5,090	5,170	5,243	5,316
3875	4,373	4,449	4,524	4,601	4,680	4,756	4,830	4,909	4,988	5,067	5,144	5,218	5,291
3750	4,360	4,435	4,509	4,585	4,662	4,737	4,810	4,888	4,965	5,043	5,118	5,192	5,265
3625	4,346	4,420	4,494	4,568	4,644	4,718	4,791	4,867	4,944	5,018	5,093	5,166	5,239
3500	4,332	4,405	4,479	4,552	4,626	4,699	4,772	4,846	4,921	4,994	5,068	5,141	5,214
3375	4,317	4,390	4,463	4,534	4,607	4,680	4,752	4,826	4,898	4,969	5,043	5,114	5,187
3250	4,305	4,377	4,447	4,518	4,591	4,662	4,734	4,803	4,875	4,947	5,018	5,088	5,159
3125	4,291	4,362	4,432	4,502	4,572	4,643	4,713	4,783	4,854	4,922	4,993	5,064	5,134
3000	4,279	4,348	4,417	4,486	4,555	4,624	4,694	4,762	4,832	4,900	4,969	5,038	5,107
2875	4,265	4,334	4,402	4,469	4,535	4,604	4,672	4,740	4,808	4,876	4,945	5,012	5,081
2750	4,252	4,319	4,386	4,453	4,519	4,585	4,651	4,720	4,785	4,853	4,919	4,986	5,053
2625	4,240	4,306	4,370	4,436	4,501	4,567	4,632	4,698	4,764	4,829	4,894	4,959	5,024
2500**	4,228	4,291	4,355	4,420	4,484	4,548	4,613	4,677	4,741	4,805	4,870	4,934	4,998
2375**	4,214	4,276	4,339	4,403	4,466	4,529	4,592	4,654	4,719	4,782	4,844	4,906	4,968
2250**	4,200	4,262	4,323	4,386	4,449	4,511	4,572	4,633	4,696	4,758	4,819	4,881	4,944
2125**	4,187	4,248	4,309	4,369	4,431	4,491	4,552	4,614	4,674	4,736	4,795	4,855	4,915
2000**	4,173	4,234	4,294	4,354	4,413	4,473	4,532	4,593	4,651	4,712	4,771	4,830	4,889
1875**	4,160	4,219	4,277	4,337	4,395	4,454	4,513	4,570	4,629	4,687	4,746	4,804	4,864
1750**	4,149	4,204	4,263	4,320	4,378	4,435	4,491	4,549	4,607	4,664	4,721	4,778	4,835
1625**	4,135	4,191	4,247	4,305	4,361	4,415	4,472	4,529	4,584	4,641	4,697		
1500**	4,123	4,178	4,232	4,288	4,342	4,396	4,453	4,507	4,562	4,617	4,672		
1375**	4,108	4,163	4,217	4,271	4,323	4,378	4,432	4,486	4,539	4,594	4,647		
1250**	4,097	4,149	4,201	4,253	4,307	4,359	4,412	4,465	4,517	4,570	4,622		
1125**	4,083	4,134	4,186	4,238	4,289	4,340	4,392	4,443	4,496	4,547	4,598		
1000**	4,070	4,120	4,171	4,220	4,272	4,321	4,372	4,423	4,473	4,523	4,574		
Width in mm	**1000**	**1250**	**1500**	**1750**	**2000**	**2250**	**2500**	**2750**	**3000**	**3250**	**3500**	**3750**	**4000**

Installation price:

1,220.00 €
1,220.00 €
1,220.00 €

The above prices are including transport costs, installation prices not included

Basic equipment:	High-Speed Roller Door with transparent curtain and reinforcement stripes according to the following RAL colours: blue (RAL 5002) or red (RAL 3002).
	Side frames galvanized, bottom rail profile made of aluminium.
Drive Unit:	Motor IP 55, either RH or LH as an option, with control cable (standard length = height of door).
Control system:	Controls ACS 50, IP 55 for opening / closing speed approx. 1,0 m/s. Control box with Up-Stop-Down button. Doors with dimensions > 3500x3500mm shall add a frequency converter drive system.
Power supply:	3/(N)/PE/230/400/415 V, 50 Hz.
Safety features:	Safety edge, safety photocell Transmitter / Receiver inside side frames, emergency crank and mechanical drop-down protection.
	** for countries in which the CE-regulations are valid, it is necessary to use a motor and barrel cover.
Prices:	in Euro, FCA Lippstadt, packing included. Statistical no. of goods 39 25 20 00

Pricelist - FERRERO EUROPE 2018/ 06-2019

Pos.	Description	galvanized steel	stainless steel	EUR	Unit
24	Top roll sealing	x	X	121.00	door
30	**Bottom Rail**				
31	Bottom profile aluminium - standard (high 185 mm)	S	S		
32	Bottom profile aluminium - low - (high 137 mm only without crash)	x	x	-14.00	m / W
34	Break away with crash-message - for aluminium profile - (necessary width min. 1300 mm)	x	X	93.00	door
36	Elongated sealing-lip 50, 100 or 150 mm	x	x	18.00	m / W
37	Flexible bottom profile in stead of aluminium botton profile. Rubber profile with electric safety edge, break away with crash-message and manual reset. With wireless transmission to the control system. Necessary width min. 1300mm. **Remark:** reduced wind resistance wind class 0.	x	x	216.00	door
40	**Covers**				
41	Top roll cover in galvanized steel	x		157.00	door
45	Motor cover in plastic grey (similar RAL 7040)	x	x	61.00	pc.
47	Motor cover steel powdercoated silver RAL 9006			94.00	pc.
50	**Curtain**				
51	Curtain PVC with fabric stripes (not silicone-free) similar to the RAL colours blue (5002) or red (3002)	S	S		
52	PVC-curtain with silicone-free stripes can be delivered according the following RAL colours : blue (RAL 5010), red (RAL 3002) , yellow (RAL 1021), orange (RAL 2011) white (RAL 9010) alu-grey (RAL 7037) or black (RAL 9005).	x	x	46.00	pc.
53	Extra price for pvc curtain with fabric stripe according to the following RAL colours, green (RAL 6018), yellow (RAL 1021), white (RAL 9016), beige (RAL 1014), grey (RAL 7035) and orange (RAL 2011)	X	X	84.00	door
55	Curtain RollTexPlus without window, according to the following RAL colours: blue (RAL 5002), orange (RAL 2009) or grey (RAL 7001)	X	X	31.00	m²
56	Curtain RollTex Original without window, according to the following RAL colours blue (RAL 5002) orange (RAL 2009) or grey (RAL 7001)	x	X	31.00	m²
57	Extra price for other RAL colour painted on RollTex Original. **Remark:** curtain with painted surface may be subject to increased wear, especially when being cleaned on a regular bases and depending on cleaning liquids.	x	X	113.00	m²
58	Extra price for NomaTex curtain according to the following RAL colours blue (RAL 5005), orange (RAL 2009) anti-static, red (RAL 3000), yellow (RAL 1023), grey (RAL 7038) anti-static, (grey and yellow confirms to FDA-norms)	x	X	31.00	m²
59	Windows w approx. 500 mm x h approx 700 mm for RollTex, RollTex Plus and NomaTex. Available for door height >= 1100mm, position >= 310mm over floor level. for doors w 1000 - w 1700 mm - only 1 window possible	X	X		

	for doors w 1701 - w 2400 mm - max. 2 windows possible	X	X	273.00	pc.
	for doors w 2401 - w 3100 mm - max. 3 windows possible	X	X		
	for doors w 3101 - w 3500 mm - max. 4 windows possible	X	X		
60	Windows w approx. 700 mm x h approx 500 mm for RollTex, RollTex Plus and NomaTex. Available for door height >= 900mm, position >= 310mm over floor level.				
	for doors w 1000 - w 2100 mm - only 1 window possible	X	X	150.00	pc.
	for doors w 2101 - w 3000 mm - max. 2 windows possible	X	X		
	for doors w 3001 - w 3500 mm - max. 3 windows possible	X	X		
61	Window anti uv	X	X	182.00	pc.
62	Vision panel H = 350 - 700 mm for doorblade NomaTex; max. width = 3100 mm, position >= 310mm over floor level.	X	x	118.00	m / W
63	Extra price for curtain Flameproof dark-grey	X	X	86.00	m²
64	Curtain top 1,3 mm without window, can be delivered according the following RAL colours: blue (RAL 5010), red (RAL 3002) and grey (RAL 7035).	X	X	13.00	m²
	Extra price for vision panel height 200 - 560 mm, approx 500 - 2500 mm from bottom, standard 1000 mm	X	X	80.00	door
70	Powder-coating of columns, ground and head plates, bottom rail and if required top roll cover, motor cover lacquered	x	X	10%	of door price
80	**Drive unit**				
81	Drive unit standard	S	S	0.00	door
82	Gear box heating unit	x	x	179.00	door
90	**Controls**				
91	Control box ACS 50 box lacquered RAL 7035. up to door dimension dw <=3,5m and dh <=3,5m	S	S	0.00	door
93	**Control box MCS with up/stop/down buttons and 2 line clear text display. Plastic housing dimension approx. 215x345x140mm, IP 54, 5m cable between control box and motor**				
	MCS-R: control box with relais for opening / closing speed up to 1 m/s. Power supply 3/(N)/PE AC 400 V ± 10%, 50/60 Hz, CEE plug 5 pole 16A	S	S	0.00	door
	MCS-FC: control box with separate frequency converter for opening speed up to 1,25 m/s, closing speed approx. 0,7m/s. Power supply 1/(N)/PE AC 230 V ± 10%, 50/60 Hz, CEE plug 3 pole 16A. **Note:** only available for doors up to 3,5x3,5m	x	X	205.00	door
93.1	Motor cable 11m for control system MCS	x	X	39.00	door
94	**Frequency converter MCC for opening/closing speed up to 2,0 / 0,9 m/s. Power supply required 3L(N)PE 400/415 V, 50 Hz. Protection IP 55.**				
94.1	MCCVector Control with standard display including foil keys open-stop-close.				
	with separate mainswitch	x	X	631.00	door
	with CEE-plug	x	X	645.00	door
95	**Frequency converter MCS-FC for opening/closing speed up to 1,2 / 0,6 m/s. Power supply required 1L(N)PE 230 V, 50 Hz. Protection IP 54.**				
101	Door without control system	x	X	-191.00	door
110	Test installation	x	X	247.00	door

Price list - Ferrero EUROPE 2018/ 06-2019
Albany RR300 Plus - Aluminium

ALBANY
ASSA ABLOY

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.



Height in mm																	
5000	4,891	4,974	5,056	5,132	5,211	5,297	5,371	5,452	5,540	5,621	5,708	5,785	5,875	5,965	6,055	6,146	6,236
4875	4,878	4,959	5,040	5,116	5,195	5,279	5,352	5,433	5,518	5,598	5,683	5,761	5,848	5,936	6,024	6,112	6,200
4750	4,864	4,945	5,024	5,099	5,178	5,260	5,334	5,414	5,498	5,575	5,659	5,736	5,821	5,907	5,993	6,078	6,163
4625	4,850	4,930	5,009	5,083	5,161	5,241	5,316	5,393	5,476	5,553	5,635	5,711	5,794	5,877	5,961	6,044	6,128
4500	4,837	4,915	4,993	5,067	5,144	5,223	5,296	5,374	5,455	5,530	5,611	5,686	5,767	5,848	5,930	6,010	6,092
4375	4,823	4,900	4,977	5,051	5,127	5,204	5,278	5,353	5,433	5,507	5,587	5,661	5,740	5,819	5,898	5,977	6,055
4250	4,810	4,886	4,961	5,034	5,110	5,186	5,259	5,334	5,412	5,485	5,562	5,637	5,713	5,790	5,866	5,943	6,020
4125	4,684	4,758	4,833	4,905	4,980	5,055	5,128	5,202	5,278	5,350	5,426	5,499	5,573	5,704	5,779	5,852	5,927
4000	4,665	4,738	4,810	4,882	4,954	5,027	5,099	5,171	5,244	5,317	5,389	5,460	5,534	5,665	5,738	5,812	5,886
3875	4,652	4,723	4,794	4,865	4,938	5,008	5,081	5,151	5,223	5,294	5,365	5,435	5,507	5,635	5,707	5,779	5,850
3750	4,640	4,710	4,780	4,850	4,921	4,991	5,061	5,130	5,201	5,271	5,342	5,413	5,483	5,610	5,680	5,750	5,821
3625	4,629	4,697	4,766	4,835	4,904	4,973	5,042	5,111	5,182	5,251	5,319	5,388	5,458	5,584	5,654	5,724	5,793
3500	4,616	4,683	4,752	4,820	4,888	4,955	5,024	5,092	5,160	5,228	5,296	5,364	5,432	5,557	5,625	5,693	5,761
3375	4,605	4,670	4,738	4,805	4,871	4,938	5,005	5,072	5,140	5,206	5,274	5,340	5,407	5,530	5,597	5,665	5,732
3250	4,592	4,658	4,723	4,789	4,856	4,920	4,987	5,053	5,119	5,184	5,251	5,316	5,382	5,505	5,571	5,638	5,705
3125	4,580	4,644	4,710	4,774	4,838	4,903	4,968	5,032	5,097	5,162	5,227	5,292	5,358	5,479	5,545	5,612	5,678
3000	4,568	4,631	4,696	4,759	4,822	4,886	4,949	5,012	5,078	5,140	5,204	5,267	5,331	5,451	5,515	5,578	5,642
2875	4,554	4,617	4,681	4,743	4,805	4,868	4,930	4,993	5,056	5,118	5,182	5,243	5,306	5,426	5,489	5,552	5,615
2750	4,543	4,605	4,666	4,727	4,789	4,850	4,911	4,973	5,034	5,096	5,157	5,219	5,281	5,400	5,462	5,525	5,587
2625	4,532	4,591	4,651	4,711	4,773	4,833	4,893	4,953	5,013	5,074	5,136	5,194	5,255	5,372	5,433	5,493	5,555
2500**	4,520	4,578	4,637	4,696	4,757	4,815	4,874	4,933	4,994	5,053	5,111	5,170	5,230	5,347	5,407	5,468	5,528
2375**	4,507	4,565	4,623	4,681	4,740	4,798	4,856	4,914	4,972	5,030	5,088	5,146	5,206	5,321	5,381	5,441	5,501
2250**	4,494	4,551	4,609	4,665	4,723	4,779	4,837	4,894	4,951	5,008	5,065	5,123	5,181	5,296	5,354	5,414	5,472
2125**	4,483	4,538	4,595	4,650	4,706	4,762	4,818	4,874	4,930	4,987	5,041	5,098	5,154	5,267	5,324	5,381	5,438
2000**	4,471	4,525	4,581	4,636	4,690	4,745	4,801	4,856	4,910	4,965	5,020	5,075	5,128	5,239	5,293	5,347	5,402
1875**	4,457	4,511	4,566	4,619	4,673	4,727	4,780	4,834	4,888	4,943	4,996	5,050	5,104	5,213	5,266	5,320	5,374
1750**	4,445	4,498	4,551	4,605	4,657	4,709	4,761	4,814	4,868	4,920	4,973	5,026	5,079	5,188	5,240	5,294	5,347
1625**	4,435	4,485	4,537	4,588	4,640	4,691	4,744	4,794	4,847	4,899	4,949	5,003	5,056	5,166	5,219	5,272	5,324
1500**	4,422	4,471	4,522	4,573	4,624	4,674	4,725	4,775	4,827	4,875	4,927	4,980	5,033	5,143	5,196	5,249	5,302
1375**	4,410	4,458	4,508	4,557	4,607	4,656	4,705	4,756	4,805	4,855	4,903	4,958	5,011	5,120	5,173	5,226	5,279
1250**	4,397	4,445	4,494	4,542	4,591	4,639	4,687	4,736	4,785	4,833	4,881	4,935	4,989	5,098	5,151	5,204	5,256
1125**	4,385	4,432	4,480	4,526	4,575	4,621	4,669	4,716	4,763	4,810	4,858	4,913	4,966	5,075	5,128	5,181	5,234
1000**	4,374	4,420	4,467	4,511	4,558	4,605	4,651	4,696	4,744	4,789	4,835	4,890	4,944	5,053	5,106	5,158	5,211
Width in mm	**1000**	**1250**	**1500**	**1750**	**2000**	**2250**	**2500**	**2750**	**3000**	**3250**	**3500**	**3750**	**4000**	**4250**	**4500**	**4750**	**5000**

Basic equipment:

Door panel:	Transparent PVC with blue (RAL 5002) or red (RAL 3002) reinforcement stripes.
Barrel:	Aluminium, anodized with shafts made of galvanized steel
Wind Reinforcement:	Door Panel wind tabs for improved wind resistance.
Side Frames	Aluminium profiles, anodised
Drive Unit:	Motor IP 55, either RH or LH as an option, with control cable (standard length = height of door)
Self-opening:	Standard - the door can be opened partially up to 1,8 m by releasing the brake manually.
Bottom beam:	Anodized extruded aluminium.
Control system:	Controls ACS 50, IP 55 for opening / closing speed approx. 1,0 m/s. Control box with Up, Stop, Down button.
Safety features:	Safety edge, safety photocell (Transmitter/Receiver) inside side columns.
	** for countries in which the CE-regulations are valid, it is necessary to use a barrel cover
Prices:	in Euro, FCA Lippstadt, packing included. Statistical no. of goods 39 25 20 00

Installation price:
1,220.00 €
1,220.00 €
1,220.00 €

The above prices are including transport costs, installation prices not included

Price list - Ferrero EUROPE 2018/ 06-2019
Options Albany RR300 Plus

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Pos.	Description	x	aluminium	stainless steel	EUR	Unit
10	**Side frames**					
12	Side frames aluminium		s		0.00	
14	Side frames without bottom plates		x	x	-33.00	door
	Curtain tension for version aluminium		x		170.00	door
16	Light curtain 1820 mm instead photocell - feasible if DH >= 1975 mm, requires curtain tension. This option is cannot be combined with crash system.		x	x	363.00	door
17	Sealing option for reduced air leakage, available for doors up to WxH 3000x3000mm. **Remark:** Motor- and top roll cover required. Not available in combination with curtain tension or light curtain.		x		322.00	door
20	**Top roll**					
21	Top roll aluminium with shaft made of galvanized steel		s			
30	**Bottom Beam**					
31	Bottom profile aluminium without crash		s	s		
34	Break away with crash-message - for aluminium profile (necessary width min. 1300 mm)		x		93.00	door
36	Elongated sealing-lip 50, 100 or 150 mm		x	x	18.00	m / w
37	Flexible bottom profile in stead of aluminium botton profile. Rubber profile with electric safety edge, break away with crash-message and manual reset. With wireless transmission to the control system. Necessary width min. 1300mm. **Remark:** reduced wind resistance wind class 0.		x	x	216.00	door
40	**Covers**					
42	Top roll cover in aluminium		x		206.00	door
45	Motor cover in plastic grey (similar RAL 7040)		x	x	61.00	pc.
46	Motor cover steel powdercoated (silver similar RAL 9006)		x	x	94.00	pc.
50	**Curtain**					
51	Clear PVC with vertical colored fabric stripes according to the following RAL colours blue (5002) or red (3002). If not specified blue.		s	s		
52	PVC-curtain with silicone-free stripes can be delivered similar to the following RAL colours: blue (5010), white (9010), alugrey (RAL 7037), yellow (1021) red (3002) black (9005) and orange (2011).		x	x	84.00	door
53	Extra price for pvc curtain with fabric stripes according to the following RAL colours, green (6018), yellow (1021), white (9016), beige (1014), grey (7035) and orange (2011).		x	x	84.00	door
55	Curtain RollTex Plus without window according to the following RAL colours: blue 5002, orange 2009 or grey 7001.		x	x	31.00	m²
56	Curtain RollTex Original without window according to the following RAL colours, blue (5002) orange (2009) or grey (7001)		x	x	31.00	m²

57	Extra price for other RAL colour painted on RollTex Original. **Remark:** curtain with painted surface may be subject to increased wear, especially when being cleaned on a regular bases and depending on cleaning liquids.		x	x	113.00	m²
58	Extra price for NomaTex curtain according to the following RAL colours		x	x	31.00	m²
	orange RAL 2009 (H,A)					
	blue RAL 5005 (H,A)					
	red RAL 3000 (NA)					
	grey RAL 7038 (A, *)					
	yellow RAL 1023 (NA,*)					
	H = smooth surface frontside					
	* = conforms to FDA -norms					
	A =anti-static					
	NA = non anti-static					
59	Window w approx. 500 mm x h approx 700 mm for RollTex, RollTex Plus and NomaTex, window frame yellow or black. Not available on NomaTex Flameproof. Available for door height >= 1100mm, position >= 310mm over floor level.		x	x	150.00	pc.
	for doors w 1000 - w 1700 mm - only 1 window possible					
	for doors w 1701 - w 2400 mm - max. 2 windows possible					
	for doors w 2401 - w 3100 mm - max. 3 windows possible					
	for doors w 3101 - w 3500 mm - max. 4 windows possible					
60	Window w approx. 700 mm x h approx 500 mm for RollTex, RollTex Plus and NomaTex, window frame yellow or black.Not available on NomaTex Flameproof. Available for door height >= 1100mm, position >= 310mm over floor level.		x	x	150.00	pc.
	for doors w 1000 - w 2100 mm - only 1 window possible					
	for doors w 2101 - w 3000 mm - max. 2 windows possible					
	for doors w 3001 - w 3500 mm - max. 3 windows possible					
70	Powder-coating of columns, ground and head plates, bottom rail and if required top roll and motor cover lacquered	Sp	x	x	10%	of door price
80	**Self opening**					
81	Opening up to 1,8 m by releasing the brake manually (fail safe brake), with release handle on front or backside.		s	s		
81.1	Extra price for release handle on both sides (deliverable only for doors with fail safe brake)		x	x	86.00	door
82	Opening automatic in case of power failure (all phases) or switching off the mainswitch (open circuit brake, door is delivered without release handle). Doors with control system ACS50 require an additional permanent opening switch.		x	x	78.00	door
83	Extra price for automatic opening in case of failure on one phase only		x	x	28.00	door
84	Gear box heating unit (required for doors with option F+R and DH <= 2600mm or DW > 3500mm)		x	x	178.00	door
90	**Controls**					
91	Control box ACS 50 box lacquered, for doors up to dw<=4m and dh<=4m		s	s		
92	Control box ACS 50 stainless steel		x	x	257.00	door
93	**Control box MCS with up/stop/down buttons and 2 line clear text display. Plastic housing dimension approx. 215x345x140mm, IP 54, 5m cable between control box and motor**					
	MCS-R: control box with relais for opening / closing speed up to 1 m/s. Power supply 3/(N)/PE AC 400 V ± 10%, 50/60 Hz, CEE plug 5 pole 16A		s	s	0.00	Tor
	MCS-FC: control box with separate frequency converter for opening speed up to 1,5 m/s, closing speed approx. 0,8m/s. Power supply 1/(N)/PE AC 230 V ± 10%, 50/60 Hz, CEE plug 3 pole 16A.		x	x	205.00	Tor

	Motor cable 11m for control system MCS		x	x	40.00	Tor
94	**Frequency converter MCC for opening/closing speed up to 2,2 / 0,9 m/s. Power supply required 3L(N)PE 400/415 V, 50 Hz. Protection IP 55.**					
94.1	MCCVector Control with standard display including foil keys open-stop-close.		X	X		
	with separate mainswitch				631.00	door
	with CEE-plug				645.00	door
	Extra prices for MCC with combibox or in separate cabinet, see price list "Options MCC"					
95	Door without control system		X	X	-192.00	door
101	Test installation		X	X	247.00	door

S standard version
x can be delivered agains extra price
SP special version

Pricelist - FERRERO EUROPE 2018/ 06-2019
Rapid Roll 392 - exterior basic

ALBANY
ASSA ABLOY

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Height in mm																	
6000	6,973	7,065	7,155	7,247	7,339	7,429	7,521	7,612	7,704	7,795	7,886	7,978	8,069	8,160	8,252	8,342	8,435
5750	6,917	7,007	7,096	7,185	7,275	7,362	7,451	7,540	7,630	7,720	7,808	7,897	7,986	8,075	8,163	8,254	8,342
5500	6,862	6,949	7,036	7,123	7,209	7,296	7,384	7,470	7,557	7,643	7,730	7,817	7,903	7,991	8,077	8,163	8,251
5250	6,807	6,892	6,975	7,060	7,145	7,230	7,314	7,399	7,484	7,568	7,651	7,736	7,821	7,905	7,990	8,074	8,159
5000	6,752	6,833	6,916	6,998	7,081	7,163	7,246	7,326	7,410	7,492	7,574	7,656	7,739	7,821	7,902	7,985	8,067
4750	6,697	6,776	6,857	6,937	7,016	7,097	7,177	7,256	7,337	7,415	7,496	7,576	7,656	7,735	7,815	7,895	7,976
4500	6,641	6,719	6,797	6,874	6,953	7,030	7,107	7,185	7,263	7,340	7,418	7,496	7,573	7,650	7,728	7,806	7,883
4250	6,586	6,662	6,737	6,813	6,887	6,963	7,038	7,113	7,190	7,264	7,339	7,414	7,491	7,564	7,641	7,715	7,792
4000	6,533	6,605	6,678	6,751	6,825	6,897	6,969	7,041	7,116	7,189	7,261	7,334	7,408	7,480	7,554	7,626	7,700
3750	6,477	6,547	6,618	6,687	6,760	6,830	6,900	6,970	7,041	7,112	7,183	7,254	7,325	7,395	7,466	7,536	7,608
3500	6,422	6,490	6,557	6,625	6,695	6,763	6,831	6,900	6,969	7,037	7,105	7,173	7,242	7,310	7,379	7,447	7,515
3250	6,367	6,431	6,498	6,564	6,631	6,696	6,762	6,829	6,896	6,961	7,026	7,094	7,160	7,226	7,292	7,357	7,423
3000	6,312	6,374	6,438	6,502	6,567	6,630	6,694	6,758	6,821	6,885	6,949	7,012	7,078	7,140	7,204	7,268	7,332
2750	6,256	6,316	6,378	6,440	6,502	6,563	6,624	6,686	6,747	6,810	6,871	6,931	6,994	7,055	7,116	7,178	7,240
2500 **	6,201	6,260	6,319	6,377	6,438	6,497	6,555	6,614	6,675	6,733	6,792	6,851	6,911	6,970	7,029	7,088	7,148
2250 **	6,146	6,203	6,260	6,315	6,373	6,430	6,486	6,543	6,601	6,658	6,715	6,771	6,829	6,886	6,941	6,999	7,055
2000 **	6,091	6,145	6,200	6,254	6,309	6,363	6,418	6,473	6,527	6,582	6,637	6,691	6,746	6,801	6,855	6,909	6,965
Width in mm	**2060**	**2317.5**	**2575**	**2833**	**3090**	**3348**	**3605**	**3863**	**4120**	**4377.5**	**4635**	**4892.5**	**5150**	**5408**	**5665**	**5923**	**6180**



W min. 2000 mm and H min. 2000 mm.

Installation price:

1,442.00 €
1,442.00 €
1,442.00 €

The above prices are including transport costs, installation prices not included

Basic equipment:

Door construction:	
	High-Speed Roller Door with transparent curtain and blue (similar RAL 5002) reinforcement stripes, optional red (similar RAL 3002). Door with curtain tension.
Drive Unit:	motor IP 55, either RH or LH as an option, with control cable (standard length = height of door)
Control system:	Control system ACS 50 IP 55, for opening and closing speed up to max. 0,8 m/s. Control box lacquered.Control box with Up-Stop-Down button.
Power supply:	3/(N)/PE/230/400/415 v; 50 Hz
Safety:	Safety contact edge,
	Safety photocell transmitter / receiver inside side columns.
	** Doors with daylight hight < 2500 mm need to be equipped with top roll and motor cover according to EN 13241
Prices:	in Euro, FCA Lippstadt, packing included.

Statistical no. of goods: 39 25 20 00

Pricelist - Ferrero EUROPE 2018 / 06-2019

Options RapidRoll 392 - exterior basic

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Pos.		X	EUR	Unit
I	**Door construction**			
100	Top roll cover		46.00	m / w
110	Motor cover in plastic grey (similar RAL 7040) standard		80.00	door
120	2. Emergency-lever		93.00	door
130	extra price for chain drive		431.00	door
135	Cover for motor with chain drive, galvanised steel		15.00	door
II	**Bottom Rail**			
200	Crash-Bottom-Rail-Profile incl. crash-message		186.00	door
210	elongated sealing-lip, 50, 100 or 150 mm		20.00	m / w
220	door delivered with cable chain integrated in side frame instead of coily cable, without crash-message		42.00	door
III	**Curtain**			
	Extra price for pvc curtain with fabric stripes in the following RAL colours			
	301 - yellowgreen 6018		90.00	door
	302 - white 9016			
300	303 - grey 7035			
	304 - yellow 1021			
	305 - beige 1014			
	306 - organge 2011			
320	PVC-curtain with silicone-free stripes can be delivered similar to the following RAL colors: blue (RAL 5010), white (RAL 9010), alugrey (RAL 7037), yellow (RAL 1021) red (RAL 3002) black (RAL 9005) or orange (RAL 2011).		90.00	door
330	extra price for RollTex Plus curtain blue, orange or grey without window		34.00	m²
	Window W approx. 500 mm x H approx 700 mm for RollTex Plus			
331	for doors W > 2000 mm - W <= 3000 mm - max. 2 windows possible		163.00	piece
	for doors W > 3000 mm - max. 3 windows possible			
	Window W approx. 700 mm x H approx 500 mm for RollTex Plus			
332	for doors W = 2000 mm - W <= 2500 mm - only 1 window possible		163.00	piece
	for doors W > 2500 mm - W <= 3500 mm - max. 2 windows possible			
	for doors W > 3500 mm - max. 3 windows possible			
340	powder-coating of columns, ground and head plates, bottom rail and if required barrel, motor cover lacquered (ref.-no. necessary)	Sp	10%	of door price
IV	**Control**			
400	Frequency converter MCC for opening/closing speed up to 2,2 / 0,9 m/s.Power supply required 3L(N)PE 400/415 V, 50 Hz. Protection IP 55.			
	MCCVector Control with standard display including foil keys open-stop-close.			
400.1	with separate mainswitch		685.00	door
	with CEE-plug		700.00	door
	Extra prices for MCC with combibox or in separate cabinet, see price list "Options MCC"			
430	Door without control system		-208.00	door
V				
500	Test installation		268.00	door

Sp special version

Pricelist - Ferrero EUROPE 2018/ 06-2019

ALBANY
ASSA ABLOY

Albany RR 3000 ISO

Next generation of Rigid Exterior Doors

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Height in mm																									
6000	13,443	13,540	13,637	13,734	13,830	13,927	14,024	14,121	14,218	14,314	14,411	14,508	14,605	14,702	14,798	14,895	14,992	15,089	15,186	15,283	15,380	15,476	15,573	15,670
5800	13,168	13,265	13,362	13,458	13,555	13,652	13,749	13,846	13,942	14,040	14,136	14,233	14,330	14,427	14,524	14,620	14,717	14,814	14,911	15,008	15,104	15,201	15,298	15,395
5600	12,893	12,989	13,087	13,183	13,280	13,377	13,474	13,571	13,667	13,764	13,861	13,958	14,055	14,151	14,248	14,345	14,442	14,539	14,635	14,732	14,829	14,926	15,023	15,120
5400	12,618	12,715	12,811	12,908	13,005	13,102	13,199	13,295	13,392	13,489	13,586	13,683	13,779	13,876	13,973	14,070	14,167	14,263	14,361	14,457	14,554	14,651	14,747	14,845
5200	12,342	12,439	12,536	12,633	12,730	12,826	12,923	13,020	13,117	13,214	13,311	13,408	13,504	13,601	13,698	13,795	13,892	13,988	14,085	14,182	14,279	14,376	14,473	14,569
5000	12,068	12,164	12,261	12,358	12,454	12,552	12,648	12,745	12,842	12,939	13,036	13,132	13,229	13,326	13,423	13,520	13,616	13,713	13,810	13,907	14,004	14,100	14,197	14,294
4800	11,792	11,889	11,986	12,083	12,179	12,276	12,373	12,470	12,567	12,664	12,760	12,857	12,954	13,051	13,148	13,244	13,341	13,438	13,535	13,632	13,728	13,825	13,922	14,019
4600	11,517	11,614	11,711	11,807	11,904	12,001	12,098	12,195	12,291	12,389	12,485	12,582	12,679	12,775	12,873	12,969	13,066	13,163	13,259	13,357	13,453	13,550	13,647	13,744
4400	11,242	11,339	11,435	11,532	11,629	11,726	11,823	11,920	12,016	12,113	12,210	12,307	12,404	12,501	12,597	12,694	12,791	12,888	12,985	13,081	13,178	13,275	13,372	13,469
4200	10,966	11,064	11,160	11,257	11,354	11,451	11,548	11,644	11,741	11,838	11,935	12,032	12,128	12,225	12,322	12,419	12,516	12,612	12,709	12,806	12,903	13,000	13,096	13,194
4000	10,692	10,788	10,885	10,982	11,079	11,176	11,272	11,369	11,466	11,563	11,660	11,756	11,854	11,950	12,047	12,144	12,240	12,338	12,434	12,531	12,628	12,725	12,822	12,918
3800	10,416	10,513	10,610	10,707	10,803	10,901	10,997	11,094	11,191	11,287	11,385	11,481	11,578	11,675	11,772	11,869	11,965	12,062	12,159	12,256	12,353	12,449	12,546	12,643
3600	10,141	10,238	10,335	10,432	10,529	10,625	10,722	10,819	10,916	11,013	11,109	11,206	11,303	11,400	11,497	11,593	11,690	11,787	11,884	11,981	12,077	12,175	12,271	12,368
3400	9,866	9,963	10,060	10,156	10,253	10,350	10,447	10,544	10,640	10,737	10,834	10,931	11,028	11,125	11,221	11,318	11,415	11,512	11,609	11,706	11,802	11,899	11,996	12,093
3200	9,591	9,688	9,784	9,882	9,978	10,075	10,172	10,268	10,366	10,462	10,559	10,656	10,753	10,850	10,946	11,043	11,140	11,237	11,334	11,430	11,527	11,624	11,721	11,818
3000	9,316	9,413	9,509	9,606	9,703	9,800	9,897	9,993	10,090	10,187	10,284	10,381	10,477	10,574	10,671	10,768	10,865	10,962	11,058	11,155	11,252	11,349	11,446	11,542
2800	9,041	9,137	9,234	9,331	9,428	9,525	9,621	9,718	9,815	9,912	10,009	10,105	10,202	10,299	10,396	10,493	10,589	10,687	10,783	10,880	10,977	11,073	11,171	11,267
2600	8,765	8,862	8,959	9,056	9,153	9,249	9,346	9,443	9,540	9,637	9,734	9,830	9,927	10,024	10,121	10,218	10,315	10,411	10,508	10,605	10,702	10,799	10,895	10,992
2500	8,628	8,724	8,822	8,918	9,015	9,112	9,209	9,306	9,402	9,499	9,596	9,693	9,790	9,886	9,983	10,080	10,177	10,274	10,370	10,467	10,564	10,661	10,758	10,855
Width in mm	**1250**	**1500**	**1750**	**2000**	**2250**	**2500**	**2750**	**3000**	**3250**	**3500**	**3750**	**4000**	**4250**	**4500**	**4750**	**5000**	**5250**	**5500**	**5750**	**6000**	**6250**	**6500**	**6750**	**7000**



Attention: Each door can be produced in steps of 10 mm in the width and 100 mm in the height.

Door version:	Verical Roller Door for exterior or interior use.
Door blade:	External High Speed Exterior-Door. Curtain with lamellas 200 mm height, made of sandwich panels with thermal separation, coated RAL 9006. Side frames steel galvanized with balancing system with partial self opening.
Sideframes:	Side frames made of steel galvanized with balancing system.
Drive Unit:	Motor IP 55, either RH or LH as an option.
Control system:	Frequency converter MCC with infomation display including foil keys open-stop-close; with main switch in separate box incl. power cable (standard length = height of door).
Speed:	Opening / closing up to 2,1 / 0,6 m/s.
Power supply:	3/N/PE 380/400/415/440/480 V; 50/60 Hz.
Safety device:	Light curtain in side frame up to height 2500mm; emergency hand lever for partial self opening.
Self-opening:	The door can be opened partially by releasing the brake manually.
Prices:	in Euro, FCA Lippstadt, packing included. Statistical no. of goods: 39 25 20 00

Installation price:

1,515.00 €	**+ EUR 210,00 for motor- and barrel cover**
1,400.00 €	**+ EUR 210,00 for motor- and barrel cover**
1,290.00 €	**+ EUR 210,00 for motor- and barrel cover**

The above prices are including transport costs, installation prices not included

Price list - Ferrero EUROPE 2018/ 06-2019

Albany RR3000 Vision

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Height in mm	1250	1500	1750	2000	2250	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000
5000	9,545	9,629	9,713	9,795	9,879	9,964	10,048	10,131	10,215	10,297	10,381	10,466	10,549	10,634	10,717	10,801	10,885	10,969		
4875	9,421	9,505	9,589	9,674	9,758	9,840	9,924	10,009	10,091	10,176	10,260	10,344	10,427	10,510	10,594	10,678	10,762	10,846	10,930	
4750	9,300	9,384	9,467	9,551	9,635	9,719	9,803	9,887	9,970	10,053	10,137	10,221	10,306	10,389	10,472	10,558	10,643	10,727	10,813	10,898
4625	9,178	9,261	9,345	9,429	9,512	9,596	9,680	9,763	9,848	9,931	10,015	10,099	10,182	10,266	10,350	10,433	10,518	10,602	10,685	10,769
4500	9,056	9,138	9,223	9,307	9,390	9,475	9,558	9,642	9,726	9,808	9,893	9,976	10,061	10,144	10,228	10,311	10,395	10,479	10,563	10,647
4375	8,932	9,017	9,101	9,184	9,267	9,352	9,436	9,519	9,603	9,687	9,771	9,853	9,938	10,022	10,104	10,189	10,273	10,358	10,442	10,527
4250	8,810	8,894	8,979	9,062	9,146	9,230	9,313	9,398	9,480	9,565	9,649	9,732	9,816	9,900	9,983	10,067	10,152	10,235	10,320	10,403
4125	8,688	8,772	8,856	8,940	9,023	9,106	9,190	9,274	9,358	9,442	9,525	9,609	9,693	9,777	9,862	9,944	10,027	10,110	10,193	10,275
4000	8,454	8,537	8,621	8,705	8,788	8,872	8,956	9,040	9,123	9,207	9,292	9,374	9,459	9,543	9,627	9,710	9,793	9,875	9,958	10,040
3875	8,331	8,415	8,498	8,583	8,666	8,750	8,834	8,917	9,000	9,085	9,168	9,252	9,336	9,420	9,504	9,587	9,671	9,754	9,837	9,920
3750	8,208	8,293	8,376	8,460	8,544	8,628	8,712	8,795	8,879	8,964	9,047	9,131	9,214	9,297	9,382	9,465	9,548	9,632	9,715	9,798
3625	8,086	8,169	8,254	8,337	8,421	8,505	8,589	8,673	8,756	8,840	8,924	9,009	9,091	9,175	9,259	9,343	9,426	9,509	9,593	9,676
3500	7,964	8,048	8,133	8,216	8,299	8,383	8,467	8,550	8,634	8,718	8,802	8,886	8,970	9,054	9,137	9,221	9,305	9,389	9,472	9,556
3375	7,842	7,926	8,009	8,093	8,177	8,260	8,345	8,429	8,512	8,595	8,678	8,763	8,848	8,930	9,014	9,099	9,183	9,267	9,352	9,437
3250	7,719	7,804	7,887	7,971	8,056	8,139	8,222	8,306	8,390	8,474	8,558	8,642	8,725	8,808	8,892	8,976	9,060	9,144	9,228	9,311
3125	7,598	7,681	7,764	7,849	7,931	8,016	8,100	8,182	8,268	8,350	8,435	8,518	8,602	8,687	8,770	8,854	8,938	9,022	9,105	9,189
3000	7,476	7,559	7,643	7,727	7,810	7,895	7,977	8,061	8,146	8,228	8,312	8,397	8,481	8,564	8,647	8,732	8,816	8,901	8,985	9,070
2875	7,352	7,437	7,521	7,604	7,688	7,772	7,855	7,940	8,021	8,106	8,190	8,273	8,358	8,442	8,525	8,609	8,692	8,775	8,859	8,942
2750	7,230	7,315	7,398	7,482	7,566	7,649	7,733	7,817	7,901	7,985	8,069	8,152	8,235	8,320	8,403	8,487	8,571	8,655	8,739	8,823
2625	7,108	7,191	7,276	7,359	7,443	7,527	7,611	7,694	7,778	7,862	7,945	8,030	8,113	8,197	8,282	8,364	8,447	8,530	8,613	8,696
2500	6,986	7,070	7,154	7,238	7,321	7,404	7,489	7,572	7,656	7,740	7,824	7,908	7,991	8,074	8,160	8,242	8,325	8,408	8,491	8,574



Attention: Each door can be produced in steps of 10 mm in the width and 125 mm in the height.

Basic equipment	External High Speed Exterior-Door. Curtain with transparent lamellas made of aluminium with PC vision area. Side frames steel galvanized with balancing system with partial self opening.
Drive Unit:	Motor IP 55, either RH or LH as an option.
Control system:	Frequency converter MCC with graphical infomation display including foil keys open-stop-close; with main switch in separate box incl. power cable (standard length = height of door)
Opening / closing speed:	approx. 1,8 / 0,7 m/s
Power supply:	3/N/PE 380/400/415/440/480 V; 50/60 Hz
Safety device:	Prerunning photocell (transmitter/receiver) stationary photocell inside the columns (300 mm above the bottom); emergency hand lever for partial self opening. stationary photocell inside the columns (300 mm above the bottom), emergency hand lever
Prices:	in Euro, FCA Lippstadt, packing included. Statistical no. of goods: 39 25 20 00

Installation price:

1,515.00 €	**+ EUR 210,00 for motor- and barrel cover**
1,420.00 €	**+ EUR 210,00 for motor- and barrel cover**
1,290.00 €	**+ EUR 210,00 for motor- and barrel cover**

The above prices are including transport costs, installation prices not included

Pricelist - Ferrero EUROPE 2018/ 06-2019

Options series Albany RR3000

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Pos.		RR3000 ISO	RR3000 Vision	EUR	Unit
100					
	Window lamella double glazed	xd		28.00	m / w
200	Motor cover made of aluminium anodized	x	x	134.00	pc.
210	Top roll cover made of aluminum for RR 3000 / XXL / ISO /GL Base price	x	x	210.00	pc.
	additional per m width	x	x	143.00	m / w
300	2. Emergency-lever with sep. bracket	x	x	74.00	pc.
350	Elongated sealing-lip - 50 mm -	x	x	17.00	m / w
361	Bottom lamella with contact-edge instead of prerunning photocell.	x		163.00	door
500	Lintel blind matching door (minimum for calculation: W 500 mm and H 2500 mm)		sp	on request	m²
600	**Powder-coated columns - visible parts - please state RAL number** Doors till 3000 mm height	x		545.00	door
	Doors till 3500 mm height			605.00	door
	Doors till 4000 mm height			662.00	door
	Doors till 4500 mm height			720.00	door
	Doors till 5000 mm height			776.00	door

	Doors till 6000 mm height			917.00	door
610	**Powder-coated of lamellas (both sides, exception: RR3000ISO only exterior side) - please state RAL number**	x			
	Base price			124.00	door
	doors <= 4000 mm width			60.00	m²
	doors > 4000 mm width			79.00	m²
620	**Powder-coated of motor and top roll cover, please state RAL number**				
	Base price	x	x	92.00	pc
	additional per m width	x	x	41.00	m / w
630	Chain drive (only with control system MCC, not in combination with top roll cover and motor cover)		x	135.00	pc.
640	Crash sensor: stops the door in case of deformation of door curtain to the outside	x		112.00	door
700	**Controls**				
	MCCVectorControl with standard display including foil keys open-stop-close, with main switch in separate box.	s	s	0.00	
	MCC as above but with CEE plug (instead main switch)	x	x	14.00	door
	Extra prices for MCC with combibox or in separate cabinet, see price list "Options MCC"				
900	Test installation	x	x	373.00	door

ALBANY

ASSA ABLOY

Price list - Ferrero Europe 2018/ 06-2019
Options MCC

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.



Pos.	Description		for door types RR 300 300Plus 392	for door types RR 3000		EUR	Unit
I	**Frequency converter MCC for opening / closing speed up to 2,0 / 0,9 m/s. Power supply required 3(N)PE /380400/415/440/480 V, 50/60 Hz. Protection IP 55.**						
10	MCCVector Control with graphical information display, with separate main switch		x	s		716.00	door
11	Extra price for MCCVector Control with CEE-plug (instead main switch)		x	x		16.00	door

II	Extra price for MCC with combibox / MCC in cabinet	Combibox / Cabinet with			EUR			
	Availabel options and sizes (W x H x D): **Combibox plastic RAL 7035, 246 x 156 x 120 mm** **Combibox steel RAL 7035 or stainless steel, 200 x 300 x 155 mm** **MCC in cabinet steel RAL 7035 or stainless steel 500 x 500 x 210 mm**	Display	Interface card	Main switch	Plastic	Steel	Stainless stee	Unit
	For door types RR 300, RR 300PLUS, RR Food, RR 355, RR 392, RR 450, RR 3000 and RR 600 with display Combibox/cabinet required for actuators like loop and radio controls or required space.							
20	Combibox with main switch included on the box.	x		x	139.00	311.00	449.00	door
21	MCC in cabinet, wall mounted	x		x		465.00	565.00	door
	Combibox/cabinet with interface card, required for 230 V traffic light, potential free contact and for interlock with other control systems							
22	Combibox with main switch included on the box.	x	x	x	258.00	466.00	559.00	door
23	MCC in cabinet, wall mounted with interface card	x	x	x		577.00	645.00	door

III	Extra price for expanded MCC (expansion box)	Display	Interface card	Main switch			EUR	
40	Expanded MCC in aluminium with interface card and main switch separately, required for 230 V traffic light, potential free contact and for interlock with other control systems.		x	x			160.00	door
41	Expanded MCC as above but with CEE-plug instead main switch		x				176.00	door
42	Exra price for induction-loop detector 1-channel included				D8540R0206		140.00	door
43	Exra price for induction-loop detector 2-channel included				D8540R0210		202.00	door
44	Extra price for 1-function radio receiver 433 MHz 24 V included				D4904R0511		188.00	door
	Prices for transmitter for radio, induction loop with wire and compound see price list impulse activators							

IV	Options		EUR	
	Display cable for boxes wall mounted, standard lengths 3000, 4500, 7000 or 10000 mm		0.00	door
51	extra price for display cable = 15000 mm long		13.00	door
	extra price for display cable = 30000 mm long		28.00	door
	Motor cable between control system and motor, standard length approx. 1500		0.00	door
52	Motor cable length control system / motor, standard length 3000, 5000, 7000, 10000, 15000, 20000, 30000 mm (EMC-Filter required)	Remark: RP300 only up to 3000mm, bigger length only as special door	4.00	m
53	EMC-Filter for elongated motor cable (for cable length > 1500mm)		109.00	door
54	Power cable control / main switch		2.00	m
55	Uninterruptible Power Supply UPS for MCC with control box steel		1620.00	door
	with control box stainless steel		2318.00	door
56	Combi-bracket for fixation of display and main switch, galvanised steel (availablility depends on door height)		15.00	door
	Combi-bracket for fixation of display and main switch, stainless steel (availability depends on door height)		19.00	door
57	Power supply 24V DC, 1 A, in addition to integtated DC power supply (combibox required)		112.00	door

58	Field bus modules for MCC, mounted in MCC extension box. (Cannot be combined with another MCC extension box. Not available for RR 300 Plus F+R). For prices for Machine Protection doors refer to option list of RP300 and RP2000.		
	Profinet, 1-port	600.00	door
	Profinet, 2-port	691.00	door
	Profibus	652.00	door
59	MCC Combibox for power supply with 200-250V 1 phase, 50/60 Hz, combibox made of steel with integrated main switch and display	334.00	door

S included in the standard price

X option against extra price

Price list - Ferrero 2018/ 06-2019
Options MCS

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applica

Pos.	Description	EUR	Unit
I	**Accessories door control system MCS type:**		
	MCS-R: door control system with relays, plastic housing 215x345x140 mm, IP54, with clear text message display and push-buttons Up/Stop/Down, opening/closing speed depending on door model approx. 0,9 m/s, up to 0,5 cycles/min., including dry contacts for door open/close. Power supply 3L/N/PE 400V 50Hz with CEE-plug.	0.00	Door
	MCS-FC: door control system with frequency converter, plastic housing 215x345x140 mm, IP54, with clear text message display and push-buttons Up/Stop/Down, opening/closing speed depending on door model approx. 1,5/0,6 m/s, frequency converter mounted close to drive position, up to 1 cycle/min., including dry contacts for door open/close. Power supply 1/N/PE 230V 50/60Hz with CEE-plug.	233.00	Door
II	**Accessories MCS**	**EUR**	**Unit**
20	**Cable** Upcharge motor cable 11m length	46.00	pc.
21	**Radio module 433Mhz (remark: not compatible with current Albany radio systems)** Radio receiver module for door control system MCS: 4 channel radio receiver 433Mhz, rolling-code encryption, dimensions approx. 135x61 mm to be mounted in MCS housing.	113.00	pc.
22	Radio hand transmitter, 4 buttons, colour grey/blue (RAL5002), dimension approx. 62x40x10 mm	31.00	pc.
23	**Inductive loop detector module for control system MCS** Loop detector module, 2-channel (usable for 1 or 2 loops), dimension approx. 97x58 mm, to be mounted in MCS housing, incl. wire	237.00	pc.
24	Loop detector module, 2-channel (usable for 1 or 2 loops), dimension approx. 97x58 mm, to be mounted in MCS housing, incl. wire and casting compound	380.00	pc.
25	**Traffic light module** Traffic light / interface module with 4 dry contacts, to be mounted in MCS housing, dimension approx. 135x61 mm	67.00	pc.

able.

Pricelist - FERRERO 2018/ 06-2019

Actuators / safety devices

Prices are valid in combination with purchasing new doors. For spareparts please refer to sparepart lists.

Index 00 - 01/2018 - prices are valid from 01-Januar-2018. Prior versions are no longer applicable.

Pos.	Description	Part-no.			EUR	Unit
I	**Buttons**					
1	Mushroom button, color black	4905R0012			40.00	pc.
2	Push button (white with black arrow upwards)	4905R0011			43.00	pc.
3	Push button & emergency stop	4905R0013			56.00	pc.
4	Push buttons Up-Stop-Down	4905R0014			72.00	pc.
5	Key-Switch "0-UP" for impulse open	4905R0083			47.00	pc.
6	Emergency stop button	4905V0047			43.00	pc.
II	**Radio remote controls 433 MHz - at controls with MCC expanded MCC (expansion box) or combi box**					
1	1-function radio receiver 433 MHz 24 V	8904002			192.00	pc.
2	Stick aerial radio for large transmisson range	8470R0003		Sp	109.00	pc.
3	**Transmitter for radio 433 MHZ**					
	Transmitter for radio 433 MHZ 1-command	4904R0017			79.00	pc.
	Transmitter for radio 433 MHZ 2-command	4904R0018			86.00	pc.
	Transmitter for radio 433 MHZ 3-command	4904R0019			91.00	pc.
	Transmitter for radio 433 MHZ 4-command	4904R0020			102.00	pc.
4	**Industry transmitter for radio 433 MHz**					
	Industry transmitter 1-command for radion 433 MHz	4904R0021			91.00	pc.
	Industry transmitter 2-command for radion 433 MHz	4904R0022			96.00	pc.
	Industry transmitter 3-command for radion 433 MHz	4904R0023			105.00	pc.
	Industry transmitter 4-command for radion 433 MHz	4904R0024			116.00	pc.
5	**Car transmitter for radio 433 MHz**					
	Car transmitter 433 MHz 1 - 10 channels, 1 commands 9 V	4904R0025			314.00	pc.
	Car transmitter 433 MHz 1 - 10 channels, 3 commands 9 V	4904R0026			346.00	pc.
III	**Induction-loop (actuator and safety device) - at controls with MCC expanded MCC (expansion box) or combi box required -**					
1	Induction loop detector 1-channel (without wire and without casting compound)	8540R0011			143.00	pc.
	Induction loop detector 2-channel (without wire and without casting compound)	8540R0113			205.00	pc.
2	Induction-loop detector 1-channel with wire (without casting compound)	8540R0078			211.00	pc.
	Induction-loop detector 2-channel with wire (without casting compound)	8540R0114			322.00	pc.
3	Induction-loop detector 1-channel with wire and casting compound	8540R0079			281.00	pc.
	Induction-loop detector 2-channel with wire and casting compound	8540R0115			402.00	pc.

	If you have induction-loop with control ACS 50 it is necessary to have a permanent opening switch - see permanent switch pos. VIII - (with control MCC standard)					
IV	**Activ infrared motion detector**					
	Activ-infrared motion detector up to 3 m door height with bracket 0,2 - 0,4 m	8540R0086			354.00	pc.
	Activ-infrared motion detector up to 4 m door height with bracket 0,2 - 0,4 m	8540R0087			837.00	pc.
3	Weather cover for aktiv-infrared motion detectors	4904V0078		Sp	7.00	pc.
V	**Motion Detector**					
1	Digital radar motion detector MD 1-1for mounting heights over 3,5 m. Can be switched from directional to non-directional.	8540R0009			281.00	pc.
5	Combined radar motion detector with integrated infrared sensor. Digital radar can be switched from directional to non-directional detection, active infrared for presence detection	4904R0523			478.00	pc.
VII	**Pull rope switch**					
1	Pull rope switch with bracket galvanized, rope length 6m	8540R0068			65.00	pc.
2	Pull rope switch with Telescopic bracket swivelling, galvanized, rope lentgh 6m					
	Pull rope switch with bracket galvanized 1 - 1,7 m, rope length 6m	8540R0070			206.00	pc.
	Pull rope switch with bracket galvanized 2 - 3,5 m, rope length 6m	8540R0071			221.00	pc.
3	Pull rope switch with bracket stainless , rope length 6m	8540R0069			71.00	pc.
XIII	**Touchless activator Magic Switch**					
1	Touchless actuator Magic Switch, flush mounting, IP 40 - IP 52	4904R0497			160.00	pc.
2	Touchless actuator Magic Switch with box for surface mounting IP 52	8940R0014			170.00	pc.
XV	**Manual chain hoist**					
	Chain hoist upgrade option, allows manual opening and closing of high speed doors. Content: chain hoist with 7m chain, switching ropes 2x4m and fixing material. Only applicable without motor cover					
1	For door models R300, RR 300 Plus, RP300, RR100, RR200, RR Food, RR Clean, with GfA-drives				216.00	pc.
2	For door models RR355, RR392, RR450, RR600, RP2000, RR3000, RR3000GL, RR3000R, RR3000XXL, with Bonfiglioli-drives				286.00	pc.
3	Chain extension for doors height >5,2 m. Content: 4m chain with connector				14.00	pc.