Enquiries : All Enquiries

Enquiry Owner	Enquiry No	Enquiry Name	Stage	Lead Source	Contact Name	Description	Start Date	End
Pratik Darekar	ENQ/18-19/2493	RAJAN PURI	Interested	E-Media	RAJAN PURI	Requirement of RR for commercial purpose... ringing whatsapp	26/06/2024	27/(
Pratik Darekar	ENQ/18-19/2492	Sai Muluk	Interested	E-Media	Sai Muluk	His uncle Mr. Sanjay Naikade is looking for automatic RR in Rajgurunagar.	25/06/2024	27/(
Pratik Darekar	ENQ/18-19/2491	Tanvi Kale	Interested	E-Media	Tanvi Kale	Require RR ringing whatsapp	24/06/2024	26/(
Pratik Darekar	ENQ/18-19/2490	Sandhya	Interested	E-Media	Sandhya	RR for Commercial purpose Busy in office so will share details in evening. RFQ shared Reminder call done	24/06/2024	26/(
Pratik Darekar	ENQ/18-19/2489	Amit Darole	Interested	E-Media	Amit Darole	requirement for RR with consultation RFQ shared	24/06/2024	24/(
Pratik Darekar	ENQ/18-19/2485	Manual Balcony Enclosure Wadagaonsheri Pune	Interested	E-Media	Purnima Shetye	Looking for Manual Balcony enclosure on 10th floor in Wadagaonsheri, Pune.. she'll share details by eveneing as in office now	24/06/2024	25/(
Pratik Darekar	ENQ/18-19/2484	Mayur Galani	Interested	Direct Email from Customer	Mayur Galani	RR and vertical windows Dome With sitting arrangement exhaust is must	21/06/2024	24/(

						With curtains		
Pratik Darekar	ENQ/18-19/2482	B R Khajanchi	Quote Submitted		B R Khajanchi	He'll share pics with us. Quotation shared with him	21/06/2024	22/(
Pratik Darekar	ENQ/18-19/2481	irshad ptp	Interested	E-Media	irshad ptp	He'll share pics with us looking for RR in glass RFQ shared ringing	21/06/2024	25/(
Pratik Darekar	ENQ/18-19/2480	RR Banglore	Feasibility Study		Suresh	Requirement for RR Busy whatsapp RFQ shared	21/06/2024	25/(
Pratik Darekar	ENQ/18-19/2479	Charan	Interested	E-Media	Charan	Requirement for Pergola Roof Busy whatsapp RFQ shared	21/06/2024	24/(
Pratik Darekar	ENQ/18-19/2478	Anil Sadaphule	Feasibility Study		Anil Sadaphule	Requirement for RR with glass. He shared the videos with her he had discussed with Pranava about his details & Approx. prices go around 1)Laminated glass - Approx Rs 11,00,000/- 2) Toughened glass - Approx. Rs 9,50,000/- 3)Polycarbonate sheet - Approx. Rs5,50,000/-.	20/06/2024	24/(

						Supportin g MS structure prices will be extra. shared		
Pratik Darekar	ENQ/18-19/2477	Dome Enclosure	Interested		Madhavi	Requireme nt for RR Ringing whatsapp busy RFQ shared She'll share dimension s through RFQ looking for Dome on terrace	20/06/2024	26/(
Pratik Darekar	ENQ/18-19/2475	Balcony Enclosure Navi Mumbai	Quote Submitted		Mahesh Jadhav	He's looking for his client Quote submitted RFQ shared Mahesh isnt having complete idea about client's budget but roughly around 1 L only	18/06/2024	26/(
Pratik Darekar	ENQ/18-19/2474	ADESH MIRASHI	Interested		ADESH MIRASHI	requireme nt for RR Busy CB Whatsapp details Ringing today RFQ shared	17/06/2024	24/(
Pratik Darekar	ENQ/18-19/2471	RR APEX Lounge Wankhede stadium	Feasibility Study	Direct Email from Customer	Dhanaji Nakulwad	He'll connect with Ar team RFQ shared	08/06/2024	24/(
Pratik Darekar	ENQ/18-19/2468	rr	Cancelled		Vishal Katkar	He hasn't inquired about it		
Pratik Darekar	ENQ/18-19/2467	Balcony Enclosure Yerwada	Interested	Direct Email from Customer	Pallavi	Ringing RFQ shared	03/06/2024	25/(
Pratik Darekar	ENQ/18-19/2466	RR	Interested	Direct Email from Customer	Harish reddy Ch	Ringing RFQ shared	14/06/2024	24/(
Pratik Darekar	ENQ/18-19/2465	RR	Interested	Direct Email from	Ketan	Ringing RFQ	14/06/2024	24/(

				Customer		shared		
Pratik Darekar	ENQ/18-19/2464	RR for Residential & Commercial in Ahmedabad	Interested	Direct Email from Customer	Manoj Mistry	He's having requirement of Retractable Roof in Ahmedabad for commercial & residential both. He asked to share BP Jaignesh's no RFQ shared	13/06/2024	25/(
Pratik Darekar	ENQ/18-19/2459	RR for 9th floor Penthouse Ahmadnagar	Negotiation	Direct Email from Customer	Dr Santosh Palve	He wish to visit the office & shop floor on Sat so details shared with him. He's visiting office today. Ashish visited his site yesterday. Vijay sir given him payment breakup on Sat	12/06/2024	25/(
Pratik Darekar	ENQ/18-19/2450	Shetal gandhi	Cancelled	E-Media	Shetal Gandhi	retractable roof. She didn't share images. Switch off		
Pratik Darekar	ENQ/18-19/2449	NIRAV PANDIT	Quote Submitted	E-Media	NIRAV PANDIT	call done, he will share dimensions. and site images automatic sliding roof system Reminder msg dropped on whatsapp videos shared	03/06/2024	09/(

						,asked for site visit.		
Pratik Darekar	ENQ/18-19/2448	Automatic RR Andheri Mumbai (Shaurya Pratap)	Quote Submitted	E-Media	Shaurya Pratap	They have total 8k sq ft area under renovation out of which they want to cover 5 - 6k sq ft area by RR so asked for site visit to check feasibility and options in fabric. The Restro is on 2nd floor with Bar so they want to divide it in 2-3 sections	06/06/2024	07/(
Pratik Darekar	ENQ/18-19/2441	RR Srivastava Gorakhpur (AK Srivastava)	LOST	E-Media	AK Srivastava	require RR Madhopur newcolonely.surajkund gorakhpur near gopiatachakki &shiv mandir madhopur. Near domingarh rly station. He shared sizes on Fri not photos yet He's looking for 4-5 k	31/05/2024	12/(
Pratik Darekar	ENQ/18-19/2440	Saif Ali Jamadar	Interested	E-Media	Saif Ali Jamadar Saif Ali Jamadar	requirement for RR. Site visit arranged for 5th June with him by JP but client didn't share location with us and he'll be going out of town for few days. Reminder msg dropped	03/06/2024	25/(

						RFQ shared		
Pratik Darekar	ENQ/18-19/2439	Dr Himanshu Swimming Pool Enclosure	Quote Submitted	Direct Email from Customer	Dr Himanshu Bavishi	He shared PDF for sizes today call done on 1st June 2024, He will share site images according to that we should provide the solution. Product - Swimming Pool Enclosure Size- Width 15ft X Length 40ft. conceptual drawing shared last week	01/06/2024	25/(
Pratik Darekar	ENQ/18-19/2431	Dwarakatirumala Temple AP RR (AK Srivastava)	Quote Submitted	E-Media	Ar. TEJA GATTI	need retractable roof... Ringing whatsapp. Looking for retractable roofing system in both PC or glass for a temple project site area: approx. Acre (80Mt X 60 Mt) Yesterday we had discussed with our technical team, so the tentative budget for this project will start approx. 3 Cr. as the area is huge. So, kindly confirm if we should go ahead or it need to go through approval process.	27/05/2024	28/(

						Ar. asked to send tentative price for Spans with specificati on material .. So that he can discuss with temple authority about it.. It will be E tender process for approval if they are ready with the budget. Informed Pranav about the same		
Pratik Darekar	ENQ/18-19/2430	Location Near Manas Lake, Bhugaon (Kiran Parashar)	Interested		Kiran Parashar	Interested in sunroom retractable roof for terrace, PUNE Busy asked to CB. whatsapp. He's traveling from today till Thursday. Will call you on Friday. mail sent RFQ shared	27/05/2024	25/(
Pratik Darekar	ENQ/18-19/2429	Balcony Enclosure Hyderabad (Philip Samuel)	LOST	Vijay Sir reference	Philip Samuel	Looking for retractable roofing system for my balcony. I am based out of Hyderabad . He'll share images & dimension s by today. its a duplex apartment and this is the balcony where he'll remove	27/05/2024	03/(

						and replace with the new structure Out of budget so dropped the plan		
Pratik Darekar	ENQ/18-19/2425	RR with Glass Hyderabad (GS Reddy)	Quote Submitted	E-Media	GS Reddy	want immediate installation of retractable roof. He asked for site visit. Called up Gurpreet for the same. Asked client to share site dimension. He shared the PDF of floor plan, forwarded it to Pranav for feasibility check. Client's Ar is asking for fixing panels drawing so mail dropped to Pranav as he's not available today Vijay sir had discussed with him & he's planning to visit our office by next week	22/05/2024	02/(
Pratik Darekar	ENQ/18-19/2424	Yuvraj	Feasibility Study	E-Media	Yuvraj .	want to know about retractable roof. Callled yesterday, he was travelling so whatsapp for site dimension	22/05/2024	12/(

						s. Please provide tentative pricing for below RR with PC & Glass, as the architect don't have pictures of site and looking for only approx. price to confirm with his client. 13 ft W x 14 ft L with PC and toughened glass material & Manual. Reminder msg dropped on whatsapp. Asked for tentative pricing for below RR with PC & Glass, as the architect don't have pictures of site and looking for only approx. price to confirm with his client. Approx. Rs 17,00,000/- for RR with Glass. Approx. Rs 6,00,000/- for RR with Polycarbonate sheet. given now. Still waiting for clients approval		
Pratik Darekar	ENQ/18-19/2422	19th Floor Retractable fabric pergola	LOST	E-Media	Gopal Krishnani	need glass retractable roof, need site visit.	22/05/2024	15/0

		(Gopal Krishnani)				Drawing room Terrace on 19th floor measuring 13x16ft having support on 3 sides Ashish is visiting his site by today & shared pictures. The other quote I received was 1800/sqft.. . Which I felt was high and was looking for a cheaper quote He got quote from Delhi at lesser		
Pratik Darekar	ENQ/18-19/2421	RR Parag Patil Kolhapur	LOST	E-Media	Parag Patil	need retractable roof. Called to Ar. Ketaki yesterday, she said she'll share but didnt Reminder msg dropped on whatsapp she shared drawing and video on sat	21/05/2024	27/(
Pratik Darekar	ENQ/18-19/2420	Manual Balcony Enclosure Pune (Sripriya Iyer)	LOST	Direct Email from Customer	Sripriya Iyer	Want to cover my open to qir balcony/terrace Ringing, assign to Ms. Indu for call by sir Mr. JP visited her house yesterday at 5pm	20/05/2024	22/(

						Note: One side opening with one side enclosure with window. Tinted sheet. it is way beyond my budget at this stage and I will not be able to go ahead. Apologies.		
Pratik Darekar	ENQ/18-19/2413	Ar.Ranjeeta Potpose	Interested	Lead generation PT		R R Builders, Mumbai was awaiting for environment clearance for the project.Work on the project was expected to commence by March 2024.Contractor finalised but detail not disclosed. ringing whatsapp RFQ shared	16/05/2024	25/(
Pratik Darekar	ENQ/18-19/2408	Vivek	Interested		Vivek .	500 sqft retractable roof area..		
Pratik Darekar	ENQ/18-19/2401	Jindal Mittal Graha Nirman Pvt. Ltd.	Interested	Lead generation PT	Neeraj Mittal	work on the project was expected to commence by September 2023.Contractor and architect from Pune names not disclosed. Busy whatsapp He'll	08/05/2024	25/(

						connect me with the concern person. RFQ shared		
Pratik Darekar	ENQ/18-19/2399	Vilas Javdekar Infinitee Developers Pvt. Ltd.	Cancelled	Lead Generation PT	Mr.Sarvesh Javdekar	Vilas Javdekar Infinitee Developers was awaiting for necessary approvals for the project .Work on the project was expected to commence by January 2024. He'll share the dimension or connect me with concern person. Architect shared dimensions PDF Me & Mr. Pranav had discussed with her regarding the same, so requested for 3 options roof quotation as fabric, PC & AL shutter, videos shared with her. She asked to send quotation for RR with Fabric so forwarded details to BP Ajay Due to non feasibility	07/05/2024	20/(

						for RR/fabric		
Pratik Darekar	ENQ/18-19/2398	Ashar Realtors	Cancelled	Lead Generation PT	Mr. Amit Vakharia	work on the project was expected to commence by May 2024. Quotation is under preparation today Quotation shared As they revised their requirement from PC to glass, we require dimensions details to work out but couldn't find CAD drawing from them so didn't attended their meeting today. Non feasible	07/05/2024	13/0