Bridge and Roof Co. (India) Limited
(A Government of India Enterprise)
Third Floor, JVL Plaza, Door No. 626,
Anna Salai Teynampet, Chennai- 600018

NOTICE INVITING TENDER(NIT)
No. BANDR/MDS/40088/CONVEYOR/NIT/01 DATED 03.10.2023

"BID(S) / OFFER(S) IN TWO- PART SYSTEM ARE INVITED BY BRIDGE AND ROOF CO. (INDIA) LIMITED FOR "DESIGN, MANUFACTURING, TESTING, FAT, INSPECTION, SUPPLY, DELIVERY & SUPERVISION OF ASSEMBLY/ ERECTION/ INSTALLATION, INTEGRATION, PRE-COMMISSIONING & COMMISSIONING OF "TELESCOPIC BELT CONVEYORS" AS PER THE TECHNICAL SPECIFICATION FOR SETTING UP OF GRASSROOT LUBE OIL COMPLEX (GRLC) PROJECT, LUBE OIL TERMINAL , IOCL CHENNAI".

Sealed Tender in two bid system is to be submitted in the manner specified in this Tender Document in a Sealed Cover and superscribed with Tender Reference, Due Date etc. marked for attention of General Manager (South).

SCHEDULE OF TENDER

1.	Description of Item(s) :	Design, Manufacturing, Testing, FAT, Inspection, Supply, Delivery & Supervision of Assembly/ Erection/Installation, Integration, Pre-Commissioning & Commissioning of "Telescopic Belt Conveyors" at IOCL Grassroot Lube Oil Complex Project, Chennai as per 'SOQ / BOQ', Scope and Technical Specifications/Standards, Drawings, Data sheets etc. enclosed with NIT.
2.	Quantity (Approx) :	2 nos
3.	Tender Type :	Limited
4.	Tender Category :	Goods
5.	Tender Classification :	Supply
6.	Date of Issue:	03.10.2023
7.	Due date of Submission:	18.10.2023
8.	Tender Cost :	Not Applicable
9.	EMD (Earnest Money Deposit) :	EMD amount is NIL.
10.	Validity of Offer :	120 days from the date set for submission of tender.
11.	Consignee's Address :	The Engineer In Charge, Grass Root Lube Oil Complex Project [GRLC] A/C - Bridge and Roof Co. (I) Ltd. C/o. - Indian Oil Corporation Ltd. [IOCL] Villages - Amullavoyal and Vaikkadu, District - Thirruvallur , Chennai, Tamil Nadu, India.

Note: Incomplete form or non-submission of documents within the due date/ extended due date may results into rejection of your offer and no communication shall be entertained for submission of documents.

For BRIDGE & ROOF CO. (INDIA) LTD.

(T. RAVI)
GENERAL MANAGER (SOUTH)

Bridge and Roof Co. (India) Limited
(A Government of India Enterprise)
Third Floor, JVL Plaza, Door No. 626,
Anna Salai Teynampet, Chennai- 600018

NOTICE INVITING TENDER(NIT) No. BANDR/MDS/40088/CONVEYOR/NIT/01 DTD 03.10.2023

BID(S) / OFFER(S) IN TWO - PART SYSTEM ARE INVITED BY BRIDGE AND ROOF CO. (INDIA) LIMITED FOR "DESIGN, MANUFACTURING, TESTING, FAT, INSPECTION, SUPPLY, DELIVERY & SUPERVISION OF ASSEMBLY/ ERECTION/ INSTALLATION, INTEGRATION, PRE-COMMISSIONING & COMMISSIONING OF "TELESCOPIC BELT CONVEYORS" AS PER THE TECHNICAL SPECIFICATION FOR SETTING UP OF GRASSROOT LUBE OIL COMPLEX (GRLC) PROJECT, LUBE OIL TERMINAL , IOCL CHENNAI".

Documents are to be submitted offline to Chennai Office before the prescribed date & time in NIT.

PART – I

[Techno-Commercial Part]

IMPORTANT DATES :-

Last Date & Time of Submission of Tender: 18.10.2023

NIT No. BANDR/MDS/40088/CONVEYOR/NIT/01 DATE : 03.10.2023

Enclosed please find a set of Tender Document (TD) comprising of the following Annexures / Enclosures for the Captioned Work.

PART – I [Techno-Commercial Part]

A.0	TENDER DOCUMENT (TD) :-	
1.	Bidder's Information Sheet :	ANNEXURE - I
2.	Techno-Commercial Questionnaire Sheet :	ANNEXURE - II
3.	General Guidance / Instructions to Tenderer :	ANNEXURE – A
4.	Terms and Conditions :	ANNEXURE – B
5.	Technical Specifications / Drawings / Documents :	ANNEXURE – C
6.	Format for Security-cum-Performance Bank Guarantee (SPBG) :	ANNEXURE – D
7.	Formats for Affidavit Cum Declaration : For MSME bidder, No Deviation Certificate & Local Content.	ANNEXURE – E, F & G

PART – II [Price- Part]

1.	Specifications and Schedule of Quantities (SOQ) :	ANNEXURE - H

In case you are interested for the above work, please submit your lowest competitive tender completed in all respect, strictly in the manner described in the clauses titled "Instruction To Tenderer" and "Submission of Tender" of ANNEXURE-A, based on the same Terms and Conditions, Specifications, Scope, Procedures etc. as stipulated and defined in this NIT and in the various Annexures and Sections of the Tender Document without taking any deviations.

Notwithstanding anything contained in the NIT and Tender Document we reserve the absolute right to -

(i) Reject or accept or cancel any or all Tenders received against this NIT, (ii) Split and Divide the total quantity shown in the SOQ for awarding the tendered work among more than one Tenderer as per our own convenience, (iii) Cancel the NIT and (iv) Issue Notice Inviting fresh Tenders at our sole discretion without assigning any reasons whatsoever thereof and our decision in this regard shall be final and binding upon you and no correspondences/ communications in this regard shall be entertained by us.

Yours faithfully,

For, BRIDGE & ROOF CO. (INDIA) LTD.

(T. RAVI)
GENERAL MANAGER (SOUTH)

ENCLO. : AS STATED ABOVE

BRIDGE AND ROOF CO. (INDIA) LTD. CHENNAI

NIT No. BANDR/MDS/40088/CONVEYOR/NIT/01 DATE : 03.10.2023

BIDDER'S INFORMATION SHEET

[Tenderers are required to print this on their Company's Letter head and sign, stamp and to be enclosed in Techno Commercial Part of Offer]

1.	NAME OF THE COMPANY / FIRM	:	
2.	COMMUNICATION ADDRESS	:	
a.	TELEPHONE NO.	:	
b.	FAX NO.	:	
c.	E-MAIL ID.	:	
d.	CONTACT PERSON WITH MOBILE NO. &EMAIL -ID ETC. :	:	
3.	CONSTITUTIONAL STATUS [I.E. PRIVATE LIMITED/PUBLIC SECTOR/SOLE PROPRIETOR/PARTNERSHIP FIRM]	:	
4.	IF YOU ARE A DGS&D / NSIC / SSIC / MSME REGISTERED PARTY, IF YES, THEN PLEASE SUBMIT NOTARIZED COPY OF THEVALID REGISTRATION CERTIFICATE .	:	i) REGISTERED WITH – ii) REGISTRATION CERTIFICATE / DOC. REF. NO. & DATE – iii) VALIDITY UPTO - iv) UAM / UAN No. -
5.	PLEASESUBMIT NOTARIZED COPYOF THEAFFIDAVITCUMDECLARATIONASPER 'ANNEXURE - F' [FOR DGS&D /NSIC /MSME REGISTERED PARTIES ONLY]	:	SUBMITTED / NOT SUBMITTED WHEATHER NOTORIZED : YES / NO (Please Tick whichever is applicable)
6.	PLEASE PROVIDE THE FOLLOWING INFORMATION :-	:	
	HSN CODE OF THE MATERIAL -		
	CO'S GSTIN/PROVISIONAL ID -		
	PLACE OF MAUNFACTURING -		
	PLACE OF DESPATCH -		

BRIDGE AND ROOF CO. (INDIA) LTD. CHENNAI

ANNEXURE - II
Sheet 1 of 1

TECHNO-COMMERCIAL QUESTIONNAIRE SHEET

THIS SHEET IS TO BE FILLED BY BIDDER AND SUBMITTED ALONGWITH THE OFFER (PART-I), OTHERWISE THE OFFER WILL BE TREATED AS 'INCOMPLETE' : -

SL. NO.	CHECK LIST POINTS	BIDDER'S CONFIRMATION / ACCEPTANCE
1.	CONFIRM THAT YOUR OFFER HAS BEEN SUBMITTED IN **TWO PART BID SYSTEM** AS PER CL. NO. 1.03.03 OF ANNEXURE – A OF NIT.	
2.	CONFIRM THAT ONE SET OF COMPLETE **TENDER DOCUMENT DULY STAMPED AND SIGNED** HAS BEEN SUBMITTED ALONGWITH THE OFFER AS A TOKEN OF YOUR ACCEPTANCE.	
3.	CONFIRM THAT YOUR OFFER IS VALID FOR **120** (ONE HUNDRED TWENTY) **DAYS** FROM THE DATE SET FOR SUBMISSION OF TENDER.	
4.	**CONFIRM YOUR ACCEPTANCE ON THE FOLLOWING CLAUSES : [ANY DEVIATION MAY LEAD TO REJECTION OF THE OFFER]**	
	a) SECURITY-CUM- PERFORMANCE GUARANTEE [SPBG] (CL. NO. 1.20 OF ANNEXURE – B)	
	b) LIQUIDATED DAMAGE (CL. NO. 1.18 OF ANNEXURE – B)	
	c) DELIVERY SCHEDULE (CL. NO. 1.09 OF ANNEXURE – B)	
	d) GUARANTEE / WARRANTY (DEFECT LIABILITY PERIOD)(CL. NO. 1.15 OF ANNEXURE – B)	
	e) TERMS OF PAYMENT (CL. NO. 1.22 OF ANNEXURE – B)	
	f) INSPECTION & TEST (CL. NO. 1.16 OF ANNEXURE – B)	
5.	**CONFIRM THAT YOU HAVE CONSIDERED THE AMOUNT AGAINST FOLLOWING COMPONENTS SEPERATELY IN THE PRICE PART / SOQR :**	
I	PACKING & FORWARDING CHARGES :	
II	FREIGHT CHARGE FOR DOOR DELIVERY [EXCLUDING GST] :	
III	TRANSIT INSURANCE CHARGE [EXCLUDING GST] :	
IV	RATE OF GST, AS APPLICABLE :	
6.	PLEASE NOTE THAT WORD "AT ACTUAL" / 'EXTRA' AGAINST ANY OF ABOVE COMPONENTS ITEM(S) IN PRICE PART IS NOT ACCEPTABLE. IF YOU DO NOT MENTION/INDICATE ANY PRICE THEN DURING PRICE EVALUATION WE WILL CONSIDER HIGHEST AVAILABLE RATE/PRICE FOR THIS PACKAGE AGAINST THE SAME.	

BRIDGE AND ROOF CO. (INDIA) LTD. चेन्नाई CHENNAI

(SIGNATURE OF BIDDER WITH STAMP)

ANNEXURE - A

A.General Guidance / Instructions to Tenderer : -

1.0 Definitions and Interpretations -

1.01 In the document, as hereinafter defined, the following words and expressions shall have the meaning as under:

1.1.1 The `**Purchaser**' shall mean Bridge & Roof Co.(India) Ltd.(B&R) having its registered office at 2/1, Russel Street, Kolkata – 700 071.

1.1.2 **'Order'** shall mean a written Purchase Order issued by the Purchaser.

1.1.3 The `**Tender**' shall mean the Proposal submitted by the Tenderer/Bidder in response to Purchaser's Notice of Invitation Tender Document.

1.1.4 The **'Chairman cum Managing Director'** shall mean the Chairman cum Managing Director, Bridge & Roof Co.(India) Ltd.

1.1.5 The **'Supplier'/'Vendor'** shall mean the person, firm or company (hereinafter called Tenderer) whose tender has been accepted by the Purchaser and includes the supplier's legal representative his successors and permitted assignees.

1.1.6 The **'DGM /'Resident Manager' / 'Engineer-in-Charge'** shall mean the persons as nominated from time to time by the Purchaser to act for and on behalf of the Purchaser at the Project site.

1.1.7 The `**Supply**' shall mean and include all material inputs and work to be executed in accordance with the order or part thereof as the case may be and shall include all extras, addition, altered or substituted works as required for the purpose of the supply order.

1.1.8 **'Specification'** shall mean all directions, various technical specifications, provisions and requirements attached to this document/order, which pertain to the method and manner of performing the supply to the quantities and qualities thereof as may be amplified or modified by the purchaser during the performance of the order. It shall also include the latest edition including all agenda/corrigenda of relevant Indian Standard Specifications and other relevant codes. In any dispute the decision of the `Purchaser' will be final.

1.1.9 "**Consultant**" shall mean any consultant nominated by the Purchaser or by the Purchaser's client, i.e. M/s. PEC Limited (PECL)/IOCL

1.1.10 **Purchaser's 'Client' /' Owner'** shall mean client of Purchaser i.e. Indian Oil Corporation Ltd. (IOCL), Marketing Division, Mumbai.

1.1.11 **'Project Site'** shall mean the site of B&R's IOCL-Grassroot Lube oil Complex Project at Chennai, Tamil Nadu, India.

1.1.12 The **'Period of Liability'** in relation to the order means the specified period from the date of issue of completion certificate upto the Guarantee/Defect Liability Period.

1.1.13 The **'Appointing Authority'** for the purpose of arbitration shall be the Chairman cum Managing Director or any other persons as designated by him.

1.1.14 The `**Alteration'/'Variation Order'** means as order given in writing by the Purchaser to effect additions/alterations to or deletions from the scope of work.

1.1.15 **'Letter of Intent(LOI)/'Short Letter of Intent(SLOI)'** shall mean an intimation by a Letter to Tenderer that the tender has been accepted in accordance with the provisions contained therein and shall be issued by the Chairman cum Managing Director or his authorized representative.

1.1.16 **'TPIA'** shall mean Third Party Inspection Agency.

1.02 Instruction to Tenderer :

Submission of Tender and General Instruction' shall be read in conjunction with the General Commercial Terms and Conditions, specifications and any other documents forming part of this Tender Document wherever the context so requires

Notwithstanding the sub-division of the documents into the separate sections, every part of each shall be deemed to be supplementary to and complementary to every other part and shall be read with the document so far as it may be practicable to do so. Wherever it is mentioned in the specifications that the supplier shall perform certain work or provide certain facilities, it is understood that the supplier shall do so at their cost.

1.02.1 Price Loading For Evaluation :

Please note that price evaluation shall be done after considering suitable financial loading as per sole discretion of B&R against commercial deviation taken (if any). Illustration - In case of deviation in L.D. clause, financial loading shall be made of total order value @ rate of L.D. specified in NIT.

CHENNAI

1.03 SUBMISSION OF TENDER :-

1.03.1 The Sealed Tender is to be submitted in the manner specified in this Tender Document in a Sealed Cover and superscribed with Tender Reference, Due Date etc. marked for attention of General Manager (South). Postal delays or any such excuses will not be entertained.

1.03.02 **One copy of the Tender Enquiry Document is to be submitted along with Technical and Commercial Part of the Tender with each page stamped and initialed/signed on behalf of the bidders as token of their acceptance of all terms and conditions of NIT.**

1.03.03 **Mode of Submission** – Two Bid system.
THE TENDER SHALL COMPRISE OF THE 02 (TWO) PARTS AS UNDER :

PART-I : TECHNO-COMMERCIAL BID , shall consists of following.

i) One set of the Tender Documents including 'technical enclosures etc. duly signed & stamped on each page.
ii) Covering letter in your Co's letter head regarding submission of offer.
iii) Power of Attorney/Authorization in favour of person signing the Bid.
iv) Techno-commercial Questionnaire Sheet & Bidder's Information sheet duly filled in, stamped & signed.
v) Affidavit Cum Declarations etc. duly executed in prescribed format as per Annexure – E, F & G of NIT (whichever is applicable).
vi) Non Compliance / Deviation list, if any.
vii) Catalogue / Technical Leaflet etc.
viii) Copy of GST registration certificate & PAN Card
ix) Un priced copy of Price Bid / SOQ duly mentioning as 'quoted' against each component (Part – II).

PART-II : PRICE BID

Price bid of the Tender document shall be submitted as per our format of PART-II - SOQ in Annexure- H duly signed and stamped by the bidder. Price bid shall not contain of any terms & conditions of the bidder.

The Priced Bid must be sealed in a separately sealed envelope.

Each part shall be inserted in 02 (two) separate covered envelope duly superscribing nomenclature of the respective parts and then all the 02 (two) envelopes shall be Inserted in a third envelope and shall be submitted after seal as one unit with superscription
TENDER FOR **"DESIGN, MANUFACTURING, TESTING, FAT, INSPECTION, SUPPLY, DELIVERY & SUPERVISION OF ASSEMBLY/ ERECTION/ INSTALLATION, INTEGRATION, PRE-COMMISSIONING & COMMISSIONING OF "TELESCOPIC BELT CONVEYORS" AS PER THE TECHNICAL SPECIFICATION FOR SETTING UP OF GRASSROOT LUBE OIL COMPLEX (GRLC) PROJECT, LUBE OIL TERMINAL , IOCL CHENNAI".**

1.03.04 Under no circumstances the tenderers should incorporate any changes/modifications etc. in the Tender Document itself to avoid rejection of their tenders.

1.03.05 Incomplete tender and/or tender (s) received by B&R later than the above date & time are liable to be rejected.

1.03.06 Tenderers should quote their Rates /Prices strictly in accordance with the Terms and Conditions Specifications, etc. as stipulated in the various Clauses and Sections of the Notice Inviting Tender (NIT) and should not make / ask for any deviation / variation to these Clauses of the NIT under any circumstances in order to avoid possible rejection of the Tenders by the Purchase at his sole discretion.

1.03.07 Due Date of Submission
The Tender in sealed cover shall be submitted on or before 18.10.2023 03.00 PM

1.03.08 The Tender shall be addressed and submitted to:
General Manager (South)
Bridge & Roof Co.(I) Ltd., No.626, Anna Salai, JVL Plaza, 3rd Floor,
Teynampet, Chennai - 600 018, Tamil Nadu.
Phone: 044- 2431-2480 / 1149
Email ID: Chennai.office@bridgeroof.co.in

CHENNAI

1.03.09 Tender inviting Authority (TIA) :

The Deputy General Manager (South)
Bridge & Roof Co.(India) Ltd., Third Floor, JVL Plaza, Door No. 626,
Anna Salai Teynampet, Chennai- 600018
.E-Mail-ID: Chennai.office@bridgeroof.co.in

1.03.10 EVALUATION OF PRICED BID

The prices quoted by the Bidders shall be checked for arithmetic correction, if any, based on rate and amount filled by the Bidder in the SOQ formats. If some discrepancies are found between the rate / amount given in figures, the total amount shall be corrected as per the following procedure, which shall be binding upon the Bidder.

a) When the rate quoted by Bidder in figure does not correspond to amount, the rate quoted by the Bidder shall be taken as correct.

To arrive at the evaluated prices, loading / adjustment on total quoted prices, wherever applicable, shall be done as per the following:


i) The prices quoted by the Bidders who have retained the deviations to the terms and conditions, if any, which are otherwise considered acceptable and can be quantified shall be loaded.

1.03.11. BID OPENING AND EVALUATION

BID shall be opened in camera at any time after the due date of submission of offer.

1.03.12. Opening of Price Part of Bid:

Priced commercial part of only those Bidders, whose Bids are considered Techno- Commercially acceptable shall be opened at a later date



B. TERMS AND CONDITIONS :-

1.04 Earnest Money Deposit [EMD]

No Earnest Money shall be deposited against this tender. Bidder shall submit a Bid-Securing/ Earnest Money Deposit (EMD) declaration in Non-Judicial Stamp Paper of value Rs. 10/-

The **DGS&D / MSME / NSIC / SSIC** registered parties (registered as manufacturer) shall also submit /upload copy of the valid Registration Certificate& affidavit as per **'Annexure - F'**of NIT alongwith Techno-Commercial Part of the tender.

Declaration of UAM / UAN No. are mandatory as per govt. directives, failing which bidder will not be able to enjoy the benefits as per P.P policy under MSME order, 2012.

1.05 Purchaser's Right to Reject Tender

The award of the order or rejection of the Tenderer's Offer and/or cancellation of the Tender will be made at the absolute discretion of Purchaser. The Purchaser reserves the right to cancel or accept or reject any or all tender(s), whether lowest or otherwise, without assigning any reason(s) whatsoever thereof. A tenderer whose Tender is not accepted shall not be entitled to claim any cost, charges or expenses incidental to or incurred by him through or in connection with the preparation and submission of the Tender/Offer to the Purchaser. The Purchaser also reserves the absolute right to split up and award the order between other Tenderers distributing the total requirement as defined in the tender.

Acceptance of Vendor/Supplier and their Product shall be subject to acceptance by Purchaser's Client and/or Consultant. Accordingly, Tenderer(s) whose offer is not acceptable to Purchaser's Client/Consultant cannot be considered and shall be rejected by the Purchaser and no correspondence and claim etc. from Tenderer in pursuant to the Tender shall be entertained by the Purchaser under any circumstances whatsoever.

1.06 Validity of Offer

The Tender submitted against this enquiry/tender document shall remain valid for acceptance for a period of **120 days** from the date set for submission of tender.

The Tenderer/Vendor shall not be entitled before the said **120 days** without B&R's consent in writing to revoke or cancel his tender given or any terms thereof. The Purchaser reserves the right to ask for extension of validity, if any.

1.07 Taxes & Duties Etc.

Goods and Services Tax (GST) : The quoted price shall be exclusive of Goods and Service Tax. GST as legally leviable & payable by the bidder under the provision of applicable laws/acts, shall be paid extra by B&R. The Tenderer/Bidder should supply the materials by charging CGST/SGST/IGST, whichever shall be applicable. **Rate of GST alongwith HSN code of the material shall be quoted in offer.**


Bidder shall quote their price after considering the input tax credit on their input materials & services. The bidder shall get registered with the GST authority and copy of GST registration certificate shall be furnished along with techno-commercial offer. Bidder who have not taken GSTIN/ Provisional ID will be not considered.

Supplier shall furnish appropriate tax invoice as per GST laws enabling B&R to take input credit against 'GST' paid, failing which GST amount as specified in supplier's bill alongwith penalty/interest, if any, shall be deducted/recovered from the dues of the supplier.

GST-TDS shall be deducted from supplier's invoice on basic order value under GST Law w.e.f 01.10.2018,as per govt. notification dtd. 13.09.2018. TDS @2% for IGST and @1% for CGST & @1% for SGST invoice shall be applicable, except exempted provision stipulated in above govt. notification. Tax deducted at source shall be deposited to the Govt. and TDS certificate shall be issued to supplier as per rules, after your acceptance of GST-TDS amount reflected in respective registration.

Income Tax (IT- TDS)@0.1%,if applicable, will be deducted by B&R as per IT-rule, GOI and TDS certificate shall be issued in favour of supplier in due course of time.

The bidder has to mention in their Techno Commercial offer for the applicable Tax type (i.e) (CGST & SGST) or IGST. All bidders having registration in other state (Except Tamil nadu) shall raise their Tax invoice by charging IGST only.



1.08 **Transit Insurance**

The supplier shall be solely responsible for safe delivery of all materials to be supplied under the order at consignee's address and shall take necessary insurance policy for **110%** of total invoice value of materials covering all risks during transit till safe delivery.

Transit insurance charge for safe door delivery/marine insurance charge upto Indian sea /air port shall be paid extra. **The cost of road transit insurance (excluding the GST) for safe door delivery, shall be quoted /specified in price bid/SOQ.**

In case of any damage, loss, pilferage etc. of materials during supply, supplier shall arrange prompt replacement so as to ensure that overall delivery schedule is not hampered. All claims in the said policy shall be lodged and pursued by the supplier and purchaser shall not have any liability in this regard. Part consignment shall not be allowed without written consent from the purchaser/B&R and **transshipment en-route shall not be allowed.**

1.09 **Delivery Schedule**

Delivery Schedule is the essence of Order and the supplier must strictly and scrupulously adhere to the Delivery Schedule given below.

Entire materials/equipments complete in all respect shall be delivered at consignee's address **within 10 (Ten) Weeks** from the date of issue of approved QAP/Data Sheet.

1.10 (i) **Consignee's Address :**

The Engineer In Charge,
Grassroot Lube Oil Complex Project
A/C- Bridge and Roof Co. (I) Ltd.
C/o - Indian Oil Corporation Ltd.
Villages - Amullavoyal and Vaikkadu,
Thirruvallur District, Chennai - 600103, Tamil Nadu.

(ii) **Billing Address :**

Bridge & Roof Co. India Ltd.,
Third Floor, JVL Plaza, Door No. - 626,
Anna Salai, Teynampet, Chennai- 600018,
GSTIN: 33AABCB3166E1Z6
PAN No. : AABCB3166E
CIN No. : U27310WB1929GO1003601, State Code : 33

1.11 **Mode of Despatch**

All materials shall be delivered to the consignee's address mentioned above by 'Road Transport' on `Door Delivery basis'.

1.12 **Packing, Forwarding and Freight :**

The Supplier shall dispatch the material / equipment properly in roadworthy /seaworthy/ air worthy packing as applicable to ensure that there is no damage to the materials during loading/unloading / storing and transportation. **The price(s) quoted should be inclusive of Packing and forwarding charges.**

Good's Freight for delivery of materials to consignee's address on door delivery basis, shall be paid extra. **Freight charge excluding the GST shall be quoted /specified by the bidder in price bid / SOQ.**


1.13 **As Built Documents :**

The following documents shall be submitted in two (original + 1 copy) Sets:-
i) Approved copy of Quality Assurance Plan (QAP) and Data sheets, drawing(s).
ii) Manufacturer's Test Certificates and Inspection Reports.
iii) Other documents, if any, as per technical Specification of NIT.

1.14 **Guarantee of Materials :**

All goods, equipment's & services including components and sub contracted items should be guaranteed by the vendor within the warranty period. In the event of any defect in the goods or workmanship manifesting themselves, the vendor will replace/repair the goods at IOCL's concerned locations at vendor's cost and risk on due notice, failing which the rejected goods will be sent to the vendor on freight pay basis for free replacement.

Goods after rectification of defects will be dispatched by the vendor on `freight paid' basis. Alternatively, IOCL reserves the right to have the goods repaired/replaced at the locations concerned at the vendor's risk, cost and responsibility.



1.15 Guarantee / Warranty (Defect Liability Period) :

All materials shall be supplied strictly in accordance with the specification, sizes, quantities stated in the Order/Tender. No deviation from such specification or alternations of these conditions shall be made without the written consent of the Purchaser.

Supplier shall fully guarantee that the materials supplied shall perform strictly in accordance with the specifications and to be free from all defects in respect of materials and workmanship, etc.

The Comprehensive Warranty Period (Defect Liability Period), i.e. including all preventive and breakdown maintenance spares and all services, shall be **12 (twelve) months from successful commissioning, trial / testing and handing over the system to IOCL after completion of tendered scope of work in entirety 'or' 24 (twenty four) months from date of completion of supply of all materials (in case post supply delays are not attributable to the vendor) whichever is earlier**, during which time the contractor is bound by the guarantee clause given above. The materials upon notification of deficiency/defect be promptly replaced/repaired by the supplier to the satisfaction of Purchaser/Client without delay and at no extra cost to Purchaser.

The above Guarantee / Warranty (Defect Liability Period) will be without prejudice to the Certificate of Inspection by third party inspection agency or Materials Receipt Note issued by the Site- in-Charge in respect of the equipment.

During Guarantee / Warranty (Defect Liability) period all the charges of the spare parts, visits, consumables and any other charges shall be borne by vendor. Vendor has to maintain the entire system without any extra cost to IOCL the above guarantee / warrantee (defect liability period) will be without prejudice to the certificate of inspection by third party inspection agency or materials receipt note issued by the site- in-charge in respect of the equipment.

During Guarantee/ Warranty (Defect Liability Period) all the charges of Spare parts, Visits, Consumables and any other charges shall be borne by the vendor. Vendor shall maintain the entire system without any extra cost to B AND R.

If the supplier fails to effect proper replacement within a reasonable time of receipt of Purchaser/Client notification to this effect, Purchaser shall be free to take such corrective action at the supplier's cost and risk. All the works carried out by the Contractor shall be covered under defect liability period.

1.16 Inspection and Testing :

All materials shall be inspected by any of IOCL / IOCL's approved third party inspection agency as per approved QAP, Datasheets, drawings etc.. Engagement of third party inspection agency (TPIA) shall be in our Client's (IOCL) scope.

Third Party inspection of all equipments / materials before dispatch to be done through IOCL appointed TPI agency. Vendor should offer the material for inspection / stage-wise inspection of fabricated equipment to TPI after completion of all necessary checks so that material does not get rejected. **In case of rejection by TPI, the financial outgo of IOCL on account of additional visit of the TPI shall be compensated by the vendor.**

Supplier is to submit their 'QAP', 'Data sheet', 'Drawing' etc. in line to our technical documents enclosed in 'Annexure-C' of NIT for our approval within 5 days after receipt of LOI / PO.

Data sheets, Drawings, QAP etc. of the successful bidder(s) shall be forwarded to M/s IOCL during post order stage and supplier shall incorporate the comments of IOCL (if any) without any extra cost implication to B&R.

Supplier shall make all necessary arrangement for each inspection and shall provide all necessary facilities to carry out stage inspection / final inspection and testing of the finished products.

TPIA/IOCL/B&R shall have the right of access to the supplier's works at all reasonable time to inspect the materials and to measure the progress of execution of order.

The supplier shall provide assistance, instruments, machines, labour and materials which are required for examining, measuring and testing any materials & its workmanship as may be selected and required by the TPIA/IOCL /B&R without any extra cost.

Even if inspection and / or tests are fully carried out at the supplier's works by the TPIA at any stage of execution of the order, supplier shall not be absolved of any degree of his obligations / responsibility to ensure that all materials supplied comply strictly with requirement as per specification given in the tender / order and B&R/PMC/IOCL shall be free to point out any defect till the guarantee period is over.

BRIDGE AND ROOF CO. (INDIA) LTD. CHENNAI

All tests certificates for raw materials and finish materials are to be provided and submitted by the supplier at the time of inspection and alongwith supply with identification mark for co-relating with heat marks. All testing charges are to be borne by the supplier.

All documents shall be reviewed by B&R/IOCL for final acceptance. Dispatch of the materials shall be made only on receipt of material Inspection certificate cum Release note from the TPIA.

1.17 Scope of Supply & Work :

Design, detailed Engineering, Manufacturing, supply, inspection, testing, FAT, including packing, forwarding, delivery at site of TELESCOPIC BELT CONVEYORS.

Successful bidder shall prepare drawing etc. as per Technical Specification, Datasheet etc. & submit the same for approval of IOCL and shall re-submit after incorporation of comments of IOCL, if any.

1.18 Liquidated Damage (LD) :

If supplier fail to deliver the materials within the time schedule mutually agreed upon as specified in the order, then B&R at their sole discretion :–

(i) Shall recover from supplier an amount as liquidated damage @ **0.5%** per week of delay subject tomaximum**10%** (ten percent) of the total value of the order. (except GST)

And / Or

(ii)Shall at the risk and cost of supplier and without prejudice to exercising B&R's other right as per terms of order, terminate the order wholly or partly as the case may be and get it completed by themselves or reassign to other supplier(s) to complete.

1.19 Firm Price :


Total quoted Price(s) C.I.F B&R's project site shall remain firm till the completion of supply and shall not attract any escalation due to any reasons whatsoever. Rates / Prices shall be quoted in **Indian Rupee** (INR).

1.20 Security-cum-Performance Guarantee (SPBG):

As security for proper and faithful fulfillment of the obligation under the order, the supplier will furnish to the purchaser a Security cum Performance Guarantee equal to 3% of the total order value excluding GST by bank draft payable to Bridge and Roof co. (i) ltd. at Chennai or in the form of a Bank Guarantee in B AND R's prescribed format (enclosed) from a Nationalized/Scheduled bank within fifteen (15) days from the date of receipt of LOI/Order. The Bank Guarantee should be valid till end of Guarantee Period/Defect Liability Period.

1.21 Quantity Variation:

NOT APPLICABLE



1.22 Terms of Payment :

Payment shall be made proportionately to the supplier on through RTGS / NEFT from B&R's project site in the following manner. Successful Bidder shall intimate their Banker's Details for such e-payment.

No Advance payment & Mobilization Advance shall be made.

(a) **80% OF CONTRACT VALUE (80% VALUE OF MATERIAL + 100% TAXES AND DUTIES INCLUDING PACKING FORWARDING, FREIGHT AND TRANSIT INSURANCE)** shall be paid on C.O.D (CASH ON DELIVERY) basis against reciept of materials at project site in good condition and against submission of following documents in duplicate viz. 100% Commercial Invoice with 100% GST Invoice, Challan duly signed by BANDR project site for satisfactory receipt of material, Packing List, Test Certificates, Guaranty Certificate, copy of SPBG, Inspection Clearance Certificate by TPIA & Transit Insurance Certificate.

(b) **ON COMPLETION OF INSTALLATION: 10% PAYMENT** shall be paid within 30 days against Certified bill after Erection / Installation of the Equipment/System at site against submission of bill & Installation report duly signed by B&R/IOCL/PEC.

(C) ON COMPLETION OF TESTING AND COMMISSIONING : BALANCE 10% PAYMENT shall be released within 30 days upon Successful Completion of Testing and Commissioning of entire work under the scope of the vendor (including system and site acceptance test and handing over) against submission of bill & commissioning report duly signed by B&R/IOCL/PEC.

Liquidated damage (LD), if any, shall be recovered from the said payment, as per clause no. (c), stated above.

In case, commissioning of system and site acceptance test / or stabilization / handing over cannot be conducted within scheduled time frame to comply with contractual completion period, due to reasons not attributable to supplier, time extension will be given by IOCL/BANDR accordingly and final balance amount up to 10% can be released (in case opted by the supplier) against submission of advance bank guarantee (abg) of equivalent amount. Supplier shall submit the ABG as per B AND R's prescribed format and standard terms & conditions this BG shall be kept valid till completion of testing and commissioning of entire work under the scope of the supplier (including system and site acceptance test and handing over).


1.23 Acceptance of Bid

Acceptance of Client/Owner of the project is a pre-requisite for consideration of Bidder's Offer by B&R for this Tender/Commercial Agreements etc. Accordingly bidder(s) not acceptable to B&R's Client/Owner shall not be considered & their offer shall be rejected by B&R. No correspondence & claim etc. from the bidder in pursuant to the Tender/Commercial Agreements shall be entertained by B&R under any circumstances what so ever.

Bidder must provide further details as required for the review /evaluation of offer. Failure to comply with any of such request, B&R reserves the right to reject such offer/tender at any stage of tendering. Submission of fake/false/fabricated/forged documents alongwith offer/tender may results in rejection of Offer or shall lead in cancelation of the contract, if already awarded and in case of withdrawal / back-out / impairing of the offer within it's validity period the offer shall be rejected. B&R also reserves the right to forfeit the EMD /Security Deposit / en-cash the B.G submitted against the tender/order, as the case may be.

1.24 Termination / Cancellation of Order

In case the supplier fails to supply the materials within the delivery schedule and /or progress of work is found to be unsatisfactory, purchaser, at their sole discretion, shall be entitled to terminate / cancel the purchase order and in the event of such cancellation / termination, the Security–cum–Performance Bank Guarantee (S.P.B.G.) submitted by the supplier will be forfeited through encashment of said S.P.B.G. by the purchaser.



1.25 Acceptance of LOI & Purchase Order (PO)

The supplier should confirm acceptance of LOI latest within three days of receipt of the same. If such confirmation is not received by B&R from supplier within the specified time as above it will be deemed that the supplier has accepted the LOI in To-To.

Purchase Order shall be issued in duplicate and supplier shall return duplicate copy of the Purchase Order duly signed and stamped as a token of acceptance within five (5) days of receipt of P.O. If duplicate copy of P.O. is not received within said five days, it will be deemed that the P.O has been accepted in To-To.

1.26 Advance Despatch Documents

One photo copy set of each of dispatch documents comprising all documents specified in Cl. No.1.13 should be sent to our **General Manager (South)** at "Third Floor, JVL Plaza, Door No. 626, Anna Salai, Teynampet, Chennai- 600018 by courier service/ mail for advance information immediately after dispatch of ordered items.

1.27 Preference to 'Make in India' :

In Line to Public Procurement Policy, Govt. of India (refer Order 2017 Dtd. 16.Sept.-2020 issued by the DPIIT) B&R has implemented "Purchase Preference Policy" for the Class-I Local Supplier(s) for the item /Service covered in the tender. B&R shall reserve the right to consider preference of the Local Supplier(s) subject to following conditions :

If qty. of Goods under procurement is divisible and emerged L-1 bidder is a 'Non Local Supplier' or 'Class-II Local Supplier' then ***50%*** of tender qty. shall be awarded to L-1 bidder. Thereafter the lowest bidder among the 'Class-I Local Suppliers' shall be invited to match the price with L-1 bidder to award the **remaining 50% qty.** subject to quoted prices of the 'Class-I Local Supplier' falls within the bracket of **(L-1 + 20%)** and agrees to match the price with L-1 bidder.

If lowest eligible Class-I local supplier fails to match with L-1's price or accepts less than the qty. offered then next higher Class-I local supplier within the margin of purchase preference (L-1+ 20%), shall be invited to match the price with L-1 for remaining qty. and so on.

In case none of Class-I local supplier within the margin of purchase preference match the price with L-1 then total qty. shall be awarded to L-1 bidder.

In case of award criteria are stipulated in a tender and it is found that Class-I Local suppler(s) qualified for award of at least 50% of tender qty. then contract shall be awarded among all qualified bidders as per pre- award criteria stipulated in tender, otherwise Class-I Local Supplier(s) quoted within the 20% margin, shall be invited to match the price with L-1 for award of at least 50% of tender qty.

In case the goods under procurement are not divisible in nature, then Class-I local suppler shall get purchase preference over Class-II Local Supplier & Non local Supplier and contract shall be awarded to 'Class-I Local supplier' subject to matching the price with L-1.

In such case the lowest bidder among the 'Class-I Local Suppliers' shall be invited to match the price with L-1 bidder subject to quoted prices of the 'Class-I Local Supplier' falls within the bracket of **(L-1 + 20%)** and agrees to match the price with L-1 bidder

If lowest eligible Class-I local supplier fails to match the price with L-1 bidder then next higher Class-I local supplier within the margin of purchase preference (L-1+ 20%) shall be invited to match the price with L-1 and so on.

In case none of Class-I local supplier within the margin of purchase preference match the price with L-1 then contract shall be awarded to L-1 bidder.

However, if L-1 bidder is a 'Class-I Local Supplier' then the contract for full qty. shall be awarded to L-1 bidder only and no other class-I supplier(s) shall be invited to match the price. **Class-II Local Supplier is not eligible to get the purchase preference.**

In case of participation of MSE & Local Supplier in a same tender, MSE bidder shall be given preference to match the price with L-1 as per Public Procurement Policy for MSE's order 2012. MSE bidder shall be evaluated with (L-1 + 15%) margin.

Bidders who declares as a MSE / Local supplier, shall be eligible to get purchase preference against any one of the said policy and shall not be allowed to change their status from MSE to Local Supplier or vice–versa.

Bidders willing to avail the purchase preference as per govt. policy are requested to submit a declaration in a non judicial stamp paper of Rs. 100 as per our prescribed format enclosed with NIT, duly indicating the percentage of 'local content' and shall provide a self certification that the item(s) offered are meeting the requirements of local content for Class-I Local Supplier/Class-II Local Supplier, as the case may be.

In case offered value exceeds ₹ 10 (Ten) cores, then bidder shall submit a certificate from the statutory auditor/Cost auditor giving the percentage of local content.

Details of the location (s) at which the local value addition was made shall also be mentioned in the certificate as tender will be finalized among approved bidders.

Important Definitions w.r.t. 'Make in India Policy' :-

'Local Content' means the amount of value added in India (unless otherwise prescribed) be the total value of item(s) offered (excluding net domestic indirect tax) minus the value of imported content in the in the item(s) including all custom duties as a proportion of total value, in percentage.

'Class-I Local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement has local content equal to or more than 50% (fifty percent).

'Class-II Local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement has local content equal to or more than 20% (twenty percent) but less than 50% (fifty percent).

'Non Local Supplier' means a supplier or service provider whose goods, services or works offered for procurement has local content less than or equal to 20% (twenty percent).

In Case of Participation of Bidder from Countries which shares a land border with India : -

Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (Including Consultancy Services/ Non Consultancy Services) or works (Including Turnkey Projects) only if the bidder is registered with the Competent Authority (as per order Public Procurement No.4 vide OM No. F.7/10/2021-PPD (1) dtd. 23.02.2023 issued by Ministry of Finance, GOI).

1.28 Arbitration

B&R confidently feel that there shall not arise any disputes or differences during execution and completion of the order /Contract by the Contractor(s).

However, in the event of any dispute arising between the Company and the Contractor (hereinafter referred individually as "the Party" and collectively as "the Parties"), concerning the interpretations of any terms and conditions of the Contract and / or contractual obligations / performance / liabilities / responsibilities of the Parties to the said Contract, the disputing Party shall refer the matter to the other Party for holding a mutual discussion for resolving the dispute. In case the Parties fail to arrive to any settlement through mutual discussion, either of the Parties may avail the following remedies :

Resolution of Dispute through Conciliation :-

Any party may refer the dispute for Conciliation under Rules of Conciliation and Arbitration under SCOPE Forum of Conciliation and Arbitration (SFCA), 2003 and amendments made thereto from time to time. (herein after referred as "the Rules") by making application to the Secretariat of the SCOPE Forum.

The Party initiating conciliation shall send to the other party a written invitation to conciliate under the Rules, briefly identifying the subject matter of the dispute.

The settlement so rendered between the Parties in pursuance thereof shall be final and binding on the Parties.

If the other party rejects the invitation, there will be no conciliation proceedings at all.

Resolution of Dispute through Arbitration :-

(i) In case the dispute is not settled by conciliation within 30 days of the initiation of conciliation or such further period as the parties shall agree in writing, the dispute shall be referred to and finally resolved by Arbitration, in accordance with the Rules of Arbitration of SCOPE Forum of Conciliation and Arbitration, 2003 and amendments made thereto from time to time.

The entire proceedings of Arbitration shall be governed under the Arbitration and Conciliation Act, 1996.

The vanue of Arbitration shall be mutually decided by the Parties.

In case the Parties do not agree for resolution of dispute through Conciliation and Arbitration by the above-mentioned SCOPE Forum, the disputing Party shall opt for stipulated rules laid down under the Arbitration and Conciliation Act, 1996.


The Contract and the Parties therein shall be governed under the jurisdiction of Calcutta High Court .

In the event of any dispute or difference relating to the interpretation and application of the provisions of the contracts and commercial agreements (except Income Tax, Customs, Excise duty and also concerning Railways) between company (B&R) and any other Public Sector Undertaking/Government Department/Bank/Port Trust etc., such dispute or difference shall be referred by either party for Arbitration to the sole Arbitrator in the Department of Public Enterprises to be nominated by the Secretary of the Government of India in-charge of the Department of Public Enterprises. **The Arbitration and Conciliation Act, 1996 shall not be applicable to arbitration under this clause**. The award of the Arbitrator shall be binding upon the parties to the dispute, provided, however, any party aggrieved by such award may take a further reference for setting aside or revision of the award to the Law Secretary, Department of Legal Affairs, Ministry of Law & Justice, Government of India.

Upon such reference the dispute shall be decided by the Law Secretary or the Special Secretary/ Additional Secretary, when so authorized by the Law Secretary, whose decision shall bind the Parties finally and conclusively. The parties to the dispute will share equally the cost of arbitration as intimated by the Arbitrator.

Subject to any amendment that may be carried out by the Government of India from time to time, the procedure to be followed in the arbitration shall be as mentioned above, which is as per O.M. No. 4(1)/2011-DPE(PMA)GL dated 12.06.2013. of Department of Public Enterprises, Ministry of Heavy Industries and Public Enterprises, Govt. of India or any modification issued in this regard.

SL. No.	DESCRIPTION	NO. OF PAGE / SHEET
01.	DATASHEET FOR TELESCOPIC BELT CONVEYOR	04 PAGES
02.	TECHNICAL SPECIFICATION FOR PAINTING	19 PAGES



PEC LTD.
21 Shipyard Road, Singapore 628 144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

DISTRIBUTION	
INTERNAL	
HEAD OFFICE	
SITE OFFICE	
EXTERNAL	
CLIENT	1
CONSULTANT	
SUB CON .1	
SUB CON .2	
SUB CON .3	
TOTAL	1

PURPOSE	
INFORMATION	
PRELIMINARY	
TENDER	✓
COMMENT	
REVIEW	
APPROVAL	
CONFIRMATION	
CONSTRUCTION	
AS-BUILT	

DATASHEET FOR TELESCOPIC BELT CONVEYOR

Project:

GRASSROOT LUBE COMPLEX PROJECT AT AMMULAVAYOL, CHENNAI

Consultant:

PEC LTD.

Client:

INDIAN OIL CORPORATION LIMITED

Total No. of Sheets	Page
04 (Incl. cover sheet)	Page 1 of 04

REV.	DESCRIPTION	PREP BY	CHK BY	TECH APP	PROJ APP	DATE
A	ISSUED FOR TENDER	HTO	SBS	DR	KGK	21/02/21

TITLE: DATASHEET FOR TELESCOPIC BELT CONVEYOR

PEC PROJECT NO.	EPS JOB NO.	IOC JOB NO.	DOCUMENT NO.	SIZE	REV.
0RG2N0410000	0RG2N0410000	HCC/LUBES-07/GT-09/2018-19 (E-Tender ID: 2018_MKTHO_80987_1)		A4	A

BRIDGE AND ROOF CO. (INDIA) LTD. चेन्नाई CHENNAI

IndianOil	NAME OF WORK : Design, Detailed Engineering, Procurement, Supply, Fabrication, erection, welding, laying, installation, testing, painting and commissioning of Storage Tanks, Tank Farm Equipments, Process Equipments, Utility Equipments, Pipeline works, Ware House Management system, Filling lines and installation of Free issued Core Process Equipments and Piggable Pipe lines etc for setting up of Grass root Lube Complex at Villages Amullavoyal and Vaikkadu, Chennai".	

DATASHEET FOR TELESCOPIC BELT CONVEYOR

Sr.No.	ITEMS	Description
	SCOPE	Design, Engineering, drawing approval, procurement, fabrication/manufacture, assembly, testing, supply, installation assistance and commissioning of Telescopic Belt conveyors
	SERVICE	For use in : a) Packaging material Warehouse – for unloading of packaging materials from Trucks for storage in Warehouse (viz. Flat Cartons, Stacks of Pails, Carton boxes of Caps etc.) - 1no. b) Finished product warehouse – for Loading of FP cartons for small packs / Filled pails etc. into Trucks – 2nos The units are for Indoor application but due to the coastal weather conditions – environment is highly corrosive in nature; Painting specifications to consider these factors; To consider highly corrosion resistant Epoxy or equivalent paint of required DFT.
	PROJECT SITE	Amullavoyal village at Chennai . Tamil Nadu State The requirement is for a Greenfield, Grassroot Lube Complex – being set up at Chennai;
1.	Quantity	3 Nos.
2.	Material To Be Handle	Boxes / Flat Carton bundles / Stacks of Pails etc. as mentioned above.
3.	Weight Of The Box/Bags	25-40 Kg. Maximum
4.	Size Of Box/Bags	600 (L) x 500 (W) x 600 (H) (OVERALL)
5.	Temperature	Ambient
6.	Capacity	550 Boxes Per Hour
7.	Type	Collapsible Boom Type Hinged Telescopic Belt Conveyor;
8.	Design Capacity	600 Per Hour
9.	Size Of Belt	750 mm Width

10.	Type Of Belt	Rough Top 2 Ply, PVC Coated Endless Type
11.	Length Of Conveyor	Fixed Length : 4800 mm Telescopic (Expanded) : 6000 mm Total : 10,800 mm
12.	Main Body Of Conveyor	Manufacturing From IS 226 Plate Material - VTC
13.	Snub Pulley for Conveyor	VTC
14.	Drive Pulley	VTC
15.	Telescopic Movement	Mechanical Arrangement
16.	Mounting	On Fixed MS Chassis Mounted On Fabricated Frame with FIX and CASTOR Wheel with Manual Toeing Bar
17.	Height Adjustment	With 2 HP Power Pack & Cylinder for Height Adjustment (All components to be of reputed make - VTC makes of components)
18.	Panel	The Conveyor comes with a Fixed Main Panel on Rear Side and Front Side Only; Operating Panel with Emergency Stopper Sensor Bar, LED Lighting, Totally Consoled Wiring.
19.	Painting	INTERNAL : High corrosion resistant Epoxy paint of required DFT as per Vendor standard; VTC;
	DRIVE FOR BELT	**SPECIFICATION**
1.	Belt Motor	** HP, 1440 RPM, TEFC – VTC details of Make, type etc.
2.	Motor Make	Rotomotive or suitable equivalent make – VTC
3.	Gear Box	Worm Type, Wall Mounted , With Suitable Ratio - VTC
4.	Gear Make	Rotomotive or suitable equivalent make - VTC
	DRIVE FOR TELE. MOVEMENT	**DESCRIPTION**

IndianOil	**NAME OF WORK** : Design, Detailed Engineering, Procurement, Supply, Fabrication, erection, welding, laying, installation, testing, painting and commissioning of Storage Tanks, Tank Farm Equipments, Process Equipments, Utility Equipments, Pipeline works, Ware House Management system, Filling lines and installation of Free issued Core Process Equipments and Piggable Pipe lines etc for setting up of Grass root Lube Complex at Villages Amullavoyal and Vaikkadu, Chennai".	

1.	Motor	** HP, 1440 RPM, TEFC- VTC make, HP and Type;
2.	Motor Make	Rotomotive or suitable reputed equivalent make – VTC
3.	Gear Box	Worm Type, Wall Mounted , With Suitable Ratio – VTC
4.	Gear Make	Rotomotive or equivalent – VTC
	DRIVE FOR TRANSVERSE MOVEMENT	**CROSS TRANSVERSE LENGTH 10.8 MTR**
1.	Motor	** HP – VTC make, HP, RPM and Type;
2.	Motor Make	Rotomotive or Equivalent – VTC
3.	Gear Box	Worm Type, Wall Mounted , With Suitable Ratio – VTC
4.	Gear Make	Rotomotive or suitable reputed equivalent make - VTC
	ACCESSORIES	The unit shall be complete with all necessary accessories – required for normal operation & Maintenance of the machine; To ensure safety of personnel at the time of working suitable arrangements to be provided in the design, in such a manner and location as necessary to give safe and complete access to all the parts of the machine requiring inspection or adjustments.
	DOCUMENTATION	Vendor to confirm that following documentation will be submitted in 3 sets on placement of PO: -General Arrangement drawing - Installation drawing -Equipment layout and static loads - Guarantee / Warranty Certificate -Manufacturer's original Test Certificates & Guarantee certificates for bought out components - Inspection / Performance Test report for the unit - Installation manual - Operations & Maintenance manual

PEC LTD.
21 Shipyard Road, Singapore 628 144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

DISTRIBUTION	
INTERNAL	
HEAD OFFICE	
SITE OFFICE	
EXTERNAL	
CLIENT	1
CONSULTANT	
SUB CON .1	
SUB CON .2	
SUB CON .3	
TOTAL	1
PURPOSE	
INFORMATION	
PRELIMINARY	
TENDER	√
COMMENT	
REVIEW	
APPROVAL	
CONFIRMATION	
CONSTRUCTION	
AS-BUILT	

TECHNICAL SPECIFICATION FOR PAINTING SYSTEM

Project:

GRASSROOT LUBE COMPLEX PROJECT AT AMMULAVAYOL, CHENNAI

Consultant:

PEC LTD.

Client:

INDIAN OIL CORPORATION LIMITED

Total No. of Sheets	Page
08 (Incl. cover sheet)	Page 1 of 8

REV.	DESCRIPTION	PREP BY	CHK BY	TECH APP	PROJ APP	DATE
A	ISSUED FOR TENDER	VR	SKR	SKR	KGK	15/07/2021

TITLE:

TECHNICAL SPECIFICATION FOR PAINTING SYSTEM

PEC PROJECT NO.	EPS JOB NO.	IOC JOB NO.	DOCUMENT NO.	SIZE	REV.
0RG2N0410000	0RG2N0410000	HCC/LUBES-07/GT-09/2018-19 (E-Tender ID: 2018_MKTHO_80987_1)	50-0RG2N-IS-007	A4	A

PEC LTD.
21 Shipyard Road, Singapore 628144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

Date: 15/07/2021	**TITLE:** **TECHNICAL SPECIFICATION FOR PAINTING SYSTEM**	**Doc No:** 50-0RG2N-IS-007
		Project No: 0RG2N0410000
Client: Indian Oil Corporation Limited, INDIA		**Project:** Grassroot Lube Complex Project, Chennai - INDIA
Rev. No: A		

1.0 SCOPE

1.1 This document covers the surface preparation and painting / coating requirements for equipment, piping, structures, etc for Lube Oil Complex Project for Indian Oil Corporation Limited (Owner).

1.2 Purpose of this document is to provide guidance to contractors and suppliers for selection of painting / coating systems with respect to Owner Painting Specification and its addendum for effective protection of plant equipment, piping, structure and other applicable components.

2.0 REFERENCE OWNER DOCUMENTS

- IOCL Painting Manual & Colour Code – IOC/M&I/Painting Manual Rev-1, June 2015
- Addendum to IOCL Painting Manual – HO/M&I/33/57 dated 10-June-2016
- IOCL Recommended Colour Codes in LBPs & GP – HO/LO/Policy dated 07-November-19
- Specification for Painting of Underground Pipelines – ENG/34/Pipes dated 20-July-19

3.0 PAINTING REQUIREMENTS

3.1 IOCL Painting Manual and its Addendum shall be referred in general for types of paints / coatings, surface preparation, paint application, inspection of paints and coatings, quality assurance, painting checklists, etc.

3.2 Project Site shall be classified as Zone-A Extremely Severe Corrosive Zone.

3.3 International Codes, Standards and References shall be as listed in Owner Painting Manual.

3.4 In addition, all painting requirements specified in OISD Standard 237 shall be adopted.

3.5 Before finalizing the Paint specification, the catalogue of manufacturer to be referred for temperature limit and DFT.

3.6 HR Aluminium / Silicone Aluminium paints are available for different temperature ranges and hence should be selected for appropriate temperature range.

CHENNAI

PEC LTD.
21 Shipyard Road, Singapore 628144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

Date: 15/07/2021	TITLE: TECHNICAL SPECIFICATION FOR PAINTING SYSTEM	Doc No: 50-0RG2N-IS-007
		Project No: 0RG2N0410000
Client: Indian Oil Corporation Limited, INDIA		Project: Grassroot Lube Complex Project, Chennai - INDIA
Rev. No: A		

3.7 Area of painting for tank external, tank internal and piping shall be as specified in Addendum document.

3.8 Moisture barrier (up to 170°C – Aluminium and above 170°C - Austenitic SS foils) to be provided for all insulated piping / equipment after paint curing and before application of insulation.

3.9 Surface preparation and Painting for underground piping shall be as specified in respective owner specification.

3.10 IOCL Recommended Colour Codes document shall be referred for the Colour Code Selection of Equipment, Piping and Valves in this Lube Plant project.

3.11 Colour Codes for other equipment & components such for general structure, staircase, ladder, walkways, handrail, load lifting equipment, etc., shall be referred to Owner Painting Manual.

3.12 Table-1 below provides the guideline for selecting application wise Paint / Coating Systems.

PEC LTD.
21 Shipyard Road, Singapore 628144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

Date: 15/07/2021	**TITLE:** TECHNICAL SPECIFICATION FOR PAINTING SYSTEM	**Doc No:** 50-0RG2N-IS-007
		Project No: 0RG2N0410000
Client: Indian Oil Corporation Limited, INDIA		**Project:** Grassroot Lube Complex Project, Chennai - INDIA
Rev. No: A		

TABLE-1: APPLICATION WISE PAINTING / COATING SELECTION FOR NEW CONSTRUCTION IN ZONE-A

Service	Surface Preparation	Primer		Intermediate Coat		Finish Coat		Total min DFT micron
		Generic Name	DFT	Generic Name	DFT	Generic Name	DFT	
External surface of un-insulated equipment including storage tanks (product and water services – shell & roof top), piping and structures (up to 120°C)	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	Polyamide Cured HB Epoxy MIO (U1)	100-125µ	Two pack Acrylic Polyurethane (PU) (F1) Note:1	30-35µ (two coats)	225 µ
External surface of insulated equipment including storage tanks (shell & roof top) and piping (up to 120°C) –	Sa 2½	Two pack modified epoxy phenolic (U2)	300µ (2 coats of 150µ)	-	-	-	-	300 µ
External surface of un-insulated equipment and piping (120°C to 200°C)	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	HR Aluminum/ Silicone Aluminum	40µ (2 coats of 15-20µ)	105 µ

PEC LTD.
21 Shipyard Road, Singapore 628144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

Date: 15/07/2021	**TITLE:** TECHNICAL SPECIFICATION FOR PAINTING SYSTEM	**Doc No:** 50-0RG2N-IS-007
		Project No: 0RG2N0410000
Client: Indian Oil Corporation Limited, INDIA		**Project:** Grassroot Lube Complex Project, Chennai - INDIA
Rev. No: A		

Service	Surface Preparation	Primer		Intermediate Coat		Finish Coat		Total min DFT micron
		Generic Name	DFT	Generic Name	DFT	Generic Name	DFT	
External surface of insulated equipment and piping (120°C to 200°C)	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	Two pack modified epoxy phenolic (U2)	300µ (2 coats of 150µ)	365 µ
External surface of un-insulated equipment and piping (above 200°C)	Sa 2½	-	-	-	-	HR Aluminum/ Silicone Aluminum	40µ (2 coats of 15-20µ)	40 µ
External surface of insulated equipment and piping (above 200°C)	Sa 2½	-	-	-	-	HR Aluminum/ Silicone Aluminum	40µ (2 coats of 15-20µ)	40 µ
Internal surface of tanks in hydrocarbon service except ATF	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats of 100-125µ)	300 µ
Internal Surfaces of tanks in water service (fire water, industrial water)	Sa 2½	Polyamide cured epoxy Zinc Phosphate primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575 µ

CHENNAI

PEC LTD.
21 Shipyard Road, Singapore 628144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

Date: 15/07/2021	**TITLE:** TECHNICAL SPECIFICATION FOR PAINTING SYSTEM	**Doc No:** 50-0RG2N-IS-007
		Project No: 0RG2N0410000
Client: Indian Oil Corporation Limited, INDIA		**Project:** Grassroot Lube Complex Project, Chennai - INDIA
Rev. No: A		

Service	Surface Preparation	Primer		Intermediate Coat		Finish Coat		Total min DFT micron
		Generic Name	DFT	Generic Name	DFT	Generic Name	DFT	
Underside of Tank and external surfaces of buried vessels / tanks	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats of 100-125µ)	**265 µ**
External surface of insulated Stainless Steel equipment and piping (Upto 120°C)	-	-	-	-	-	Specially formulated polyamine cured coal tar Epoxy coating (or) Two-component Epoxy Phenolic coating cured with polyamine adduct hardner system	250µ (2 coats of 125µ (or) 240µ (3 coats of 80µ)	**250 µ**
External surface of insulated Stainless Steel equipment and piping (121°C to 400°C)	-	-	-	-	-	Heat resistant Silicone Aluminium paint.	60µ (3 coats of 20µ)	**60 µ**

PEC LTD.
21 Shipyard Road, Singapore 628144
Tel: 6268 9788 Fax: 6268 9488
URL: http://www.peceng.com

Date: 15/07/2021	**TITLE:** TECHNICAL SPECIFICATION FOR PAINTING SYSTEM	**Doc No:** 50-0RG2N-IS-007
		Project No: 0RG2N0410000
Client: Indian Oil Corporation Limited, INDIA		**Project:** Grassroot Lube Complex Project, Chennai - INDIA
Rev. No: A		

Note:

1. In case of structural steel, 2 coats of Synthetic Enamel finish coat can be applied in place of Acrylic Polyurethane finish paint.

Ref.: HO/M&I/33/57 **Dtd.: 10/06/2016**

Circular No.57

To
ALL M&I / State Engg./Ops/Regnl.Avn. & Lubes Heads

SUB.: ADDENDUM TO IOCL PAINTING MANUAL

An inter-divisional painting manual was issued by refineries Division in 2015, for use across the divisions. However on scrutinizing and studying the manual, it was realized that for marketing division certain clarification are required.

For implementing the above IOCL painting manual in Marketing Divn. locations, an addendum has been brought out compiling the relevant painting schemes pertaining to Mktg.Divn. Locations. The addendum also includes details of paint specifications, summary of the paint referred in the addendum tables and the area of paint application for ease of understanding and implementation.

To ensure the paint quality a tender condition may be introduced that the sales representative of the paint manufacturer must be called for sample checks on random basis, and asked to collect paint sample as per Paint Manufacturer procedure, in the presence of IOC & applicator's representative, and sent to the paint manufacturer's lab for testing.

Similarly TPI will be required to depute an inspector who will follow the QAP, and inspect the painting works as per the requirements of the QAP (Given as Annexure-III in the Painting Manual).

Soft copies of the Addendum, is uploaded along with the circular in the M&I Portal. The IOCL Painting manual referred above will be available under the M&I Manuals Section.

The above has the approval of ED(Engg.& PJ), HO.

10/6/16.

(K S Mishra)
GM (M&I), HO

Ccs : ED(Engg.& PJ), ED(Ops), ED(Avn.), ED(Lubes),
Ccs : GM(Engg.), GM(Ops.), GM(Avn.), GM (Lubes), HO.

ADDENDUM FOR MARKETING DIVISION
PAINT SPECIFICATION

New Construction / First Time Painting

A. Zone-A (Corrosive Zone)

Service	Surface Preparation	Primer		Intermediate coat		Finish Coat		Total Min DFT micron
		Generic name	DFT	Generic name	DFT	Generic name	DFT	
External surface of un-insulated equipment including storage tanks (product and water services – shell & roof top), piping and structures (up to 120 deg C)	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	Polyamide cured HB Epoxy MIO (U1)	100-125µ	Two pack Acrylic Poly-Urethane (PU) (F1)	40-50µ	215µ
External surface of insulated equipment including storage tanks (shell & roof top) and piping (up to 120 deg C)	Sa 2½	Two pack Modified epoxy phenolic (U2)	300µ (2 coats of 150µ)	-	-	-	-	300µ
Internal surface of tanks in hydrocarbon service except ATF	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	300µ
Internal surface of tanks in ATF service	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	305µ
Internal surface of tanks in water service (Fire water, Industrial Water)	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575µ
Underside of Tank and external surfaces of buried vessels / tanks / piping	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	265µ
FR Tank Pontoon internal	St-2	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	-	-	70µ

BRIDGE AND ROOF CO. (INDIA) LTD. CHENNAI

B. Zone-B (Non-Corrosive Zone)

Service	Surface Preparation	Primer		Intermediate coat		Finish Coat		Total Min DFT micron
		Generic name	DFT	Generic name	DFT	Generic name	DFT	
External surface of un-insulated equipment including storage tanks (product and water services – shell & roof top), piping and structures (up to 120 deg C)	Sa 2½	Red Oxide Zinc Phosphate Primer (P3)	60-70µ (2 coats of 30-35µ)	-	-	Aluminium Finish Paint (F2)	30-40µ (2 coats of 15-20µ)	90µ
External surface of insulated equipment including storage tanks (shell & roof top) and piping (up to 120 deg C)	Sa 2½	Two pack Modified epoxy phenolic (U2)	300µ (2 coats of 150µ)	-	-	-	-	300µ
Internal surface of tanks in hydrocarbon service except ATF	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	300µ
Internal surface of tanks in ATF service	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	305µ
Internal surface of tanks in water service (Fire water, Industrial Water)	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575µ
Underside of Tank and external surfaces of buried vessels / tanks / piping	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	265µ
FR Tank Pontoon internal	St-2	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	-	-	70µ
In case of steel structural – 2 coats of Synthetic Enamel finish coat can be applied in place of Aluminium finish paint (2 x 20-25 microns)								

Re-painting / Maintenance Painting

A. Zone-A (Corrosive Zone)

Service	Surface Preparation	Primer		Intermediate coat		Finish Coat		Total Min DFT micron
		Generic name	DFT	Generic name	DFT	Generic name	DFT	
External surface of un-insulated equipment including storage tanks (product and water services – shell & roof top), piping and structures (up to 120 deg C)	St-2 / St-3*	Self priming HB epoxy mastic coating (P4)	100-125µ	Polyamide cured HB Epoxy MIO (U1)	100-125µ	Two pack Acrylic Poly-Urethane (PU) (F1)	40-50µ	240µ
External surface of insulated equipment including storage tanks (shell & roof top) and piping (up to 120 deg C)	St-2 / St-3*	Self priming HB epoxy mastic coating (P4)	100-125µ	Two pack Modified epoxy phenolic (U2)	150µ	-	-	250µ
Internal surface of tanks in hydrocarbon service except ATF (In case of full re-painting)	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	300µ
Internal surface of tanks in hydrocarbon service except ATF (In case of patch / touch up painting)	St-3	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	270µ
Internal surface of tanks in ATF service (In case of full re-painting)	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	305µ
Internal surface of tanks in ATF service (In case of patch / touch up painting)	St-3	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	270µ
Internal surface of tanks in water service (Fire water, Industrial Water) [In case of full re-painting]	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575µ
Internal surface of tanks in water service (Fire water, Industrial Water) [In case of patch / touch up painting]	St-3	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575µ
External surfaces of buried tanks / piping	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	265µ
FR Tank Pontoon internal	St-2 (St-3 if tank is empty)	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	-	-	70µ
If the **water tank** is presently painted with **coal tar epoxy paint**, **internal touch up painting** to be carried out with two coats of Coal tar epoxy (150 microns). However, when water tank is internally fully re-painted, the scheme given in the above table to be followed.								
- Surface preparation to St-3 (Power Tool Cleaning) to be carried out in case of water tanks / piping and empty product tanks / piping.								

B. Zone-B (Non-Corrosive Zone)

Service	Surface Preparation	Primer		Intermediate coat		Finish Coat		Total Min DFT micron
		Generic name	DFT	Generic name	DFT	Generic name	DFT	
External surface of un-insulated equipment including storage tanks (product and water services – shell & roof top), piping and structures (up to 120 deg C)	St-2 / St-3*	Red Oxide Zinc Phosphate Primer (P3)	30-35µ	-	-	Aluminium Finish Paint (F2)	30-40µ (2 coats of 15-20µ)	60µ
External surface of insulated equipment including storage tanks (shell & roof top) and piping (up to 120 deg C)	St-2 / St-3*	Self priming HB epoxy mastic coating (P4)	100-125µ	Two pack Modified epoxy phenolic (U2)	150µ	-	-	250µ
Internal surface of tanks in hydrocarbon service except ATF (In case of full re-painting)	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	300µ
Internal surface of tanks in hydrocarbon service except ATF (In case of patch / touch up painting)	St-3	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	270µ
Internal surface of tanks in ATF service (In case of full re-painting)	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	Epoxy Zinc Phosphate (P5)	35-40µ	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	305µ
Internal surface of tanks in ATF service (In case of patch / touch up painting)	St-3	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	270µ
Internal surface of tanks in water service (Fire water, Industrial Water) [In case of full re-painting]	Sa 2½	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575µ
Internal surface of tanks in water service (Fire water, Industrial Water) [In case of patch / touch up painting]	St-3	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	Solvent less HB epoxy Liner (F4)	500µ (2 coats of 250µ)	575µ
External surfaces of buried tanks / piping	Sa 2½	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	-	-	Amine adduct cured HB Epoxy Liner (F3)	200-250µ (2 coats 100-125µ)	265µ
FR Tank Pontoon internal	St-2 (St-3 if the tank is empty)	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	-	-	-	-	70µ
In case of steel structural – 2 coats of Synthetic Enamel finish coat can be applied in place of Aluminium finish paint (2 x 20-25 microns)								
If the **water tank** is presently painted with **coal tar epoxy paint**, **internal touch up painting** to be carried out with two coats of Coal tar epoxy (150 microns). However, when water tank is internally fully re-painted, the scheme given in the above table to be followed.								
* - Surface preparation to St-3 (Power Tool Cleaning) to be carried out in case of water tanks / piping and empty product tanks / piping.								

1 PRIMERS

1.1 Inorganic Zinc Ethyl Silicate Primer (P1):

The zinc ethyl silicate consists of two packs. One pack contains the ethyl silicate binder with suitable solvents. The other pack contains zinc dust with additives. They have to be mixed in suitable proportions before application as recommended by manufacturer.

Colour	Grey
Binder	Ethyl silicate
Pigment	Zinc dust (As per the ASTM D520, Type -II)
Application	Spray (airless /air)
Dry film thickness/ coat	65-75 microns
Theoretical coverage	8.5 sq. m / litre
Drying time	4 hours
Re-coating time	24 hours
Volume solids	60-65 %
Storage life	6 months under sealed conditions

1.2 Two Pack Polyamide cured Epoxy Zinc Phosphate Primer (P2):

These coatings are corrosion resistant inhibitive primers based on cold cured epoxy – polyamide two pack system, over which subsequent coatings can be applied.

Binder	Condensation product of bisphenol A & epichlorohydrin with terminal epoxides with epoxide equivalent 450-500
Pigment	Mixture of iron oxide with zinc phosphate.
Application	By brush or spray
Dry film thickness/ coat	70-75 microns
Theoretical coverage	7.5-8.5 sq. m / litre
Drying time	Surface dry in four hours
Re-coating time	24-48 hours
Volume Solids	50-60 %
Storage life	18 Months under sealed conditions

1.3 Red Oxide Zinc Phosphate Primer (P3)

This primer is based on single pack modified alkyd medium pigmented with a mixture of Zinc Phosphate and Red Oxide.

Pigment	Mixture of zinc phosphate and red oxide. Out of the total pigmentation, the minimum quantity of zinc phosphate should be 10%.
Application	By brush or spray
Dry film thickness/ coat	30-35 microns
Theoretical coverage	11-13 sq. m / litre
Drying time	Touch dry – 1 hr. Hard dry overnight.
Re-coating time	Minimum overnight
Volume Solids	40–45%
Storage life	6 months under sealed conditions

1.4 Self Priming HB Epoxy Mastic Coating (P4)

This is a two pack high build, modified aluminium epoxy mastic coating possessing self priming properties and good adhesion to even rusted steel or aged paints. The coating is tolerable to under prepared surfaces.

Binder	Condensation product of bisphenol A & epichlorohydrin with terminal epoxides with epoxide equivalent of 180-200
Application	by brush / air less spray
Dry film thickness/ coat	125 microns
Theoretical coverage	6 sq. m / litre
Drying time	Touch dry- 2 hours, Hard dry- 24 hours
Re-coating time	24-48 hrs
Volume solids	80%
Storage life	12 Months under sealed conditions

1.5 Epoxy Zinc Phosphate Primer (P5)

It is a two pack anti corrosive epoxy primer.

Binder	Polyamide cured epoxy
Application	By brush, Airless or conventional spray
Dry film thickness/ coat	35-50 microns
Theoretical coverage	8 - 13 sq. m / litre
Drying time	1 – 2 Hrs
Re-coating time	Overnight
Volume Solids	40-45%
Storage life	12 Months under sealed conditions

2 INTERMEDIATE PAINTS

2.1 Two Pack Polyamide cured HB Epoxy MIO Undercoat (U1)

These coatings are high build paints based on cold cured epoxy polyamide system pigmented with chemically inert pigments and extenders formulated to permit application at a DFT higher than 100 microns per coat.

Binder	Bisphenol A and epichlorohydrin with terminal epoxides with polyamide as curing agent with epoxide equivalent 450-500
Pigment	Micaceous iron oxide (MIO–lamellar)
Application	By brush or airless spray
Dry film thickness/ coat	110-120 microns.
Theoretical coverage	5 - 5.5 sq.m/l
Drying time	Touch dry in 2 hours, hard dry in 48 hours
Re-coating time	24-48 hours.
Volume solids	55-60%
Storage life	12 Months under sealed conditions.

BRIDGE AND ROOF CO (INDIA) LTD. चेन्नई CHENNAI

2.2 Two Pack modified Epoxy Phenolic (U2)

A high performance, High Build Epoxy Phenolic tank liner sustain immersion in Hydrocarbon cargoes at elevated temp along with excellent chemical, water and solvent resistance

Binder	Epoxy Cured with modified Amine Hardner
Application	Airless (brush for touch up)
Dry film thickness/ coat	125 - 175 microns
Theoretical coverage	3.4 - 5.6 sqm per ltrs
Drying time	2 - 3 hrs
Re-coating time	Min overnight and Maximum 5 days
Volume solids	60 - 70%
Storage life	9 months under sealed conditions
Colour	Grey

3 FINISH PAINTS

3.1 Two Pack Aliphatic Acrylic Polyurethane Finish Paint (F1)

Part A and Part B are to be mixed together to form a pigmented polyurethane paint in suitable proportions as recommended by manufacturer. Part A consists of polyacrylate polyol with appropriate pigments, extenders, solvents and additives. Part B consists of an aliphatic polyisocyanate with appropriate solvents and additives.

Binder	Aliphatic polyisocyanate and Polyacrylate polyol
Pigment	Rutile TiO2 and extenders
Application	Brush or spray
Dry film thickness/ coat	30-35 microns
Theoretical coverage	11-13 sq.m/litre
Drying time	Surface dry 1 hr., Full cure 7 days.
Re-coating time	Overnight to 5 days
Volume solids	50-55%
Storage life	3 months under sealed conditions.
Colour	As desired

3.2 Aluminium Finish Paint (F2)

It is a two pack system based on oleoresinous binder and leafing aluminium pigment given separately in paste form. Both are mixed at the time of application.

Binder	Oleo-resinous binder
Pigment	Aluminum (ASTM 962)
Application	Brush or spray
Dry film thickness/ coat	15-20 µm
Theoretical coverage	13-15 sq. m/liter
Drying time	Surface dry /1 hr., Hard Dry / 8 hrs.
Re-coating time	Min 24 hours
Volume solids	20-25%
Storage life	6 months under sealed conditions.
Colour	Metallic Aluminum

3.3 Amine adduct cured HB Epoxy Liner (F3)

A high Build High Performance Tank Liner, specially design for sustain immersion services

Binder	Amine cured epoxy
Application	Airless (brush for touch up only)
Dry film thickness/ coat	100 - 150 microns
Theoretical coverage	3.3 - 6 sqm per ltrs
Drying time	2 - 3 hrs
Re-coating time	Overnight
Volume solids	50 - 60 %
Storage life	12 months under sealed conditions
Colour	White / Light Grey / Offwhite

3.4 Solvent less HB Epoxy Liner (F4)

A two pack solventless coating suitable for sustained immersion in hydrocarbons and water.

Binder	Catalysed epoxy resins
Application	By brush or airless spray
Dry film thickness/ coat	200 – 500 microns
Theoretical coverage	2 – 3 sq. m / litre
Drying time	Overnight
Re-coating time	24 – 48 hours
Volume solids	100%
Storage life	9 months under sealed conditions
Colour	White/ grey

3.5 Coal Tar Epoxy (F5)

A high build two component epoxy coal-tar product meant for excellent performance under total / partial / intermittent immersion conditions in salt or fresh water. It is a blend of epoxy and coal-tar pitch in suitable ratios.


Binder	Condensation product of bisphenol A and epichlorohydrin with terminal epoxides with polyamide as curing agent.
Pigment	Suitable pigment
Application	By brush or airless spray
Dry film thickness/ coat	150-200 microns
Theoretical coverage	4 - 5 sq.m/l.
Drying time	Touch dry – overnight, Hard dry – in 48 hours.
Re-coating time	24-48 hours.
Volume solids	80-85%
Storage life	Up to 9 months under sealed conditions
Colour	Black/ brown

BRIDGE AND ROOF CO. (INDIA) LTD. चेन्नाई CHENNAI

3.6 Synthetic Enamel (F6)

A high quality enamel based on synthetic resin vehicle stable weather resistant pigment designed for both protection and decoration.

Binder	Alkyd resin
Pigment	Suitable pigment
Application	By brush or conventional spray
Dry film thickness/ coat	25 microns
Theoretical coverage	15 sq.m/l.
Drying time	Surface dry - 4 hrs. , Hard dry – in 18 hrs.
Re-coating time	Minimum overnight
Volume solids	38-40%
Storage life	12 months under sealed conditions
Colour	As desired



SUMMARY OF PAINTS REFERRED IN THE TABLES ABOVE

SN	Paint Generic Name	DFT per coat	Reference in Addendum Table
	PRIMERS		
1.	Inorganic Zinc Ethyl Silicate (P1)	65-75µ	1.1
2.	Polyamide cured epoxy Zinc Phosphate Primer (P2)	70-75µ	1.2
3.	Red Oxide Zinc Phosphate Primer (P3)	30-35µ	1.3
4.	Self priming HB epoxy mastic coating (P4)	100-125µ	1.4
5.	Epoxy Zinc Phosphate (P5)	35-40µ	1.5
	UNDERCOATS		
1.	Polyamide cured HB Epoxy MIO (U1)	100-125µ	2.1
2.	Two pack modified epoxy phenolic (U2)	150µ	2.2
	FINISH PAINTS		
1.	Two pack Acrylic Poly-Urethane (PU) (F1)	40-50µ	3.1
4.	Aluminium Finish Paint (F2)	15-20µ	3.2
2.	Amine adduct cured HB Epoxy Liner (F3)	100-125µ	3.3
3.	Solvent less HB epoxy Liner (F4)	250µ	3.4
6.	Coal Tar Epoxy (F5)	150µ	3.5
5.	Synthetic Enamel (F6)	20-25µ	3.6

PAINTING AREA

Zone –A (Corrosive Zone)

Tank External	Shell and roof plates, non galvanized steel structural like spiral staircase, hand rail, landing platforms, rolling ladder etc.
Tank Internal	Upper side of bottom plates, 1st strake & top 300 mm of inside surface of shell plates [Shell plates up to full height in case of FR tanks in MS / Naphtha / NGL, Shell plates up to full height in ATF / Water], underside of roof plates in CR tank, underside of lower deck plates in FR tanks, Rim plate external side in FR tanks and corresponding internal structural.
Pipeline	External surface of pipelines, valves and other fittings

Zone –B (Non-Corrosive Zone)

Tank External	Shell and roof plates, non galvanized steel structural like spiral staircase, hand rail, landing platforms etc.
Tank Internal (FR tanks, Water and ATF services)	Upper side of bottom plates, Shell plates up to full height in case of FR tanks in MS / Naphtha / NGL, Shell plates up to full height in ATF / Water, underside of roof plates in CR tank, underside of lower deck plates in FR tanks, Rim plate external side in FR tanks, corresponding internal structural.
Tank Internal (HSD & SKO)	Top 300 mm of inside surface of shell plates (i.e. vapour space) & underside of roof plates in CR tanks, corresponding internal roof structural.
Tank Internal (FO, LDO)	Top 300 mm of inside surface of shell plates (i.e. vapour space) & underside of roof plates in CR tanks, corresponding internal roof structural.
Pipeline	External surface of pipelines, valves and other fittings

ZONE CLASSIFICATION OF LOCATIONS FOR PAINT APPLICATION

ZONE - A			
CORROSIVE ZONE			
Calcutta	Haldia	Visakhapatnam	Dhanbad
Kandla	Chennai	Tuticorin	Tatanagar
Narimanam	Cochin	Cannanore	Rourkela
Feroke	Quilon	Trivandrum	Surat (Hazira)
West Hill	Calicut	Mangalore	Jamnagar
Karwar	Berhampur	Paradip	Porbandar
A&N islands	Mumbai	Goa	Sambalpur
Okha	Jamshedpur	Durgapur	

ZONE - B			
NORMAL ZONE			
Siliguri	Bongaigaon	Malda	Kotkapura
Cuttack	Jorhat	Guwahati	Guntakal
Bhubaneshwar	Panbari	Missamari	Nizamabad
Duliajan	Chabua	Tinsukhia	Hyderabad
North Lakhimpur	Tezpur	Doom Dooma	Baddi
Agartala	Arunachal Pradesh	Mohanbari	Agra
Khumbigram	Sikkim – Rangpo	Manipur	Panipat
Tripura – dharmanagar	Nagaland – dimapur	Tadali (Chandrapur)	Raichur
Dhulia	Renigunta	Manmad	Warangal
Aurangabad	Belgaum	Triunelveli	Digboi
Rajamundry	Neyveli	Hubli	Srinagar
Allahabad	Kanpur	Mugalsarai	Bidar
Mathura	Bhavnagar	Bareilly	Tadepalli
Gorakpur	Jhansi	Lucknow	Barauni
Meerut	Moradabad	Varanasi	Pathankot
Delhi	Jaipur	Ajmer	Bikaner
Bharatpur	Kota	Udaipur	Shimla
Basti	Gonda, Hiskar	Patna	Chandigarh
Bhagalpur	Ranchi	Akola	Jaisalmer
Bhitoni	Sholapur	Loni	Hanumangarh
Nagpur	Baroda	Ahmedabad	Jodhpur
Rajkot	Bhilai	Bilaspur	Nal
Bishrampur	Gwalior	Itarsi	Kargil
Jayant	Mangliagaon	Awantipur	Ambala
Bhopal	Ratlam	Salna	Jalandhar
Indore	Cuddapah	Coimbatore	Rajpura
Erode	Salem	Sankari	Amritsar
Trichy	Vilangudi	Madurai	Bhatinda
Pune	Pimpri	Nasik	Patiala
Palghat	Bangalore	Bijapur	Mysore
Jammu	Shimoga	Yellahanka	

Note : The Zone-B locations, located in heavily industrialised area should also be considered as Zone-A locations for painting.

BRIDGE & ROOF CO. (INDIA) LTD.

(A GOVT. OF INDIA ENTERPRISE)
KANKARIA CENTRE, 2/1, RUSSEL STREET,
5TH FLOOR, KOLKATA-700071.

PROFORMA OF BANK GUARANTEE TOWARDS SECURITY CUM PEFORMANCE GUARANTEE

(On Non-judicial paper of appropriate value)

THIS DEED OF GUARANTEE made this _____ day of _____
_____ by_____
(Name of Bank)
(wherever the context so requires includes its successors and assigns hereinafter called "the Bank") in favour of Bridge & Roof Co.(India) Ltd., having its registered office at Kankaria Centre, 2/1, Russel Street, 5th floor, Kolkata-700071 (wherever the context so requires includes its successors and assigns, hereinafter called "the Purchaser") :

WHEREAS Messrs _____having its Registered Office at
_____
(wherever the context so requires includes its successors and assigns, hereafter called "the Supplier") has been awarded an Order No. _____
dated _____ by the Purchaser for _____
on the Terms & Conditions setforth in the said order dated _____

The conditions of order provide inter alia that the supplier shall pay to Purchaser a sum of Rs./US _____Dollar _____(Rupees/US _____ Dollar _____) being

_____% of order value as security deposit/performance guarantee, in the form and manner and subject to the terms therein mentioned. The form of payment of security deposit/performance guarantee includes a guarantee executed on behalf of the and at the request of the supplier by a Nationalized Bank, undertaking full responsibility to indemnify purchaser in case of default.

The said supplier has approached us and at their request and in consideration of the above mentioned premises we _____ having our office at _____ have agreed to and hereby give such guarantee as is hereinafter mentioned in Purchaser's favour.

1. We _____ of _____ ("the Bank") do hereby irrevocably guarantee to the Purchaser the due payment of the said sum of Rs./US Dollar _____(Rupees/US Dollar _____) by the supplier to the purchaser in Terms of the said conditions of the Order and their due performance of the obligations in this behalf and undertake and agree with purchaser that if default shall be made by the supplier in performing any of the terms and conditions of the order or in payment of any money payable to the Purchaser under the said Conditions of the Order, we the Bank shall merely on demand pay to the Purchaser without demur and without notice or reference to the supplier in such

manner as the Purchaser may direct, the said amount of Rs./US Dollar _____(Rupees/US Dollar _____ only) or such portion thereof not exceeding the said sum as purchaser may from time to time require and purchaser can look to us as the principal debtor.

BRIDGE AND ROOF CO. (INDIA) LTD. CHENNAI

2. The Purchaser will have the full liberty without reference to us and without affecting this guarantee, postpone for any time or from time to time the exercise of any of the powers and rights conferred on the purchaser under the said order with the said supplier and to enforce or to forbear from enforcing any powers or rights or by reason of time given to the said supplier which under law relating to the sureties would but for the provision have the effect of releasing us. Any such time/indulgence/forbearance and/or any act or omission or commission on purchaser's part will not vitiate out this guarantee.

3. The Purchaser's right to recover the said sum of Rs./US Dollar _____(Rupees/US Dollar _____only) from the Bank in the manner aforesaid will not be affected or suspended by reason of the fact that any dispute(s) are pending before any officer, Tribunal or Court or Arbitrator(s)/Umpire.

4. The guarantee herein contained shall not be determined or affected by the liquidation or winding up, dissolution or change of constitution or insolvency of the said supplier but shall in all respects and for all purposes be binding and operative until full payment is received by purchaser as if this is a continuing guarantee to secure purchaser's ultimate dues in the above mentioned premises.

5. We the Bank have power to issue this guarantee in purchaser's favour under Memorandum and Articles of Association and the undersigned has full power to do under the Power of Attorney dated _____ granted to him by the Bank.

6. The Bank will have no right of subrogation against the supplier unless all dues of the purchaser as aforesaid are paid in full. Bank do hereby waive their rights of surety ship which are inconsistent with all or any provisions hereof.

7. The Purchaser will be at liberty to alter the terms & conditions of the said order and/or to take any other security/guarantee/promissory notes from the supplier or others which will not affect/vitiate/discharge this guarantee issued by the Bank.


8. This guarantee will bind our successors and assigns and will remain operative irrespective of any change in the constitution of the Bank and/or the supplier.

9. Notwithstanding anything contained hereinbefore the Bank's liability under this guarantee will be restricted to Rs./US $ _____(Rupees/US Dollar _____ only) and this guarantee shall remain in force until _____ and unless a claim to enforce the guarantee is filed with the Bank within one month from _____(which is the date of expiry of guarantee) all rights of purchaser under the said guarantee shall be forfeited and the Bank shall be relieved and discharged from all liabilities there under.

_____

Bank
by its constituted attorney

Signature of a person duly
Authorized to sign on behalf
of the Bank.



ANNEXURE - E

(To be printed on a 120 Rupee NJ stamp paper by 'MSME/NSIC/SSI' registered bidder& shall be submitted along with bid)

AFFIDAVIT CUM DECLARATION

I, ……, S/O……, residing at ……, by age……, by domicile Indian, under the capacity of Sole Proprietor /Partner/Authorized Representative/Constituted Attorney/Karta (*choose the correct option*) of ……ABC……, (full name of MSME/NSIC/SSI) hereby solemnly declare and affirm as follows:

1. That ABC is a Micro/Small/Medium Enterprise (*choose the correct option*) and is registered under the Micro, Small and Medium Enterprises Development Act, 2006(hereinafter referred to as the MSMED Act) /National Small Industries Corporation (NSIC)/SSI and has its registered office at ……

2. That ABC avails all benefits under the said Act or NSIC as applicable and complies with all statutory formalities from time to time and has never been in default in this regard. (*State the correct status of MSME mentioning stage of Part I and Part II in case the registration of MSME is in process as per relevant Act or registration under NSIC as applicable)*

3. That ABC, being a Micro/Small/Medium Enterprise under MSMED Act, 2006 or Small Scale Industry or Enterprise registered under NSIC is entitled to claim exemption from deposit of Tender Fee and Earnest Money for the Tender put under notice by Bridge & Roof Co.(I) Limited, having their office at 2/1 Russel Street, Kolkata- 700071 (hereinafter referred to as the Company/B&R) i.e. : Tender No..... for ……(name of the Project)

4. That all documents of Bid submitted by ABC before the Company/B&R related to their registration, business activities, credentials and expertise are copies of original certificates and/or documents obtained on production of valid documents and facts.

5. That all the above representation and information disclosed in para 1 to 4 are correct and true to my knowledge and nothing material has been concealed. In case any documents or information are found to be false or forged, the bid submitted by ABC or any Job Order awarded to ABC shall be liable to cancelled by B&R and ABC shall be liable to indemnify B&R against the risk, cost and damage which the latter may suffer due to such acts of ABC.

IN WITNESS WHEREOF, I,…… of ABC HEREBY AFFIRM THIS AFFIDAVIT CUM DECLARATION ON THIS ……. DAY OF ……..

_____

(Name)
Authorised Representative
(DEPONENT)

VERIFICATION

I, the above named Deponent do hereby verify that the contents of the above Affidavit cum Declaration are true and correct to my knowledge & belief and no part of it is false. Nothing material has been concealed therefrom.

Verified at Kolkata on this the day of ……

_____

(Name)
Authorised Representative
(DEPONENT)

(Signature of Notary Public)

ANNEXURE - G

Format for Affidavit of Self certification regarding Minimum Local Content in line with PPP- MII order, 2017

[if applicable, to be provided on a Non-Judicial Stamp Paper of Rs. 100/- & shall be submitted along with bid]

Date : / / 2022

I _____S/o, D/o, W/o, _____Resident of_____hereby solemnly affirm and declare as under:

That I will agree to abide by the terms and conditions of the Public Procurement (Preference to Make in India) Order, 2017 (*hereinafter PPP-MII order*) of Government of India issued vide Notification No: P-45021/2/2017 -BE-II dated 15/06/2017, its revision dated 28/05/2018 and any subsequent modifications/Amendments, if any and

That the information furnished hereinafter is correct to the best of my knowledge and belief and I undertake to produce relevant records before the procuring entity/B&R or any other Government authority for the purpose of assessing the local content of goods/services/works supplied by me for
..... *(Enter the name of the Equipment/ Item for Project).*

That the local content for all inputs which constitute the said goods/services/works has been verified by me and I am responsible for the correctness of the claims made therein.

That the goods/services/works supplied by me for .....
(Enter the name of the Equipment/ Item for Project) meets the 'Minimum Local Content 'as defined in the PPP- MII order.

That the value addition for the purpose of meeting the 'Minimum Local Content 'has been made by me at ..... (***ENTER THE DETAILS OF THE LOCATION(S) AT WHICH VALUE ADDITION IS MADE).***

I agree to maintain the following information in the Company's record for a period of 8 years and shall make this available for verification to any statutory authority.

i Name and details of the Local Supplier .....
(Registered Office, Manufacturing unit location, nature of legal entity)

ii. Date on which this certificate is issue .....

Contd. Page-2

BRIDGE AND ROOF CO. (INDIA) LTD. चेन्नई CHENNAI

ANNEXURE - G

ii. Goods/services/works for which the certificate is produced.....

iii. Procuring entity to whom the certificate is furnished .....

iv. Percentage of local content claimed and whether it meets the Minimum Local Content prescribed.....

v. Name and contact details of the unit of the Local Supplier (s).....

vi. List of inputs which are imported, directly or indirectly.....

We also understand, false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

For and on behalf of..... (Name of firm/entity)

Authorized signatory (To be duly authorized by the Board of Directors)
<Insert Name, Designation and Contact No.>

चेन्नई CHENNAI

Annexure-F

BRIDGE AND ROOF CO. (I) LTD.

FORMAT FOR NO DEVIATION CERTIFICATE

[To be submitted in Bidder's Letter Head]

To

General Manager (South),
Bridge And Roof Co. (India) Ltd.,
No.626, Anna Salai,
JVL Plaza, 3rd Floor,
Teynampet, Chennai- 600 018.
State – Tamilnadu.

Subject: No Deviation Certificate "DESIGN, MANUFACTURING, TESTING, FAT, INSPECTION, SUPPLY, DELIVERY & SUPERVISION OF ASSEMBLY/ ERECTION/ INSTALLATION, INTEGRATION, PRE-COMMISSIONING & COMMISSIONING OF "TELESCOPIC BELT CONVEYORS" AS PER THE TECHNICAL SPECIFICATION FOR SETTING UP OF GRASSROOT LUBE OIL COMPLEX (GRLC) PROJECT, LUBE OIL TERMINAL , IOCL CHENNAI".

Ref.: **BANDR/MDS/40088/CONVEYOR/NIT/01 dated 03.10.2023**

Dear Sir,

With reference to above this is to confirm that as per Tender conditions we have noted the job content and site conditions etc. We also confirm that we have not changed/modified the tender documents as issued with above Notice Inviting Tender and in case of observance of the same at any stage it shall be treated as null and void.

We hereby also confirm that we have not taken any deviation from Tender Clause together with other reference as enumerated in the above referred Notice Inviting Tender and we hereby convey our unqualified acceptance to all terms & conditions as stipulated in the Tender Document.


In the event of observance of any deviation in any part or our offer at a later date whether implicit or explicit the deviations shall stand null and void.

Thanking you,

Yours faithfully,

For and On behalf of M/s. .....

(Name)
Designation



NIT No. BANDR/MDS/40088/CONVEYOR/NIT/01 DATE : 03.10.2023

ANNEXURE - I

FORMAT FOR EARNEST MONEY DEPOSITE (EMD) DECLARATION
(On Non – Judicial Paper of Rs. 10/-)

Date: [insert date (as day, month and year)]
Bid No.: [.....]
Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [Bridge & Roof Co(I) Ltd
Full Address:]
We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing /EMD Declaration.

We accept that we will automatically be kept under Black Listing /Holiday List from being eligible for bidding in any contract with Bridge & Roof Co.(I) Ltd (B&R) for the period of 6 months from the date of occurrence , if we are in breach of our obligation(s) under the bid conditions, because we:

(a) have withdrawn our Bid during the period of bid validity specified in the Letter of Bid; or


(b) having been notified of the acceptance of our Bid by B&R during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Clause of the Tender. We understand this Bid-Securing /EMD Declaration shall expire if we are not the successful Bidder, upon finalization of Tender or the validity of Bid whichever is earlier.

Signed: [insert signature of person whose name and capacity are shown] in the capacity of [insert legal capacity of person signing the Bid-Securing Declaration]

Name: [insert complete name of person signing the Bid-Securing Declaration]

Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder] Dated on _____ day of _____, _____ [insert date of signing] Corporate Seal (where appropriate)

[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid.]



ANNEXURE - H

'PART – II'

Specification and Schedule of Quantities (S.O.Q)

[BIDDER SHALL SUBMIT THIS PAGE ALONGWITH TECHNO-COMMERCIAL OFFER (PART – I), DULY WRITTEN THE WORD "*QUOTED*" AGAINST EACH ITEM / COMPONENT/BREAKUPS]

Sl. No.	Item Description	Unit	Qty.	Rate per Unit (in ₹)	Amount (in ₹)
A	**Design, Manufacturing, Testing, Inspection, Supply and Commissioning of Telescopic Belt Conveyor as detailed below:**				
A.1	**Loading & Unloading Material Handling Equipments (MHE):** Detailed Design and Engineering, Testing and Supply including preparation and submission of documents (General Arrangement, detail drawings, calculations, etc.,), providing necessary accessories, special tools, testing, assistance in installation, pre-commissioning, running trials, commissioning - as per drawings, technical specifications and applicable codes and standards. The scope shall include required provision of TELESCOPIC BELT CONVEYORS as per datasheet to achieve the functinality of transfer, stacking, loading/ unloading into containarized trucks etc. of suitable capacity and in required quantities - as mentioned below, including associated conveyors / feeding equipment for effective operation – at all loading / unloading points – generally as per the Functional Design Requirements. Datasheets: TDS-1 (Datasheet for Telescopic belt conveyor) Painting spec: 50-0RG2N-IS-007				
a)	**Finished product warehouse – for Loading of FP cartons for small packs / Filled pails etc. into Trucks – 2nos**	LS	1		

BRIDGE AND ROOF CO. (INDIA) LTD. चेन्नाई CHENNAI

Specification and Schedule of Quantities (S.O.Q)

[BIDDER SHALL SUBMIT THIS PAGE ALONGWITH TECHNO-COMMERCIAL OFFER (PART – I), DULY WRITTEN THE WORD "*QUOTED*" AGAINST EACH ITEM / COMPONENT/BREAKUPS]

Sl. No.	Item Description	Unit	Qty.	Rate per Unit (in ₹)	Amount (in ₹)
b)	Packaging material Warehouse – for unloading of packaging materials from Trucks for storage in Warehouse (viz. Flat Cartons, Stacks of Pails, Carton boxes of Caps etc.) - 1no.	LS	1		
I	TOTAL BASIC PRICE (EX - WORKS / GODOWN) :				
II	Packing & Forwarding Charges in percentage (%) of Basic Price [Excluding GST] :				
III	Freight Charges for Door Delivery at B&R's site in percentage (%) of Basic Price [Excluding GST] :				
IV	Transit Insurance Charges for safe door delivery in percentage (%) of Basic Price [Excluding GST] :				
V	IGST or CGST & SGST as applicable against above Materials / Works :				
VI	TOTAL C.I.F PRICE AT B&R'S IOCL-GRLC LUBE OIL PROJECT SITE AT CHENNAI, TAMILNADU, INDIA.				

NOTE:
Bidders to consider 7 days for Supervision at site for installation, Testing, Inspection, Integration, Pre Commissioning & Commissioning of Telescopic Belt Conveyor.

Quoted price shall be inclusive of Supervision for 7 days as dealt above.

Over and above 7 days shall be payable extra. Bidder has to quote for Optional Item as per Annexure-h, Page 3 enclosed.

चेन्नई CHENNAI

(SIGNATURE OF BIDDER WITH STAMP)

NIT No. BANDR/MDS/40088/CONVEYOR/NIT/01 DATE : 03.10.2023

ANNEXURE - H

'PART – II'

Specification and Schedule of Quantities (S.O.Q)

[BIDDER SHALL SUBMIT THIS PAGE ALONGWITH TECHNO-COMMERCIAL OFFER (PART – I), DULY WRITTEN THE WORD "*QUOTED*" AGAINST EACH ITEM / COMPONENT/BREAKUPS]

OPTIONAL ITEM

ITEM. NO	DESCRIPTION	UNIT	QTY	UNIT RATE (₹)	AMOUNT (₹)
1.	Supervision Charges for installation, Testing, Inspection & Commissioning of Telescopic Belt Conveyor **Note:** **The above Charges shall be applicable only after 7 days.**	Per Day	1		
	I) TOTAL BASIC PRICE				
	II)GOODS AND SERVICE TAX ON TOTAL BASIC PRICE(I): IGST/CGST/SGST, WHICHEVER IS APPLICABLE				
	TOTAL AMOUNT (I + II)				

BRIDGE AND ROOF CO. (INDIA) LTD. चेन्नई CHENNAI