Opening doors to business and life

ASSA ABLOY

ASSA ABLOY Entrance Systems

The global leader in door opening solutions

Project	**CIAL**	
Location	**Cochin International Airport**	
Application	**Civil Aviation**	
Our ref.no.	**220-018**	
Calculated	2022-04-19 16:25	
Notes	Top two fabric pitches in Translucent White RAL 9010 on all three door leaves.	**Quotation only. Do not use for design.**

System summary

Sales representative	Ashish Nair
Version	V 2022-04-12 16:34:13 4797
Revision	E
Identical doors	1
Total weight	15200 kg
Shipping weight	17576 kg
Shipping volume	62,95 m³
Overall clear width	48760 mm
Environment	Megadoor Standard
Nominal current	46,0 A
Total power	18,9 kW
Hoist peak current	135,3 A
Voltage/Frequency	400 V 50 Hz
Control panel base	A1 Door Cabinet, 500x600x250
Control panel	A10x Door/Mullion Cabinet, 500x600x250 (18A nom.)
Control panel	A10x Door Cabinet, 500x600x250 (20A nom.)
Control panel	A10x Door/Mullion Cabinet, 500x600x250 (18A nom.)

Options selected

Back-up power switch	
Audible and visual alarm	
Beam clamps	

Door 1 options selected

Colour change, partial height of door leaf, TW over 15m	2 no.
3-phase breaker	
Floor/site-built door leaf	
Colored clamp strip on inside	
Colored clamp strip on outside	

Door 1

CW	15960 mm
CH	10929 mm
Depth	290 mm
Differential pressure	1,5 kPa (31,3 psf)
Leaf height	12581 mm
Total height	12581 mm
Total width	16200 mm
Number of splices	1
Guide shoe load	19,0 kN
Leaf fabric outside	Standard fabric, Colour TBC
Leaf fabric inside	Standard fabric, Colour TBC
Hoist	1 * Rope hoist 3,4T2/21 (19205253)
Open time	79 sec
Moving weight	2883 kg
Total weight	3382 kg
Bottom seal	EPDM Grey 680 mm

Mullion 12

Mullion	VKR400x200x10 355
Clear under mullion	10279 mm
Building deflection down	70 mm

Building deflection up	70 mm
Mullion swing time	66 sec
Mullion floor pit lenght	2200 mm
Mullion hoist load	1004 kg
Mullion weight	2263 kg

Door 2 options selected

Colour change, partial height of door leaf, TW over 15m	2 no.
3-phase breaker	
Floor/site-built door leaf	
Colored clamp strip on inside	
Colored clamp strip on outside	

Door 2

CW	15960 mm
CH	13400 mm
Depth	290 mm
Differential pressure	1,5 kPa (31,3 psf)
Leaf height	15297 mm
Total height	15297 mm
Total width	16200 mm
Number of splices	1
Guide shoe load	18,4 kN
Leaf fabric outside	Standard fabric, Colour TBC
Leaf fabric inside	Standard fabric, Colour TBC
Hoist	1 * Rope hoist 4,9T2/27 (19205259)
Open time	98 sec
Moving weight	3443 kg
Total weight	3912 kg
Bottom seal	EPDM Grey 680 mm

Mullion 23

Mullion	VKR400x200x10 355
Clear under mullion	10279 mm
Building deflection down	70 mm
Building deflection up	70 mm
Mullion swing time	66 sec
Mullion floor pit lenght	2200 mm
Mullion hoist load	1004 kg
Mullion weight	2263 kg

Door 3 options selected

Colour change, partial height of door leaf, TW over 15m	2 no.
3-phase breaker	
Floor/site-built door leaf	
Colored clamp strip on inside	
Colored clamp strip on outside	

Door 3

CW	15960 mm
CH	10929 mm
Depth	290 mm
Differential pressure	1,5 kPa (31,3 psf)
Leaf height	12581 mm
Total height	12581 mm
Total width	16200 mm
Number of splices	1
Guide shoe load	19,0 kN
Leaf fabric outside	Standard fabric, Colour TBC
Leaf fabric inside	Standard fabric, Colour TBC
Hoist	1 * Rope hoist 3,4T2/21 (19205253)
Open time	79 sec
Moving weight	2883 kg
Total weight	3380 kg
Bottom seal	EPDM Grey 680 mm