Scope of work-

Annual Maintenance Non- comprehensive Contract (AMC) For ASSA ABLOY-ALBANY Doors installed at WHP building. Contract period 1 year

Make : ASSA ABLOY-ALBANY Doors Product : High Speed Doors. Location : Warehouse. Qty. 19 Nos.

1. Preventive Maintenance (3 visit/ year - Every visit after 4 months):

Standard Non- comprehensive AMC offer Servicing includes Quarterly visit and service Engineer should check following points.
A. Mechanical: Check Points
1. Assembly checking.
2. Alignment.
3. Oiling/ greasing
4. Other alignment & interlocking checking
5. All Nuts-Bolts tightening.
¤
B. Electrical: Check Points
1. Main electric connections with motor & control panel connections.
2. Limit Switch Setting.
3. Control Box: Connectors, relay, overhead protection, switches. and other Misc.

2. Breakdown maintenance:

Service Engineer/Technician shall visit site as and when required to attend to breakdowns/ complaints reported on equipment covered under this contracts. The response time to site will be as soon as possible and within 4-6 hours from the date and time of call registered. All breakdown visits during the contract will be free of cost.

If any spares or material required, contractor will supply it on prior approval of Maintenance Manager M B India.

3. Online Technical support:
You will provide us online technical support on odd hours, in case of Breakdown / complaint.

4. Helpline 24 X 7:
You will provide us a dedicated telephone helpline no 24x7 for instant access to your Technical team.

5. Spare Parts Management:
A list of recommended spares should be submitted by you to us in advance.

Special Instructions -

1) All general tools will be provided by user.

2) Special tools, tackles etc. required to be brought by the contractor
3) The necessary coordination for this work will be done by our TSM dept.
4) All your people working at our site must be covered under Workmen compensation policy, ESI and PF by you. MB India will not be responsible for any accident at any stage of the work and injury to a person deputed by you.
5) Special safety precautions must be taken by your site supervisor to ensure safe working with electrical panel, handling heavy material etc.