JINDAL PIPES LIMITED

JINDAL
D.P. JINDAL GROUP


SQUARE & RECTANGULAR HOLLOW SECTION



ISO 9001
BUREAU VERITAS
Certification
Excluding Design

JINDAL STAR

JPL.CAT.02; Issue No.1; Rev. No.:2;
Date 03.10.12



D.P. Jindal Group

SQUARE AND RECTANGULAR HOLLOW SECTION

Pipes & Tubes | POWER: Wind & Thermal |Offshore Drilling


D.P. Jindal Group, synonymous with steel pipes & tubes, is the largest producer of steel pipes and tubes of both Seamless and Welded category in India.
Today, D.P. Jindal Group is a US$ 800 million (approx) business conglomerate, with business interest spanning from manufacturing pipes, offshore drilling services, power generation to export. For more than four decade the group has been the pioneer and major contributor to the growth of the Indian tube industry and serving the core sectors like agriculture, industry, housing, infrastructure, oil & gas and many more.

Our product range comprises of ERW Pipes & Tubes (Black & Galvanized) and Seamless Pipes & Tubes (Hot finished & Cold Drawn).

Diverse product range, large manufacturing capacities and optimum utilisation of resources are the major contributors to the growth of the Group.

Investment in latest technology and committed people have given every company under D.P. Jindal Group enough impetus to deliver superior performance, ensuring further growth and consolidate its leadership position in the industry.

MANUFACTURING AND TESTING FLOW DIAGRAM OF SECTION PIPES



JINDAL PIPES LIMITED

Jindal Pipes Ltd. (JPL) was incorporated in 1970 with a production capacity of 3000 TPA to manufacture Steel Pipes & Tubes. Since then, the company has brought phenomenal development in Pipe manufacturing process through many innovative measures. Today, it has an annual turnover of approx. Rs.951 Crores. Induction of sophisticated state-of-the-art technical know-how and highly motivated & skilled workforce have made possible for the company to augment its production capacity to 2,50,000 TPA.


It is now synonymous with India's one of the best and largest manufacturer of ERW, Black and Galvanized Steel Pipes & Tubes in different thickness from 2.00 mm to 10.00 mm having an Outer Diameter (OD) ranging from 1/2" to 14" NB conforming to various National and International Standards.

Recently the company has started manufacturing RHS & SHS Pipes of various sizes which are to be used for different applications i.e. Architectural and Industrial.

The company received 'Regional Special Shield' award for export performance for the year 1977-78 and from 1984 to1988. It was also awarded the 'Certificate for Export Excellence 1990-91' by the Export Engineering Promotion Council.

True to D.P. Jindal Group's way of life, quality is at the helm of affairs. Our constant endeavor is to produce pipes of highest quality and sustainability. To achieve this, we stick to strict quality standards, continuous in-house evaluations and training our work force.

Our company has been constantly executing need based and demanding orders for Pipes to meet the requirements of sectors like Agriculture, Oil, Public Health, Housing, Irrigation, Engineering etc.





True Benefits

Jindal Pipes command several techno-economic advantages over conventional Steel Section.

1. Raw material used for manufacturing these steel pipes comes from world renowned manufactures of Hot Rolled Coils.
2. Excellence distribution of material around the axis of these steel pipes allows for remarkable strength and quality, thus offers decisive advantages as regards to application technology.
3. Due to their higher torsional rigidity and compressive strength they behave more efficiently than conventional Steel Sections.
4. Their higher strength to weight ratio could result in saving of steel upto 30%.
5. The smooth, uniform profile of these sections minimizes dust accumulation and facilitate easy on-site fabrication.
6. Jindal Pipes bring about a significant enhancement in the aesthetic appeal of structures.

Quality Policy

True to Jindal Group's way of life, quality is always at the helm of affairs.



Consistent with the Group's purpose, we are committed to create value for all our stakeholders by continually improving the effectiveness of Quality System and Processes through innovation, involving all our employees.

We shall constantly strive to improve the quality of life of the communities it serves through excellence in all facets of its activities.

Our objectives shall be to:

A) Produce and deliver products as per customer expectations, conforming to National / International Standards.

B) Enhance the knowledge and skills of employees for effective implementation of Quality Management System.

REV. NO.: 3 ; 28.9.07

RAGHAV JINDAL
(Managing Director)

Quality Credentials



Certificate of Authority to use the Official API Monogram

License Number: 5CT-1304 ORIGINAL

The American Petroleum Institute hereby grants to

JINDAL PIPES LIMITED
Ghaziabad Facility
22nd Mile, Delhi-Hapur Road
Jindal Nagar
Ghaziabad, Uttar Pradesh, India

the right to use the Official API Monogram® on manufactured products under the conditions in the official publications of the American Petroleum Institute entitled API Spec Q1® and **API Spec 5CT** and in accordance with the provisions of the License Agreement.

In all cases where the Official API Monogram is applied, the API Monogram should be used in conjunction with this certificate number: **5CT-1304**

The American Petroleum Institute reserves the right to revoke this authorization to use the Official API Monogram for any reason satisfactory to the Board of Directors of the American Petroleum Institute.

The scope of this license includes the following: **Manufacturer of Seamless Casing or Tubing Plain End** at Group 1, J55/PSL 1, K55/PSL 1, N80(1)/PSL 1

QMS Exclusions: Section 7.3, Design and Development; Section 7.5.4, Customer Property

American Petroleum Institute

Effective Date: JULY 16, 2011
Expiration Date: JULY 16, 2014

To verify the authenticity of this license, go to www.api.org/compositelist.

Director of Global Industry Services



Certificate of Authority to use the Official API Monogram

License Number: 5L-0135 ORIGINAL

The American Petroleum Institute hereby grants to

JINDAL PIPES LIMITED
Ghaziabad Facility
22nd Mile, Delhi-Hapur Road
Jindal Nagar
Ghaziabad, Uttar Pradesh, India

the right to use the Official API Monogram® on manufactured products under the conditions in the official publications of the American Petroleum Institute entitled API Spec Q1® and **API Spec 5L** and in accordance with the provisions of the License Agreement.

In all cases where the Official API Monogram is applied, the API Monogram should be used in conjunction with this certificate number: **5L-0135**

The American Petroleum Institute reserves the right to revoke this authorization to use the Official API Monogram for any reason satisfactory to the Board of Directors of the American Petroleum Institute.

The scope of this license includes the following: **Manufacturer of Line Pipe Plain End at PSL 1:** Type of Pipe: HFW / Delivery Condition: R, N, M / Highest Grade: X70; **Manufacturer of Line Pipe Plain End at PSL 2:** Type of Pipe: HFW / Delivery Condition: N, M / Highest Grade: X70; **Manufacturer of Line Pipe Threaded and Coupled:** Type of Pipe: HFW / Delivery Condition: R, N, M / Highest Grade: B

QMS Exclusions: Section 7.3, Design and Development; Section 7.5.4, Customer Property

American Petroleum Institute

Effective Date: JULY 16, 2011
Expiration Date: JULY 16, 2014

To verify the authenticity of this license, go to www.api.org/compositelist.

Director of Global Industry Services



BUREAU VERITAS Certification

Certification
Awarded to

JINDAL PIPES LTD.

GHAZIABAD: 22ND MILE DELHI- HAPUR ROAD, JINDAL NAGAR, GHAZIABAD – 201 302, U. P., INDIA.
HEAD OFFICE: PLOT NO. 35, INSTITUTIONAL SECTOR - 44, GURGAON – 122 002, HARYANA, INDIA.

Bureau Veritas Certification (India) Private Limited certify that the Management System of the above organisation has been audited and found to be in accordance with the requirements of the standard detailed below

STANDARD

ISO 9001:2008

SCOPE OF SUPPLY

GHAZIABAD: MANUFACTURE OF M.S. ERW BLACK AND GALVANISED, PLAIN, BEVELL AND SCREWED AND SOCKETED END PIPES AND TUBES OF SIZE 15 MM TO 300 MMN.B. FOR WATER, AIR, SEWAGE, OIL AND GAS LINES, BOILER & SUPER HEATER, HEAT EXCHANGER, CONDENSOR, AIR HEATER, STRUCTURE AND GENERAL ENGINEERING APPLICATIONS.

HEAD OFFICE: SALE AND MARKETING OF M.S. ERW BLACK AND GALVANISED, PLAIN, BEVELL AND SCREWED AND SOCKETED END PIPES AND TUBES OF SIZE 15 MM TO 300 MMN.B. FOR WATER, AIR, SEWAGE, OIL AND GAS LINES, BOILER & SUPER HEATER, HEAT EXCHANGER, CONDENSOR, AIR HEATER, STRUCTURE AND GENERAL ENGINEERING APPLICATIONS.

PERMITTED EXCLUSION (S)
7.3 – Design and development
7.5.1(f)- Post Delivery
7.5.4 – Customer property.

Original Approval Date: 22 September 1995
Next Recertification Due Before 28 January 2014

Subject to the continued satisfactory operation of the organisation's Management System, this certificate is valid until: 02 March 2014

To check this certificate validity please call: +91 22 6695 6300

Further clarifications regarding the scope of this certificate and the applicability of the Management System requirements may be obtained by consulting the organisation.

Certificate Number: IND11.5031

R. K. SHARMA
Director

Certification / Managing Office Address: "Marwah Centre" 6th Floor, Krishanlal Marwah Marg, Opp. Anna Industrial Estate, Off Saki Vihar Road, Andheri (East), Mumbai – 400 072, India.

D.P. Jindal Group's idea of total quality is demonstrated in its stringent controls on raw materials, production process and on the speed at which the product reaches the customer. It's 'No compromises on quality', policy has brought it an ISO 9001: 2008, API and BIS certifications.

Jindal Pipes Ltd. has accreditation of API Q1 Systems and has been awarded ISO 9001: 208 on quality assurance. In addition to these, our products have the approval of international inspection agencies, such as Llyods, DNV, BVIS, EIL, PDIL, SGS etc.

Jindal Pipes Ltd. has in-house laboratory to undertake various testings and inspections during the various stages of manufacturing.

Reputed Customers

TATA
एनटीपीसी NTPC
Reliance Industries Limited
ENGINEERS INDIA LIMITED
sudhir Powering the Nation
L&T
ओएनजीसी ONGC
दिल्ली मेट्रो रेल कॉरपोरेशन लिमिटेड DELHI METRO RAIL CORPORATION LTD.
GMR Creating tomorrow today
GAIL (India) Limited Gas & Beyond
इंडियनऑयल IndianOil
ADITYA BIRLA

Applications

ARCHITECTURAL



- Shopping Malls
- Canopies / Atrium
- Glass Curtain Wall Frames
- Partition Frames
- Space Frames
- Guard Rails & Staircase

Attributes

- Lightweight
- Flexible and easy to form shapes
- Smooth surface finish
- Appealing aesthetics
- Contemporary

INDUSTRIAL



- Industrial Sheds
- Trusses, Columns and Purlins
- Material Storage Racks
- Mine Roof Support Systems (Cogs, Props)
- Pallets
- Pipe Racks
- Conveyor Gantries, Trestles
- Drilling Rigs

Attributes

- High Strength to weight ratio
- Cost effective
- Ease of fabrication and erection
- Lightweight

INFRASTRUCTURAL



- Airport Terminal Buildings
- Bridges
- Bus Stands
- Signage Supporting Structures
- Pedestrian Walkovers (Footbridge)
- Sports Galleries
- Railways Platforms/Foot Overbridges

Attributes

- High Strength
- More column free space
- Larger & thicker sections
- Ease of fabrications
- Lightweight

GENERAL ENGINEERING



- Automobile Chassis
- Green House Structures
- Truck and Bus Body Members
- Hoarding Structures
- Amusement Park & Playground Equipment
- Exhibition Stalls
- Scaffolding
- Furniture


Attributes

- Lightweight
- Ease of fabrication
- High tensional resistance
- Minimal painting area
- Appealing aesthetics

Technical Specifications and Dimensional Tolerances

STEEL SECTIONS CONFIRMING TO IS:4923

We can also supply sections as per ASTM A 500 specification.



Chemical Composition

Sulphur	=	0.050% max.
Phosphorus	=	0.050% max.


Mechanical Properties

	Grade	UTS	YST	% Elongation (min)	
		MPa, (min)	MPa, (min)	⩽ 25.4 mm	> 25.4 mm
A	Yst 210	330	210	12	20
B	Yst 240	410	240	10	15
C	Yst 310	450	310	8	10

Dimensional Tolerances

A	Thickness	±10%
B	Outside Dimension	±1% (±0.5 mm min.)
C	Weight	
	1. On individual lengths	+10%, -8%
	2. On lots of 10 tonnes	±7.5%
D	Squareness	90° ± 2°
E	Corner Radius	3t max.
F	Length	± 6mm
G	End Finish	Plain End - Mill cut finish


Square Hollow Sections



Specification:
IS : 4923

SHS B X D mm	Thick-ness mm	Sec Area A cm2	Unit W kg/m	Moment of Inertia		Radius of Gyration		Elastic Modulus		Torsional Constants		Outer Surface
				Ixx cm4	Iyy cm4	rxx cm	ryy cm	Zxx cm3	Zyy cm3	J cm4	B cm3	Area Per mm2
25 x 25	2.00	1.74	1.36	1.48	1.48	0.92	0.92	1.19	1.19	2.29	1.68	0.090
	2.60	2.16	1.69	1.72	1.72	0.89	0.89	1.38	1.38	2.68	1.92	0.087
	3.20	2.53	1.98	1.89	1.89	0.86	0.86	1.51	1.51	2.96	2.07	0.084
32 x 32	2.00	2.30	1.80	3.36	3.36	1.21	1.21	2.10	2.10	5.30	3.05	0.118
	2.60	2.88	2.26	4.02	4.02	1.18	1.18	2.51	2.51	6.45	3.63	0.115
	3.20	3.42	2.69	4.54	4.54	1.15	1.15	2.84	2.84	7.41	4.07	0.112
38 x 38	2.60	3.51	2.75	7.14	7.14	1.43	1.43	3.76	3.76	11.51	5.49	0.139
	3.20	4.19	3.29	8.18	8.18	1.40	1.40	4.30	4.30	13.45	6.28	0.136
	4.00	5.03	3.95	9.26	9.26	1.36	1.36	4.87	4.87	15.67	7.12	0.131
40 x 40	2.60	3.72	2.92	8.45	8.45	1.51	1.51	4.22	4.22	13.63	6.20	0.147
	3.20	4.45	3.49	9.72	9.72	1.48	1.48	4.86	4.86	16.00	7.12	0.144
	4.00	5.35	4.20	11.07	11.07	1.44	1.44	5.54	5.54	18.75	8.12	0.139
50 x 50	2.60	4.76	3.74	17.47	17.47	1.92	1.92	6.99	6.99	28.53	10.37	0.187
	2.90	5.25	4.12	18.99	18.99	1.90	1.90	7.60	7.60	31.15	11.23	0.185
	3.60	6.35	4.98	22.15	22.15	1.87	1.87	8.86	8.86	36.58	12.98	0.181
	4.50	7.67	6.02	25.50	25.50	1.82	1.82	10.20	10.20	41.99	14.68	0.177
60 x 60	2.60	5.80	4.55	31.33	31.33	2.33	2.33	10.44	10.44	50.08	15.52	0.227
	3.20	7.01	5.50	36.94	36.94	2.30	2.30	12.31	12.31	60.02	18.31	0.224
	4.00	8.55	6.71	43.55	43.55	2.26	2.26	14.52	14.52	72.41	21.62	0.219
	4.80	10.01	7.85	49.22	49.22	2.22	2.22	16.41	16.41	83.86	24.51	0.215
72 x 72	3.20	8.54	6.71	66.32	66.32	2.79	2.79	18.42	18.42	106.81	27.47	0.272
	4.00	10.47	8.22	79.03	79.03	2.75	2.75	21.95	21.95	129.85	32.78	0.267
	4.80	12.31	9.66	90.31	90.31	2.71	2.71	25.09	25.09	151.55	37.55	0.263
80 x 80	3.20	9.57	7.51	92.71	92.71	3.11	3.11	23.18	23.18	148.55	34.60	0.304
	4.00	11.75	9.22	111.04	111.04	3.07	3.07	27.76	27.76	181.22	41.49	0.299
	4.80	13.85	10.87	127.58	127.58	3.04	3.04	31.89	31.89	212.26	47.77	0.295
91.5 x 91.5	3.60	12.32	9.67	156.49	156.49	3.56	3.56	34.21	34.21	251.17	51.14	0.347
	4.50	15.14	11.88	187.57	187.57	3.52	3.52	41.00	41.00	306.78	61.40	0.343
	5.40	17.85	14.01	215.68	215.68	3.48	3.48	47.14	47.14	359.76	70.77	0.338
100 x 100	4.00	14.95	11.73	226.35	226.35	3.89	3.89	45.27	45.27	364.75	67.50	0.379
	5.00	18.36	14.41	271.10	271.10	3.84	3.84	54.22	54.22	441.84	80.54	0.374
	6.00	21.63	16.98	311.47	311.47	3.79	3.79	62.29	62.29	511.80	92.06	0.369
113.5 x 113.5	4.80	20.28	15.92	393.30	393.30	4.40	4.40	69.30	69.30	637.45	103.89	0.429
	5.40	22.60	17.74	432.58	432.58	4.38	4.38	76.23	76.23	708.69	114.41	0.426
132 x 132	4.80	23.83	18.71	634.39	634.39	5.16	5.16	96.12	96.12	1018.30	144.11	0.503
	5.40	26.60	20.88	700.11	700.11	5.13	5.13	106.08	106.08	1134.24	159.18	0.500
150 x 150	4.00	22.95	18.01	807.82	807.82	5.93	5.93	107.71	107.71	1273.46	161.38	0.579
	5.00	28.36	22.26	982.12	982.12	5.89	5.89	130.95	130.95	1569.09	196.38	0.574
	6.00	33.63	26.40	1145.91	1145.91	5.84	5.84	152.79	152.79	1856.18	229.44	0.569
	8.00	43.79	34.38	1443.00	1443.00	5.74	5.74	192.40	192.40	2405.78	290.12	0.559
180 x 180	4.00	27.75	21.78	1421.74	1421.74	7.16	7.16	157.97	157.97	2224.31	236.76	0.699
	5.00	34.36	26.97	1736.87	1736.87	7.11	7.11	192.99	192.99	2747.93	289.40	0.694
	6.00	40.83	32.05	2036.52	2036.52	7.06	7.06	226.28	226.28	3259.23	339.65	0.689
	8.00	53.39	41.91	2590.73	2590.73	6.97	6.97	287.86	287.86	4246.16	433.32	0.679
220 x 220	6.00	50.43	39.59	3813.36	3813.36	8.70	8.70	346.67	346.67	6034.53	520.18	0.849
	8.00	66.19	51.96	4894.99	4894.99	8.60	8.60	445.00	445.00	7897.48	668.99	0.839
	10.00	81.43	63.92	5887.19	5887.19	8.50	8.50	535.20	535.20	9549.15	796.48	0.829
250 x 250	6.00	57.63	45.24	5672.00	5672.00	9.92	9.92	453.76	453.96	8920.44	680.77	0.969
	8.00	75.79	59.50	7315.65	7315.65	9.82	9.82	585.25	585.25	11702.07	879.31	0.959
	10.00	93.43	73.34	8842.29	8842.29	9.73	9.73	707.38	707.38	14248.15	1054.68	0.949

Product Range



Specification:
IS : 4923


Product Range: Square Hollow Sections (SHS)

Section Size			Thickness (mm) = t												
	B	D	2.0	2.6	2.9	3.2	3.6	4.0	4.5	4.8	5.0	5.4	6.0	8.0	10.0
	25	25	■	■	■	■									
	32	32	■	■	■	■									
	38	38		■	■	■	■	■							
	40	40		■	■	■	■	■							
	50	50		■	■	■	■	■	■						
	60	60		■	■	■	■	■	■	■					
	72	72				■	■	■	■	■					
	80	80				■	■	■	■	■					
	91.5	91.5					■	■	■	■	■	■			
	100	100						■	■	■	■	■	■		
	113.5	113.5						■	■	■	■	■	■		
	132	132						■	■	■	■	■	■		
	150	150						■	■	■	■	■	■	■	
	180	180						■	■	■	■	■	■	■	
	220	220											■	■	■
	250	250											■	■	■

■ Indicates presently rolled section.

■ Under development, please confirm availability before adoption in design.


Rectangular Hollow Sections



Specification:
IS : 4923

RHS D X B mm	Thick-ness mm	Sec Area A cm2	Unit W kg/m	Moment of Inertia		Radius of Gyration		Elastic Modulus		Torsional Constants		Outer Surface
				Ixx cm4	Iyy cm^4	rxx cm	ryy cm	Zxx cm^3	Zyy cm^3	J cm^4	B cm^3	Area Per mm^2
50 x 25	2.00	2.74	2.15	8.38	2.81	1.75	1.01	3.35	2.25	6.79	3.79	0.142
	2.60	3.46	2.71	10.16	3.36	1.71	0.99	4.06	2.69	8.27	4.53	0.137
	3.20	4.13	3.24	11.63	3.80	1.68	0.96	4.65	3.04	9.52	5.12	0.134
	4.00	4.95	3.88	13.13	4.23	1.63	0.92	5.25	3.38	10.86	5.69	0.129
60 x 40	2.60	4.76	3.73	22.76	12.09	2.19	1.59	7.59	6.05	25.59	9.83	0.187
	2.90	5.25	4.12	24.74	13.11	2.17	1.58	8.25	6.56	28.02	10.66	0.185
	3.60	6.35	4.98	28.90	15.23	2.13	1.55	9.63	7.62	33.30	12.41	0.181
	4.50	7.67	6.02	33.31	17.44	2.08	1.51	11.10	8.72	39.34	14.29	0.177
66 x 33	2.60	4.70	3.69	25.15	8.43	2.31	1.34	7.62	5.11	20.75	8.71	0.185
	2.90	5.19	4.07	27.33	9.12	2.29	1.33	8.28	5.53	22.65	9.43	0.183
	3.60	6.28	4.93	31.87	10.52	2.25	1.29	9.66	6.37	26.71	10.90	0.179
	4.50	7.58	5.95	36.64	11.93	2.20	1.25	11.10	7.23	31.21	12.43	0.175
80 x 40	2.60	5.80	4.55	46.58	15.74	2.84	1.65	11.65	7.87	38.50	13.46	0.227
	3.20	7.01	5.50	54.94	18.41	2.80	1.62	13.74	9.21	45.83	15.78	0.224
	4.00	8.55	6.71	64.79	21.49	2.75	1.59	16.20	10.74	54.77	18.49	0.219
	4.80	10.01	7.85	73.22	24.03	2.71	1.55	18.30	12.02	62.81	20.79	0.215
96 x 48	3.20	8.54	6.71	98.61	33.28	3.40	1.97	20.54	13.87	82.13	23.82	0.272
	4.00	10.47	8.22	117.54	39.32	3.35	1.94	24.49	16.38	99.11	28.24	0.267
	4.80	12.31	9.66	134.35	44.55	3.30	1.90	27.99	18.56	114.80	32.14	0.263
122 x 61	3.60	12.32	9.67	232.61	78.83	4.34	2.53	38.13	25.84	193.91	44.50	0.347
	4.50	15.14	11.88	278.94	93.78	4.29	2.49	45.73	30.75	235.39	53.13	0.343
	5.40	17.85	14.01	320.83	107.03	4.24	2.45	52.60	35.09	274.29	60.89	0.338
145 x 82	4.80	20.28	15.92	555.16	228.50	5.23	3.36	76.57	55.73	534.27	94.45	0.429
	5.40	22.60	17.74	610.85	250.59	5.20	3.33	84.26	61.12	592.70	103.81	0.426
172 x 92	4.80	23.83	18.71	917.13	346.91	6.20	3.82	106.64	75.41	826.04	128.85	0.503
	5.40	26.59	20.88	1012.47	381.74	6.17	3.79	117.73	82.99	918.10	142.04	0.500
200 x 100	4.00	22.95	18.01	1199.71	410.78	7.23	4.23	119.97	82.16	991.47	141.46	0.579
	5.00	28.36	22.26	1459.25	496.94	7.17	4.19	145.93	99.39	1216.96	171.53	0.574
	6.00	33.63	26.40	1703.31	576.91	7.12	4.14	170.33	115.38	1434.03	199.68	0.569
	8.00	43.79	34.38	2146.21	719.19	7.00	4.05	214.62	143.84	1843.86	250.68	0.559
220 x 140	4.00	27.75	21.78	1892.62	947.66	8.26	5.84	172.06	135.38	2004.80	223.74	0.699
	5.00	34.36	26.97	2313.45	1155.23	8.21	5.80	210.31	165.04	2468.51	272.71	0.694
	6.00	40.83	32.05	2714.10	1351.70	8.15	5.75	246.74	193.10	2914.71	318.93	0.689
	8.00	53.39	41.91	3456.31	1712.25	8.05	5.66	314.21	244.61	3270.10	378.40	0.679
240 x 120	4.00	27.75	21.78	2110.72	725.35	8.72	5.11	175.89	120.89	1736.39	208.03	0.699
	5.00	34.36	26.97	2579.67	882.47	8.67	5.07	214.97	147.08	2138.48	253.55	0.694
	6.00	40.83	32.05	3025.91	1030.45	8.61	5.02	252.16	171.74	2528.39	296.7	0.689
	8.00	53.39	41.91	3851.84	1299.95	8.49	4.93	320.99	216.66	3272.9	376.29	0.679
260x 180	6.00	50.43	39.59	4855.87	2763.43	9.81	7.40	373.53	307.05	5619.50	501.06	0.849
	8.00	66.19	51.96	6238.69	3538.10	9.71	7.31	479.90	393.12	6821.23	620.13	0.839
	10.00	81.43	63.92	7509.51	4244.26	9.60	7.22	577.65	471.58	8972.14	760.42	0.834
300x 150	6.00	51.63	40.53	6073.51	2079.57	10.85	6.35	404.90	277.28	5034.64	478.20	0.869
	8.00	67.79	53.22	7808.95	2654.12	10.73	6.26	520.53	353.88	6559.05	612.64	0.859
	10.00	83.43	65.49	9403.90	3173.71	10.62	6.17	626.93	423.16	8011.67	736.01	0.848
300x 200	6.00	57.65	45.24	7370.23	3962.19	11.31	8.29	491.34	396.22	8186.02	650.85	0.969
	8.00	75.79	59.50	9513.66	5097.04	11.20	8.20	634.24	509.70	10722.83	839.54	0.959
	10.00	93.43	73.34	11507.24	6144.30	11.10	8.11	767.15	614.43	13169.70	1015.43	0.948

Product Range



Specification:
IS : 4923


Product Range: Rectangular Hollow Sections (RHS)

Section Size			Thickness (mm) = t												
	D	B	2.0	2.6	2.9	3.2	3.6	4.0	4.5	4.8	5.0	5.4	6.0	8.0	10.0
	50	25	■	■	■	■	■	■							
	60	40		■	■	■	■	■	■						
	66	33		■	■	■	■	■	■						
	80	40		■	■	■	■	■	■	■					
	96	48				■	■	■	■	■					
	122	61					■	■	■	■	■	■			
	145	82						■	■	■	■	■			
	172	92						■	■	■	■	■			
	200	100						■	■	■	■	■	■	■	
	220	140						■	■	■	■	■	■	■	
	240	120						■	■	■	■	■	■	■	
	260	180											■	■	■
	300	150											■	■	■
	300	200											■	■	■

■ Indicates presently rolled section.

■ Under development, please confirm availability before adoption in design.

Note: Information provided in this catalogue is as per currently applicable specifications but since they are subject to changes, please refer relevant specification to know the current status.



#12-200-JPL-R

JINDAL PIPES LIMITED

For further information, please contact:

JINDAL CORPORATE CENTRE

Plot No. 30, Institutional Sector - 44, Gurgaon-122 002, Haryana (India).

Tel.: +91 124 2574325 / 26, 4624000, Fax: +91 124 2574327

e-mail: contact@jindalpipe.com

www.jindal.com