ASSA ABLOY

RECHNUNG/INVOICE

ASSA ABLOY Entrance Systems - Am Mondschein 25 - D-59557 Lippstadt

NIHVA Technologies PVT LTD
27 8/1 Coromant Housing Society
411044 Pune, Nigdi Pradhikar
India

Rechnung/Invoice	90655179
Datum/Date	2017-11-29
Lieferschein-Nr./delivery note	80366561
Auftrags-Nr./Order No.	30639597
Referenz/Reference	Mr. Dange

Kunden-Nr./Customer No.	Innendienst/Internal department	Versandart/Way of delivery	
1059669	Tatjana Rerich	Forwarder (W)	Sea freight
Ihre Ust-ID Nr./Your TAX No	**Ihre Bestell-Nr./Your Order**	**Versandbedingungen/Terms of delivery**	**Lieferdatum/Delivery date**
	NVA-327	FCA Lippstadt	2017-11-28

Lieferadresse/Delivery address	Nr. Lieferadresse/Delivery address No.	Zahlungsbedingungen/Terms of payment	Fälligkeit/Due date
NIHVA Technologies PVT LTD 27 8/1 Coromant Housing Society 411044 Pune, Nigdi Pradhikar India	1059669	Due Net 60	2018-01-28

Pos. Item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price
AD_RR300	**Albany RR300**		**1.000**	**ST**	**3,581.00**	**3,581.00**

Serien-Nr. 1100006924

Door type	High speed roller door RapidRoll 300-S
Daylight width	3 000 mm
Daylight height	2 000 mm
Side frame extension X-Level	0 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	2,0 m/s
Max. Closing Speed	1,0 m/s
Control box position	Mounted next to the drive unit
Control system position	Left
Motor Position	Left
Wind class	1
Side frame version	Galvanised steel
Bottom plate	Bottom plates included
Bottom profile	Aluminium
Safety contact edge	Electrical safety edge at the bottom profile
Connection for safety edge	With coily cable
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Aluminum
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
Motor cover	Motor cover made of plastic, grey colour similar to RAL 7040
Top roll cover	Top roll cover made of galvanised steel

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 15/12 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

MCC type	Standard version
MCC-display position	Wall mounted
MCC display type	Standard display with push buttons
Power supply	440 V. 3-phase
Frequency	50 Hz
Main switch	With main switch
Mains connection cable length	3 000 mm
Display cable length	3 000 mm
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
Special door	Yes
CE - Sign	Yes
Reference no. special door 01	210138
Packing	Box, heat treated
Warranty	1 Year
Dimension packing 1 LxWxH	3600X580X470
Dimension packing 2 LxWxH	1000X800X770

*
*

! Ref. 210138_ without motor and barrel cover.
Door doesn´t correspond to CE - regulations norm.
Commodity code: 39252000
Country of origin: DE

Dimension packing 1 LxWxH	**3600x580x470**
Dimension packing 2 LxWxH	**1000x800x770**
Net Weight	**280,000 KG**
Gross Weight	**280,000 KG**

AD_RR500 **Albany RR500** **1.000** **ST** **6,480.00** **6,480.00**

Serien-Nr. 4120000053

Daylight width	4 500 mm
Daylight height	4 500 mm
Door control system	MCC VectorControl - frequency converter control system for a dynamic, smooth door movement, located close to the drive unit
Max. Opening Speed	1,0 m/s
Max. Closing Speed	0,5 m/s
Control box position	Mounted on the wall
Control system position	Left
Motor Position	Left
Side frame version	Side frames made of galvanised steel with aluminium cover profiles
Bottom profile	Flexible bottom profile with integrated electrical contact edge
Safety contact edge	Electrical safety edge at the bottom profile
Photocell	With photocell
Crank	With crank for manual operation
Top roll material	Top roll made of steel
Door curtain	PVC material - transparent with vertical coloured stripes
Door curtain colour	Blue, similar to RAL 5002
MCC type	Standard version
MCC-display position	Wall mounted
MCC display type	Standard display with push buttons
Power supply	440 V. 3-phase

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 15/12 DE

Pos. item	Produkt Product	Beschreibung Description	Anzahl QTY	Einheit Unit	Preis/Einh. Price/Unit	Preis Price

Frequency	50 Hz
Main switch	With main switch
Motor cable length	3 000 mm
Mains connection cable length	3 000 mm
Display cable length	3 000 mm
Assembly frame	with assembly frame
Documentation language	English
Documenation door	English
Documentation control system	English
Wiring plan	English
MCC display language	English
CE - Sign	Yes
Packing	Box, heat treated
Warranty	1 Year

Commodity code: 39252000
Country of origin: DE

Net Weight	**902,000 KG**
Gross Weight	**902,000 KG**
Dimension packing 1 LxWxH	**5400x850x1000**
Dimension packing 2 LxWxH	**1000x790x760**

D5701R0141	**Heat treated box**	**1.000**	**ST**	**145.00**	**145.00**

Commodity code: 44151010
Country of origin: DE

Net Weight	**24,000 KG**
Gross Weight	**24,000 KG**

Warenwert/Value of goods		**10,206.00**
Mwst/VAT	**0.00 %**	**0.00**
Summe/Total	**EUR**	**10,206.00**

Goods delivered outside the European Community are tax free according to § 4 No. 1a UStG

ASSA ABLOY Entrance Systems
High Performance Door Solutions

Albany Door Systems GmbH
Am Mondschein 25
DE - 59557 Lippstadt
Tel.: 02941 / 766-0
www.albanydoors.com

ASSA ABLOY Entrance Systems

Albany Door Systems GmbH
Am Mondschein 25
DE-59557 Lippstadt
www.assaabloyentrance.com

Phone:+49 (0) 2941/766-0
Fax: +49 (0) 2941/766-294
Service: +49(0) 2941/766555
verkauf.de.albany@assaabloy.com

Bank details
Commerzbank AG
Bank code: 200 400 00
Account: 0402 4014 00

VAT No.: DE 813 313 618
SWIFT:COBADEFFXXX
IBAN-No: DE 09 2004 0000 0402 4014 00
Register court Paderborn: HR B 61 06

Management:
Juan Vargues
Per Hansson

64 300 006 15/12 DE