


DOCK LEVELER SIZE	WIDTH (W)	LENGTH (L)	HEIGHT (H)	LIP (C) LENGTH	BUFFER SIZE (OPTIONAL)
	2200	3000	480	400	200X300X100


PIT DIMENSION	WIDTH (W 1)	LENGTH (L 1)	DEPTH (D)	ALL DIMENSIONS ARE IN mm
	2250	3070	485	




PIT DRAWING









NOTE: -

1. PROPER DRAINAGE SHOULD BE DONE
2. TRENCH AS SHOWN SHOULD BE MADE BY DECIDING THE POWER PACK POSITION (SUPPLY CABLE LENGTH STD. 7000 MM)
3. LEVEL OF THE PIT SHOULD BE PLAIN AND SHOULD TAKE AT LEAST 12000 KGB FLOOR LOADING
4. MOUNTING ARRANGEMENT FOR BUFFERS SHOULD BE MADE AS PER BUFFER DRAWING (IF ORDERED)
5. FABRICATION TOLERANCE FOR PLATFROM SIZE WILL BE ±15 MM

DOCK LEVELER- 9 TON CAPACITY - DOUBLE CYLINDER

CLIENT APPORVAL-		NIHVA TECHNOLOGIES PVT. LTD.
DRAWN :- A. WADKE	DATE : - 02/12/2014	CLIENT - VALEO INDIA PVT LTD
CHECK:- A.KUMAR	DATE : - 02/12/2014	PROJECT - VALEO THERMAL SYSTEM
ALL DIMENSION ARE IN mm		SITE - SANAND , GUJARAT
If any queries contact : projects@nihva.com		DWG. NO. - NVA/VALEO/NDL/03.

NIHVA TECHNOLOGY PVT. LTD. PUNE
Tel : 020 66304033
Email:- info@nihva.com
Website:- www.nihva.com